
Manual for

BLUPF90 family of programs

Ignacy Misztal (ignacy@uga.edu), Shogo Tsuruta (shogo@uga.edu),
Daniela Lourenco (danilino@uga.edu), Yutaka Masuda (yutaka@uga.edu)
University of Georgia, USA

Ignacio Aguilar (iaguilar@inia.org.uy)
INIA, Uruguay

Andres Legarra (andres.legarra@uscddb.com)
CDCB, USA

Zulma Vitezica (zulma.vitezica@ensat.fr)
ENSAT, France



University of Georgia, Athens, USA. First released May 12, 2014 Last edit May 21, 2024

Misztal, I., S. Tsuruta, D. Lourenco, Y. Masuda, I. Aguilar, A. Legarra, and Z. Vitezica. 2014. Manual for BLUPF90 family of programs.

Table of Contents

Introduction	4
List of programs from Wiki page.....	5
Programs in a chart.....	7
Parameter file for application programs.....	8
Description of effects	9
Definition of random effects	11
<i>Correlated effects</i>	12
<i>Random effects and Pedigree files</i>	13
<i>Data and Pedigree files</i>	15
<i>Data file</i>	15
<i>Pedigree file</i>	15
<i>Error messages in parameter file</i>	15
RENUMF90 parameter file	16
<i>Basic rules for RENUMF90 parameter file</i>	16
<i>Parameter file</i>	16
<i>Combining fields</i>	18
<i>Options</i>	18
<i>Output files</i>	19
<i>Output pedigree file</i>	20
<i>Example</i>	20
When to use which program and computing limits	25
BLUP	25
Variance components estimation	29
Combined programs.....	39
Genomic programs.....	40
<i>PREGSF90</i>	40
<i>POSTGSF90</i>	52
<i>PREDF90</i>	55
<i>PREDICTF90</i>	57
<i>Demonstration for genomic analysis</i>	58
Examples of parameter files	63
Appendix A (single trait animal model).....	80
Appendix B (multiple trait sire model).....	84
Appendix C (test-day model)	87
Appendix D (multibreed maternal effect model)	91
Appendix E (random regression model)	94

Appendix F (terminal cross model)	96
Appendix G (competitive model)	98
Appendix H (genomic model)	100
Appendix I (complete genomic analysis)	111
Appendix J (custom relationship matrices)	140
Appendix K (selected programming details)	142
Modules and Libraries	145
Module DENSEOP	145
<i>Symmetric matrices</i>	145
<i>General matrices</i>	146
<i>Technical details</i>	147
<i>Example (exdense.f90)</i>	147
<i>Compilation</i>	148
Module SPARSEM.....	149
<i>Introduction</i>	149
<i>Matrix formats</i>	150
<i>Matrix operations</i>	150
<i>Storage type</i>	152
<i>Numerical accuracy</i>	152
<i>Diagnostics</i>	152
<i>FSPAK90</i>	153
Module Prob.....	160
<i>Subroutines/functions</i>	160
<i>Other functions/subroutines</i>	161

Introduction

BLUPF90 is a family of programs for mixed-model computations focusing on animal breeding applications. The programs can do data conditioning, estimate variances using several methods, calculate BLUP for very large data sets, calculate approximate reliabilities, and use SNP information for improved accuracy of breeding values and genome-wide association studies (GWAS).

The programs have been designed with 3 goals in mind:

1. Flexibility to support a large set of models found in animal breeding applications.
2. Simplicity of software to minimize errors and facilitate modifications.
3. Efficiency at the algorithmic level.

Aside from being used in hundreds of studies, the programs are utilized for commercial genetic evaluation in dairy, beef, pigs, chicken, fish, plants, and beyond by major companies/institutions/associations in the US and worldwide.

The programs are written in Fortran 90/95 and originated as exercises for a class taught by Ignacy Misztal at the University of Georgia. Over time, they have been upgraded and enhanced by many contributors. Details on programming and computing algorithms are available in an Interbull [paper](#) (Misztal, 1999) and as course notes. Old versions of source codes for nearly all programs are available [here](#).

Additional information about the programs is available at <http://nce.ads.uga.edu/wiki/doku.php> as wiki pages. There is a BLUPF90 discussion group at [groups.io](#).

List of programs from Wiki page

The latest binaries are available [here](#).

All binaries for Linux, Mac OSX, and Windows are updated frequently. Always check for the most updated versions.

The **programs** support mixed models with multiple-correlated effects, multiple animal models and dominance.

- **BLUPF90+** – a combined program of blupf90, remlf90, and airemlf90
- **GIBBSF90+** – a combined program of gibbs2f90, gibbs3f90, thrgibbs1f90, and thrgibbs3f90
- **BLUPF90** – BLUP in memory
- **REMLF90** – accelerated EM REML
- **AIREMLF90** – Average Information REML with several options including EM-REML and heterogeneous residual variances (S. Tsuruta)
- **CBLUP90** – solutions for bivariate linear-threshold models
- **CBLUP90THR** – as above but with thresholds computed and many linear traits (B. Auvray)
- **CBLUP90REML** – as above but with quasi REML (B. Auvray)
- **GIBBSF90** – simple block implementation of Gibbs sampling
- **GIBBS1F90** – as above but faster for creating mixed model equations only once
- **GIBBS2F90** – as above but with joint sampling of correlated effects
- **GIBBS3F90** – as above with support for heterogeneous residual variances
- **POSTGIBBSF90** – statistics and graphics for post-Gibbs analysis (S. Tsuruta)
- **THRGIBBSF90** – Gibbs sampling for any combination of categorical and linear traits (D. Lee)
- **THRGIBBS1F90** – as above but simplified with several options (S. Tsuruta)
- **THRGIBBS3F90** – as above with heterogeneous residual variances for linear traits
- **RENUMF90** – a renumbering program that also can check pedigrees and assign unknown parent groups; supports large datasets
- **INBUPGF90** – a program to calculate inbreeding coefficients with incomplete pedigree (I. Aguilar)
- **SEEKPARENTF90** – a program to verify paternity and parent discovery using SNP markers (I. Aguilar)
- **PREDICTF90** – a program to calculate adjusted y , \hat{y} , and residuals (I. Aguilar)
- **PREDF90** – a program to predict direct genomic values (DGV) and their reliabilities for animals based on genotypes and SNP solution
- **QCF90** – a quality-control tool on genotypes and pedigree information (Y. Masuda)
- **QXPAK** – joint analysis of QTL and polygenic effects (M. Perez-Enciso)

Available by request

- **MRF90** – Method R program suitable for very large data sets; contact T. Druet.
- **COXF90** – Bayesian Cox model – contact J. P. Sanchez (JuanPablo.Sanchez@irta.cat)
- **BLUPF90HYP** – BLUPF90 with hypothesis testing (F and Chi2 tests) – contact J. P. Sanchez as above

Available only under research agreement

- **BLUP90IOD2** – BLUP by iteration on data with support for very large models (S. Tsuruta)
- **BLUP90IOD3** – a combined program of BLUP90IOD2, BLUP90IOD2RR, BLUP90IOD2HR, and BLUP90MBE2 with new features
- **CBLUP90IOD** – BLUP by iteration on data for threshold-linear models
- **ACCF90** – approximation of accuracies for breeding values
- **ACCF90GS** – approximation of accuracies for genomic breeding values based on diagonals of **G**


- **ACCF90GS2** – new approximation of accuracies for genomic breeding values based on block sparse inversion
- **BLUP90MBE** – BLUP by iteration on data with support for very large models for multi-breed evaluations
- **BLUP90ADJ** – BLUP with a data preadjustment tool

Included in application programs

- **PREGSF90** – genomic preprocessor that combines genomic and pedigree relationships (I. Aguilar)
- **POSTGSF90** – genomic postprocessor that extracts SNP solutions after genomic evaluations (single step, GBLUP) (I. Aguilar)

Other programming contributions were made by Miguel Perez-Enciso (`user_file`) and François Guillaume (Jenkins hashing functions).

Main programs in a chart



Application programs (BLUP*, *REMLF90, THRGIBBS*, GIBBS*, POSTGIBBSF90, PREGSF90, POSTGSF90, and PREDICTF90) are driven by parameter files and require data files with effects renumbered from 1 consecutively. Some programs (PREDF90, QCF90, and SEEKPARENTF90) use command line instead of a parameter file.

Renumbering and quality control can be done by RENUMF90, which is also driven by a parameter file (different from the previous programs). Separation of renumbering and application programs allows supporting complicated models.

Some models are not directly supported by RENUMF90 and require tweaking the parameter file in the application programs.

Parameter file for application programs

The parameter file has keywords that are fixed (i.e., cannot be changed and should be typed exactly as shown here) followed by values, with the following structure. The example below comes from a 2-trait maternal model:

Keywords*	Description
DATAFILE file.dat	Name of file with phenotypes; free Fortran format (space-delimited file)
NUMBER OF TRAITS 2	Number of traits
NUMBER OF EFFECTS 6	Number of effects in a model except for residual
OBSERVATIONS(S) 1 2	Position(s) of observations in data file
WEIGHTS 2	Position of weight on observations if used; otherwise blank means that the weight is in column 2, and residual variance (R) is set to R/ weight .
EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT [EFFECT NESTED]	
4 4 10 cross	4 4 = crossclassified effect positions in data file for 2 traits; 10 = levels
5 0 100 cross	5 0 = crossclassified effect, positions for 2 traits; 100 = levels
6 6 1 cov	6 6 = covariable positions in data file
7 7 10 cov 4 4	7 7 = covariable nested in effect position 4 ; 10 = levels
8 8 1000 cross	8 8 = crossclassified effect positions for 2 traits; 1000 = levels
0 9 1000 cross	0 9 = crossclassified effect positions for 2 traits; 1000 = levels
RANDOM_RESIDUAL_VALUES 10 1 1 10	Residual variance or residual covariance matrix For 2 trait model
RANDOM_GROUP 5 6	List of effect numbers that form a group For correlated random effects 5 6
RANDOM_TYPE add_animal	Type of random effect diagonal, add_sire, add_an_upg, add_an_upginb, par_domin, or user_file
FILE file.ped	Pedigree file or other file associated with random effect; blank if none
(CO)VARIANCES 10 1 0 1 1 10 0 1 0 0 0 0 1 1 0 10	(Co)variance matrix for each random effect For 2 trait, maternal model

*Keywords need to be typed exactly (up to 20 characters).

Hint: When preparing a new parameter file, consider modifying an existing file.

Note that this parameter file is for the application programs (BLUPF90, AIREMLF90, GIBBSF90, etc.) and not for RENUMF90. This program needs a different type of parameter file. See page [16](#) for details.

Description of effects

The effects are specified after the keyword:

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT [EFFECT NESTED]

Each line contains the following:

- Position(s) of each effect in the data file; t positions for t traits
- Number of levels (assumed consecutive from 1)
- Type of effect: “cross” for cross-classified, and “cov” for covariable
 - o Cross-classified uses integer numbers starting at 1
 - o Covariable uses integer or real numbers
- For nested covariables, the following number (or t numbers for t traits) indicates the position of nesting in the data file
- Text after # can be used as a comment

Data and pedigree file should not have header; columns should be separated by at least one space (no TAB); hash (#) is interpreted as a comment initiator and should not be present inside the data and pedigree files. See page [15](#) for further details.

Consider the following dataset (copied to file.dat without the header):

<u>i</u>	<u>j</u>	<u>k</u>	<u>y1</u>	<u>y2</u>	<u>x1</u>
2	2	3	4.30	5.67	22.40
1	2	2	2.76	3.20	18.00
...
3	1	1	2.20	5.30	7.25

Let i go from 1 to 50, j from 1 to 80, and k from 1 to 200. The model:

$$y_{1ij} = a_j + b_i + cx_1 + e_{ij}$$

will be specified in the parameter file as:

```

DATAFILE
file.dat
NUMBER_OF_TRAITS
1
NUMBER_OF_EFFECTS
3
OBSERVATIONS(S)
4
WEIGHTS

```

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT [EFFECT NESTED]
 2 80 cross # position 2, 80 levels
 1 50 cross # position 1, 50 levels
 6 1 cov # covariable on position 6, one level

By definition, a regular covariable has one level (i.e., a slope as regression).

For a similar model but with a nested covariable:

$$y_{1ij} = a_j + b_i + c_i x_1 + e_{ij}$$

The description will change to:

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT [EFFECT NESTED]
 2 80 cross # position 2, 80 levels
 1 50 cross # position 1, 50 levels
 6 50 cov 1 # covariable on position 6 nested in position 1; 50 levels

Assume a two-trait model:

$$y_{1ij} = a_{1j} + c_{1i} x_1 + e_{1ij}$$

$$y_{2ij} = b_{2i} + c_{2i} x_1 + e_{2ij}$$

This corresponds to:

.....
 NUMBER_OF_TRAITS
 2
 NUMBER_OF_EFFECTS
 3

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT [EFFECT NESTED]
 2 0 80 cross # position 2 for trait 1 only, 80 levels
 0 1 50 cross # position 1 for trait 2 only, 50 levels
 6 6 50 cov 1 1 # covariable on position 6 for two traits nested in position 1

“0” in effect definitions means missing effect per trait.

The first two effects in the two-trait model above can be merged:

NUMBER_OF_EFFECTS
 2

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT [EFFECT NESTED]
 2 1 80 cross # positions 2 and 1 for traits 1 and 2, 80 is max(50,80) levels
 6 6 50 cov 1 1 # covariable in position 6 for two traits nested in position 1

Definition of random effects

RANDOM_GROUP defines one group of random effects. A group is one effect or multiple (correlated) effects that share the same covariance structure, e.g., direct-maternal effect or random regressions.

The structure of **RANDOM GROUP** is:

RANDOM_GROUP Corresponding to the effect number specified above; “5” means that the 5th effect
5 is random. Or “5 6” means that 5th and 6th are correlated random effects.

or

RANDOM_GROUP Corresponding to the effect number specified above; “5 6” means that 5th and 6th
5 6 are correlated random effects.

RANDOM_TYPE defines a covariance structure: diagonal $\text{var}() = s \otimes \mathbf{I}$ or **G** where s is a variance and **G** is a covariance matrix. For other types, see “Random effects and Pedigree files” on page [13](#).

Assume a model:

$$y = \text{farm} + \text{animal_additive} + \text{permanent_environment} + \text{error}$$

with $\text{var}(\text{animal_additive}) = \mathbf{A} \otimes 2.5$, $\text{var}(\text{permanent_environment}) = \mathbf{I} \otimes 5.1$, $\text{var}(\text{error}) = \mathbf{I} \otimes 13.7$

With these effects:

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT [EFFECT NESTED]

3 100 cross # effect 1: farm

2 1000 cross # effect 2: additive genetic

2 1000 cross # effect 3: permanent environment

RANDOM_RESIDUAL_VALUES

13.7

RANDOM_GROUP

2 # this is for effect 2 on the effect list

RANDOM_TYPE

add_animal # additive genetic

FILE

file.ped # name of pedigree file

(CO)VARIANCES

2.5

RANDOM_GROUP

3 # effect 3 on the effect list above

RANDOM_TYPE

diagonal # permanent environment

FILE

no file associated with diagonal structures

(CO)VARIANCES

5.1

Correlated effects

Assume a model:

$$y = \text{farm} + \text{season} + \text{direct} + \text{maternal} + \text{error}$$

$$\text{var}(\text{direct}, \text{maternal}) = \mathbf{A} \otimes \begin{bmatrix} 5 & 1 \\ 1 & 6 \end{bmatrix}$$

with the effects as specified:

```
EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT [EFFECT NESTED]
3 100 cross # effect 1: farm
4 4 cross # effect 2: season
2 1000 cross # effect 3: direct
2 1000 cross # effect 3: maternal
```

The distribution of the random effects is specified below:

```
...
RANDOM_GROUP
3 4 # direct and maternal effects
RANDOM_TYPE
add_animal # additive genetic
FILE
file.ped # name of pedigree file
(CO)VARIANCES
5 1
1 6
...
```

Random regression models may have many correlated random effects. Assume a data file with the following positions:

1 to 4: polynomials

5: animal number (1000 levels)

6: herd year season (50 levels)

```
...
EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT [EFFECT NESTED]
6 50 cross # herd year season
1 1000 cov 5 # first polynomial nested within the animal effect position 5
2 1000 cov 5 # second polynomial nested within the animal effect position 5
3 1000 cov 5 # third polynomial nested within the animal effect position 5
4 1000 cov 5 # fourth polynomial nested within the animal effect position 5
....
RANDOM_GROUP
2 3 4 5 # all covariables are correlated (effects 2, 3, 4, and 5 on the list above)
RANDOM_TYPE
add_animal # additive genetic
FILE
file.ped # name of pedigree file
(CO)VARIANCES
(4 x 4 matrix)
```

Random effects and Pedigree files

There are a few types of additive genetic effects, each with a different pedigree format.

a) additive sire (**add_sire**)

The pedigree file has the following format:

sire number, sire's sire number, sire's maternal grandsire (MGS) number

where unknown sire's sire and/or sire's MGS numbers are replaced by 0.

b) additive animal (**add_animal**)

The pedigree file has the following format:

animal number, sire number, dam number

where unknown sire and/or dam numbers are replaced by 0.

c) additive animal with unknown parent groups (**add_an_upg**)

The pedigree file has the following format:

animal number, sire number, dam number, parent code

where sire and/or dam numbers can be replaced by unknown parent group numbers

parent code = 3 - number of known parents:

1 (both parents known)

2 (one parent known)

3 (both parents unknown)

d) additive animal with unknown parent groups and inbreeding (**add_an_upginb**)

The pedigree file has the following format:

animal number, sire number, dam number, inb/upg code

where sire and/or dam numbers can be replaced by unknown parent group numbers

inb/upg code = $4000 / [(1+ms)(1-Fs) + (1+md)(1-Fd)]$

where ms (md) is 0 whenever sire (dam) is known, and 1 otherwise, and Fs(Fd) is the coefficient of inbreeding of the sire (dam). For example, the inb/upg code for the animal with both parents known is 2000. The code should be an integer value.

e) user provided matrix (**user_file**)

A file specified in FILE contains the inverse of a matrix in the following format:

row col value

as lower- or upper-triangular elements (but not full stored). The matrix is used directly by application programs. For example, to use a genomic relationship matrix **G**, the file needs to contain **G**⁻¹.

f) user provided matrix with inversion (**user_file_inv**)

As above but the matrix in FILE is inverted by the application programs before being used. For example, to use a genomic relationship matrix **G**, the file needs to contain **G**. The inversion is by sparse matrix techniques, so it is efficient for sparse matrices but slow for dense matrices.

f) additive animal with selfing (**add_an_self**)

The pedigree file has the following format:

animal number, sire number, dam number, number of selfing generations
where unknown sire and/or dam numbers are replaced by 0.

This option fits some breeding structures in plants.

e) parental dominance (**par_domin**)

The pedigree class file has the following format:

s-d s-sd s-dd ss-d ds-d ss-sd ss-dd ds-sd ds-dd code

where x-y is a combination number of animals x and y, s is sire, d is dam, sd is sire of dam, etc. Code is a number of 0 to 255 and refers to the combination of missing subclasses. If one line is:

p s0 s1 s2 s3 s4 s5 s6 s7 code

then code = $\sum_{i=0}^7 (a_i \times 2^i)$ where $a_i = 0$ if $s_i > 0$, or $a_i = 1$ otherwise.

For example, the code for a line with all nonzero parental subclasses is 255. For a line with only zero parental subclasses, if classes are ordered so that lines with zero parental subclasses, code=0. If lines are ordered so that p for parental classes with code = 0 are ordered last, they may be omitted and will be added automatically. The parental dominance file can be created by program **RENDOMN**.

Data and Pedigree files

All files are free format, with fields separated by spaces. By default, 0 is a missing value for all effects, including covariables.

Transferring a file from Windows (DOS) to Linux environment

Use “dos2unix” to convert the DOS (Windows) format to the UNIX (Linux) format if the programs show an error message while reading a file (“flip -u” can be also used instead of “dos2unix”).

Data file

- a. Space(s) is a delimiter. At least one space between columns is required.
- b. Dot (.) is just one character but not a missing value (default missing value = 0).
- c. Check the data again, especially when converting from another format or software such as EXCEL, SAS, ...
- d. For Gibbs sampling programs with “OPTION cont”, copy the previous output files somewhere else just in case making mistakes and replacing those files.

Pedigree file

- a. An original pedigree file for RENUMF90 can include alpha-numeric characters with free format.
- b. Remove duplicates.
- c. Use 0 for unknown parent(s).

Error messages in the parameter file

- a. Wrong data file name:
Check outputs for the data file name and the number of records on the screen. The program will not stop if the wrong file name already exists.
- b. Wrong pedigree file name:
Check output for the pedigree file name and the number of animals on the screen. The program will not stop if the wrong file name exists.
- c. Wrong positions or formats for observations and effects:
Program may not stop and may get wrong results. Check outputs for the number of levels for each effect on the screen.
- d. Missing or skipping one or more fixed lines in the parameter file:
Program may stop. Check the missing line.
- e. Misspelling:
Program may stop. Correct the wrong spelling.
- f. Missing an empty last line:
Program may not stop. Parameter, data, and pedigree files may need one more extra line at the end of the file.
- g. (Co)variance matrix is not symmetric, not positive definite, not right sized, ... :
Program may not stop.
- h. A good result does not mean that your parameter file is correct. Always double-check it!

RENUMF90 parameter file

Basic rules for RENUMF90 parameter file

RENUMF90 is a renumbering program to create input (data, pedigree, and parameter) files for BLUPF90 programs and provide basic statistics. Note that RENUMF90 uses a different type of parameter file as used in BLUPF90 or other programs. RENUMF90-specific parameter file should be prepared as follows:

- The file consists of pairs of **keyword** and the corresponding **value(s)**. The keyword is always capital.
- First 7 keywords are mandatory and must appear in the following order: **DATAFILE**, **TRAITS**, **FIELDS_PASSED TO OUTPUT**, **WEIGHT(S)**, **RESIDUAL_VARIANCE** and **EFFECT**. If you don't actually need **FIELDS_PASSED TO OUTPUT** and **WEIGHT(S)**, simply leave an empty line.
- The remaining keywords are optional but appear in the specific order shown below. For example, the **FILE** keyword must be followed by **FILE_POS** (or by **SNP_FILE** if **FILE_POS** is omitted; or by **PED_DEPTH** if both **FILE_POS** and **SNP_FILE** are omitted, and so on).
- Several **OPTION** lines can be included. RENUMF90 interpret a few options. Other options are simply passed through the template parameter file for BLUPF90 (*renf90.par*).

Parameter file

DATAFILE

f_1 # data file name – input files cannot contain character # because it is used as a comment.

TRAITS

$t_1 t_2 t_3 \dots$ # positions of traits in data file

FIELDS_PASSED TO OUTPUT

$p_1 p_2 \dots p_m$ # positions that are not renumbered; put empty line if not needed.

WEIGHT(S)

w # position of weight - fraction to the residual variance; put empty line if not needed.

RESIDUAL_VARIANCE

R # matrix of residual (co)variances

EFFECT

$e_1 e_2 e_3 \dots$ **type form** # $e_1 e_2 e_3 \dots$ = position of this effect for each trait
 # type = 'cross' for crossclassified or 'cov' for covariables
 # form = 'alpha' for alphanumeric or 'numer' for numeric (form is only for cross)

EFFECT

$d_1 d_2 d_3 \dots$ **cov** # $d_1 d_2 d_3 \dots$ = positions of covariables nested in the following cross-classified effects

NESTED

$e_1 e_2 e_3 \dots$ **form** # $e_1 e_2 e_3 \dots$ = positions of cross-classified effects nested
 # form = 'alpha' for alphanumeric or 'numer' for numeric

RANDOM

random_type # 'diagonal', 'sire' or 'animal' for random effect

OPTIONAL

`O1 O2 O3 ...` # 'pe' for permanent environment, 'mat' for maternal, and 'mpe' for maternal permanent environment

FILE

`fped` # pedigree file name

FILE_POS

`animal sire dam alt_dam yob` # positions of animal, sire, dam, alternate dam (recipient dam), and year of birth in pedigree file (default `1 2 3 0 0`).

SNP_FILE

`fsnp` # specify a SNP file with ID and SNP information; the relationship matrix will include the genomic information; a `fsnp` file should start with ID with the same format as `fped`, and SNP info needs to start from a fixed column and include digits 0, 1, 2 and 5 (0, 1, and 2 for SNP count and 5 for missing SNP); ID and SNP info need to be separated by at least one space; see more information in <http://nce.ads.uga.edu/wiki/doku.php?id=readme.pregsf90>.

PED_DEPTH

`p` # depth of pedigree search (default `3`); all pedigrees are loaded if `p = 0`.

GEN_INT

`min avg max` # minimum, average, and maximum generation interval; applicable only if year of birth present in pedigree file; minimum and maximum used for pedigree checks; average used to predict year of birth of parent with missing pedigree.

REC_SEX

`sex` # if only one sex has records, specifies which parent it is; used for pedigree checks.

UPG_TYPE

`t` # 'yob': based on year of birth.
 # 'in_pedigrees': the value of a missing parent should be -x, where x is UPG number that this missing parent should be allocated to; in this option, all known parents should have pedigree lines, i.e., each parent field should contain either the ID of a real parent, or a negative UPG number.
 # 'group': it assigns different groups for sires and dams using a user-defined group label in the pedigree file. The field of the label should be specified as the 6th item in the FILE_POS entry.
 # 'group_unisex': as above except assigning the same groups to sires and dams.
 # 'internal', allocation is by a user-written function `custom_upg (year_of_birth,sex,ID, parent_code)`.

INBREEDING

`s` # use of inbreeding coefficients to compute inb/upg code in the 4th column of the output pedigree file. Inbreeding calculation is default in RENUMF90 \geq v1.157, even if this keyword is not used.

'pedigree': the program computes inbreeding coefficients with Meuwissen and Luo (1992) using the pedigree to be saved in `renaddxx.ped`; calculated inbreeding coefficients will be saved in a file `renf90.inb` with the original ID.

'file': the program reads inbreeding coefficients from an external file. You should put the filename after 'file' e.g. `'file inbreeding.txt'`. The file has at least 2 columns: `original_ID` and inbreeding value (from 0.0 to 1.0). The program skips unnecessary IDs.

'self x': Calculates inbreeding with selfing

x is the column in the pedigree file with the number of selfing generations

'no-inbreeding': turn inbreeding calculation off in `RENUMF90 ≥ v1.157`.

(CO)VARIANCES

G # (co)variances for animal effects or animal + maternal effects

(CO)VARIANCES_PE

GPE # (co)variances for the PE effect

(CO)VARIANCES_MPE

GMPE # (co)variances for the MPE effect

Combining fields

How can we specify interactions? - Combining fields or interactions. Several fields in the data file can be combined into one using a **COMBINE** keyword.

COMBINE a b c # keywords COMBINE need to be on top of the parameter file (the first keyword). It can be placed after comments.

For example:

COMBINE 7 2 3 4

combines content of fields 2 3 4 into field 7; the data file is not changed, only the program treats field 7 as fields 2 3 4 put together (without spaces). The combined fields can be treated as "numeric" with the total length is < 9 or "alpha". The keyword is optional but must be placed in the top of the parameter file.

Hints: type `renumf90 --show-template` to have a template parameter file.

type `renumf90 --version` to see the version number.

Options

RENUMF90 parameter file can accept a few options. If the program detects non-RENUMF90 options, such option lines are simply transferred to `renf90.par`.

OPTION alpha_size nn # new size

Changes the maximum size of character fields (default 20 characters).

OPTION max_string_readline nn

Changes the maximum length of characters in a line (default 800 characters).

OPTION max_field_readline nn

Changes the maximum number of fields capable in a line (default 100 fields).

OPTION missing x

It allows the indication that *x* represents a missing value (default is 0), for example if 0 is a valid record. This is only to represent the missing value in the data. If there are covariables in the data, 0 is treated as a value, not missing information. Missing pedigree is always 0 and cannot be changed to another value.

OPTION missing_in_weights

This indicates that, for a given trait, if a weight is 0, then the record value for that trait is converted to a “missing” in the output file *renf90.dat*. For instance, 0 when OPTION missing *x* is not used, or *x* otherwise.

OPTION no_basic_statistics

This causes the program to not compute descriptive statistics of the data (mean, minimum, correlations, ...), which can take time for very large datasets.

OPTION inbreeding_method m

This allows the user to choose which method is used to compute inbreeding coefficients. Those inbreeding coefficients will be used later (in the other programs) to set up A-inverse. Acceptable values for *m* are:

1. Meuwissen and Luo (1992).
2. Modified Meuwissen & Luo by Sargolzaei and Iwaisaki (2004).
3. Modified Colleau by Sargolzaei et al. (2005).
4. Recursive tabular method.
5. Method of Tier (1990).
6. Parallel (OMP) version of Meuwissen and Luo (1992)
7. Recursive tabular with self-breeding generations.

The default is method 1. Method 6 can largely speed-up the computation, but it requires using many threads (e.g., OMP_NUM_THREADS=4).

The end of the parameter file for RENUMF90 can contain many lines with OPTION, those lines are passed to the parameter file *renf90.par* to be used by the other programs.

Output files

RENUMF90 generates several files.

- *renf90.par*: parameter template file for BLUPF90 and other application programs
- *renf90.dat*: data file for BLUPF90

- *renaddxx.ped*: pedigree file for BLUPF90; *xx* is an integer number that indicates the position of animal effect among all model effects in *renf90.par*. This file will be created only if **RANDOM animal** is specified
- *SNPfile_XrefID*: cross-reference file for genomic analysis, which contains renumbered ID and original ID; *SNPfile* is the original SNP marker file. This file will be created only if **SNP_FILE** is specified
- *renf90.inb*: inbreeding coefficients. Inbreeding calculation is default in *RENUMF90* \geq v1.157, even if the **INBREEDING** keyword is not used.
- *renf90.tables*: table relating the original code and the renumbered code
- *renf90.fields*: has detailed description of the effects in each field of *renf90.dat*.

Output pedigree file

The additive pedigree file built by *RENUMF90* is *renaddxx.ped*. The pedigree file has the following structure:

- 1) animal number (from 1)
- 2) parent 1 number or unknown parent group number for parent 1
- 3) parent 2 number or unknown parent group number for parent 2
- 4) 3 minus number of known parents (this column is replaced by inbreeding code if **INBREEDING** is specified or by default in *RENUMF90* \geq v1.157)
- 5) known or estimated year of birth (0 if not provided)
- 6) number of known parents (for genotyped animals, if any: 10 + number of known parents)
- 7) number of records
- 8) number of progenies as parent 1
- 9) number of progenies as parent 2
- 10) original animal id

Example

Input file - data

```
aa 1 10
aa 2 12
bb 1 11
cc 1 12
cc 2 14
dd 2 13
ee 2 14
```

Pedigree file - ped

```
aa ff ee 2004
bb hh gg 2004
cc hh ii 2004
dd ff 0 2004
ee ff 0 2002
ff 0 0 2002
gg ff 0 2002
```

```
hh 0 0 2002
ii 0 0 2002
kk 0 0 2000
```

Parameter file - testpar1

Parameter file for program renumf90; it is translated to parameter file for BLUPF90 family of programs.

DATAFILE

data

TRAITS

3

FIELDS_PASSED TO OUTPUT

1 #passing original ID to the renumbered data file

WEIGHT(S)

RESIDUAL_VARIANCE

1

EFFECT

2 cross num

EFFECT

1 cross alpha

RANDOM

animal

FILE

ped

FILE_POS

1 2 3 0 4

PED_DEPTH

3

GEN_INT

1 2 10

UPG_TYPE

yob

2002 2003

(CO)VARIANCES

1

Output log

RENUMF90 version 1.157 with zlib

testpar1

datafile:data

traits: 3

fields passed: 1

R

1.000

Processing effect 1 of type cross

item_kind=num

Processing effect 2 of type cross

item_kind=alpha

pedigree file name "ped"

positions of animal, sire, dam, alternate dam, yob, and group 1 2 3 0 4
0 0

```

pedigree traced to generation          3
Minimum, average and maximum generation intervals:    1    2    10
Unknown parent groups separated by years:
    2002      2003
Reading (CO)VARIANCES:          1 x          1

Maximum size of character fields: 20

Maximum size of record (max_string_readline): 8000

Maximum number of fields for input file (max_field_readline): 100

Pedigree search method (ped_search): convention

Order of pedigree animals (animal_order): default

Order of UPG (upg_order): default

Missing observation code (missing): 0

Using prime hash function
hash tables for effects set up
first 3 lines of the data file (up to 70 characters)
    aa 1 10
    aa 2 12
    bb 1 11
read          7 records
table with          2 elements sorted
added count
Effect group          1 of column          1 with          2 levels
table expanded from          10000 to          10000 records
added count
Effect group          2 of column          1 with          5 levels
wrote statistics in file "renf90.tables"

Basic statistics for input data (missing value code is '0')
Pos  Min          Max          Mean          SD          N
  2   1.0000     2.0000     1.5714     0.53452     7
  3  10.0000    14.0000    12.286     1.4960     7

Correlation matrix
      2    3
2   1.00  0.80
3   0.80  1.00

Counts of nonzero values (order as above)
      7    7
      7    7

random effect    2
type:animal
opened output pedigree file "renadd02.ped"
first 3 lines of the file (up to 70 characters)
    aa ff ee 2004
    bb hh gg 2004
    cc hh ii 2004
read          10 pedigree records
loaded          4 parent(s) in round          1

Pedigree checks
ee: younger than parent 1 by          0 years

```

gg: younger than parent 1 by 0 years

Unknown parent group allocation

Equation	Group	#Animals	Years
10	1	0	0- 2001
11	2	8	2002- 2002
12	3	1	2003-

Max group = 3; Max UPG ID = 12

Computations for inbreeding coefficients

Tiny negative value will be replaced with 0 considered as numerical error.

Wrote inbreeding file "renf90.inb" with original id

Inbreeding statistics:

the maximum inbreeding coefficient = 0.2500
 average inbreeding for inbred animals = 0.2500 n = 1
 for all animals = 0.0278 n = 9

max upg 3

Number of animals with records	=	5
Number of parents without records	=	4
Total number of animals	=	9

Wrote parameter file "renf90.par"

Wrote renumbered data "renf90.dat" 7 records

Wrote field information "renf90.fields" for 4 fields in data

Output data file - renf90.dat

#observation, effect 1, animal number, original animal ID

```
10 1 4 aa
12 2 4 aa
11 1 2 bb
12 1 5 cc
14 2 5 cc
13 2 3 dd
14 2 1 ee
```

Output pedigree file - renadd02.ped

Animal, sire, dam, inbreeding code (3-#unknown parents if no-inbreeding), birth year, #known parents, #records, #progeny of sire, # progeny of dam, original animal ID

```
1 6 11 1333 2002 1 1 0 1 ee
2 8 7 2000 2004 2 1 0 0 bb
7 6 11 1333 2002 1 0 0 1 gg
3 6 12 1333 2004 1 1 0 0 dd
9 11 11 1000 2002 0 0 0 1 ii
4 6 1 2000 2004 2 2 0 0 aa
6 11 11 1000 2002 0 0 4 0 ff
5 8 9 2000 2004 2 2 0 0 cc
8 11 11 1000 2002 0 0 2 0 hh
```

Output parameter file - renf90.par

BLUPF90 parameter file created by RENUMF90

DATAFILE

renf90.dat

NUMBER_OF_TRAITS

1

NUMBER_OF_EFFECTS

2
 OBSERVATION(S)
 1
 WEIGHT(S)

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT[EFFECT NESTED]

2 2 cross
 3 12 cross

RANDOM_RESIDUAL VALUES

1.0000

RANDOM_GROUP

2

RANDOM_TYPE

add_an_upginb

FILE

renadd02.ped

(CO)VARIANCES

1.0000

Output tables after renumbering - renf90.tables

Effect group 1 of column 1 with 2 levels, effect # 1

Value # consecutive number

1 3 1

2 4 2

Output tables after renumbering - renf90.fields

field	variable	origfield	group	column	random	effect	file
1	trait	3	0	0	*	cov	*
2	renumbered	2	1	1	*	cross	*
3	renumbered	1	2	1	animal	cross	renadd02.ped
4	passed	1	0	0	*	cov	*

Output tables after renumbering - renf90.inb

ee	0.000000	1
bb	0.000000	2
gg	0.000000	7
dd	0.000000	3
ii	0.000000	9
aa	0.250000	4
ff	0.000000	6
cc	0.000000	5
hh	0.000000	8

When to use which program and computing limits

BLUP

BLUPF90 sets up equations in memory. It can support a few million equations with a simple model but fewer equations with complicated models (multiple traits, maternal effects, random regression, etc). BLUPF90 uses three solvers, chosen with options. Preconditioned conjugate gradient (PCG) is the default solver and is usually the fastest one. Successive over-relaxation (SOR) requires less memory but usually converges slower. Sparse Cholesky (FSPAK) is usually the most accurate method but uses the most memory. The following options are available:

OPTION conv_crit 1e-12

Sets convergence criteria (default 1e-12).

OPTION maxrounds 10000

Sets maximum number of rounds (default 5000).

OPTION solv_method FSPAK

Selection of solving method: FSPAK, SOR, or PCG (default PCG).

OPTION r_factor 1.6

Sets relaxation factor for SOR (default 1.4). This factor helps speeding up convergence if the value is optimal; non-optimal values lead to poor convergence. It should be within [0,2].

OPTION sol se

Stores solutions and standard errors. If this option is used, the solving method will turn to FSPAK.

OPTION store_peg_pec 6

Stores triangular matrices of standard errors and its covariances for correlated random effects such as direct-maternal and random regression effects in "peg_pec_bf90".

OPTION missing -999

Specify missing observations in the data file. Must be an integer value (default is 0).

OPTION blksize 3

Sets block size for preconditioner (default 1) to accelerate convergence (usually 2 to 5 times faster). For a multi-trait model, use the number of traits. This option is extremely important to ensure convergence in multi-trait models.

OPTION prior_solutions

The previous solution file will be used to start the iteration. Additional software is required to set up files correctly before using this option.

OPTION stdresidual

It stores y-hat and student residuals in “*yhat_student_residual*”.

OPTION check_levels 0

Check levels (default 1 = true).

OPTION use_yams

Runs the program with YAMS (modified FSPAK). The computing time can be dramatically improved compared to using **solv_method** FSPAK

OPTION hetres_int 5 10

The position (5) to identify the interval in the data file and the number of intervals (10) for heterogeneous residual variances as used in GIBBS3F90.

OPTION hetres_var file

Combined with **hetres_int**, heterogeneous residual variances are read from **file**. The file has to contain residual (co)variances for each interval class.

OPTION SNP_file snp

Specifies the SNP file name **snp** to use genotype data.

OPTION snp_p_value

Computes the elements of the inverse of the Mixed Model Equations that are needed for exact GWAS with p-values using postGSf90. This requires quite a lot of memory and time.

OPTION omit_ainv

This causes the program to avoid computation of \mathbf{A}^{-1} . It is especially useful for GBLUP. For example, the following options can be used:

OPTION omit_ainv

OPTION TauOmega 1.0 0.0

OPTION AlphaBeta 0.95 0.05

With that, the program does not compute \mathbf{A}^{-1} but calculates $\tau\mathbf{G}^{-1} - \omega\mathbf{A}_{22}^{-1}$; since $\omega = 0$, only \mathbf{G}^{-1} will be included in the mixed model equations. **OPTION AlphaBeta 0.95 0.05** blends \mathbf{G} with \mathbf{A}_{22} as $0.95\mathbf{G} + 0.05\mathbf{A}_{22}^{-1}$ before inversion.

BLUP90IOD2

BLUP90IOD2 uses an iteration on data algorithm. It can handle hundreds of millions of equations with complicated models in a reasonable time. However, it is only available based on a research agreement with UGA. The following options are available:

OPTION conv_crit 1e-12

Sets convergence criteria (default 1e-12).

OPTION maxrounds 10000

Sets maximum number of rounds (default 5000).

OPTION blksize 3

Sets block size for preconditioner (default 1). The **blksize** number has to be the same as the number of traits for optimal performance.

OPTION init_eq 10

Sets the number of effects to be solved directly (default 0).

OPTION solv_method FSPAK

Solving method for initial equations (default DIRECT).

OPTION tol 1d-12

Tolerance to get a positive definite matrix (default 1d-12).

OPTION residual

y-hat and residuals will be included in "yhat_residual".

OPTION avgeps 50

Using the last 50 average eps for convergence.

OPTION cont 1

Restarts the program from the previous solutions.

OPTION missing -1

Sets the missing value (default 0).

OPTION restart 100

Sets the number of iteration to recompute residuals (default 100).

OPTION prior_solutions

Using the previous solution file to start the iteration. Additional software is required to use this option.

OPTION random_upg 1 2

Sets the UPG random. “1” is the computational algorithm used; only algorithm 1 is implemented. “2” is the weight (γ) for the group effects, the weight will be inverted (e.g., $1/2=0.5$).

OPTION SNP_file snp

Specifies the SNP file name `snp` to use genotype data.

OPTION origID

Stores solutions with the original ID. The output is *trait effect level original_id solution*, and is stored in `solutions.original`. Be aware that this option may not in some programs.

Variance components estimation

There is not a single best choice for variance component estimation. The programs below offer choices for simple and complicated models. For advice on what works best under your circumstances, check this paper "[Reliable computing in estimation of variance components](#)".

REMLF90 uses expectation maximization (EM) REML. It is the most reliable algorithm for most problems but can take hundreds of rounds of iterations. REMLF90 was found to have problems converging with random regression models. In this case, using starting variances that are too large than too small usually helps. Also, EM does not calculate standard errors for the estimates. The following options are available:

OPTION conv_crit 1d-12

Convergence criterion (default 1d-12).

OPTION maxrounds 10000

Maximum rounds (default 5000).

OPTION sol se

Stores solutions and standard errors (se).

OPTION residual

y-hat and residuals will be included in "yhat_residual".

OPTION missing -999

Specifies missing observations (default 0).

This is only for data, not pedigree (always 0 for missing pedigrees). There is no missing covariable, so 0 is treated as a level.

OPTION constant_var 5 1 2

5: effect number, 1: first trait number, 2: second trait number implying the covariance between traits 1 and 2 for effect 5 is fixed.

OPTION SNP_file snp

Specifies the SNP file name snp to use genotype data.

OPTION use_yams

Run the program with YAMS (modified FSPAK). The computing time can be dramatically improved.

AIREMLF90 uses Average Information (AI) REML. It usually converges much faster but sometimes does not converge. Very slow convergence usually indicates that the model is over parameterized, and there is

insufficient information to estimate some variances. AI REML calculates standard errors for the estimates. The following options are available:

OPTION conv_crit 1d-12

Convergence criterion (default 1d-12).

OPTION maxrounds 500

Maximum rounds (default 5000). When it is zero, the program calculates BLUP without running REML.

OPTION EM-REML 10

Runs EM-REML for the first 10 rounds to get initial variances within the parameter space (default 0).

OPTION tol 1d-18

Tolerance (or precision) for positive definite matrix and G-inverse subroutines (default 1d-14).

OPTION sol se

Stores solutions and standard errors (se).

OPTION missing -1

Sets the missing observation (default 0).

OPTION constant_var 5 1 2

5: effect number, 1: first trait number, 2: second trait number implying the covariance between traits 1 and 2 for effect 5 is fixed.

OPTION use_yams

Runs the program with YAMS (modified FSPAK). The computing time can be dramatically improved.

OPTION fact_once memory

Saves the Cholesky factor of LHS in memory. It greatly improves the computing time instead of memory consumption.

OPTION fact_once file

Saves Cholesky factor of LHS in a temporary file. It improves the computing time without extra memory.

OPTION approx_loglike

Skips the exact computation of log-likelihood. It would improve the computing time.

OPTION store_peg_pec 6

Stores standard errors and its covariances for correlated random effects such as direct-maternal and random regression effects in "peg_pec_bf90".

OPTION residual

y-hat and residuals will be included in “yhat_residual”.

Heterogeneous residual variances for a single trait**OPTION hetres_pos 10 11**

Specifies the positions of covariables.

OPTION hetres_pol 4.0 0.1 0.1

Initial values of coefficients for heterogeneous residual variances. Use $\ln(a_0, a_1, a_2, \dots)$ to make these values. When the number of positions = the number of polynomials, the regressions do not include the intercept (e.g., linear spline).

Heterogeneous residual variances for multiple traits (the convergence will be very slow)**OPTION hetres_pos 10 10 11 11**

Specifies positions of covariables (trait first).

OPTION hetres_pol 4.0 4.0 0.1 0.1 0.01 0.01

Initial values of coefficients for heterogeneous residual variances using $\ln(a_0, a_1, a_2, \dots)$ to make these values (trait first). “4.0 4.0” are the intercept for first and second traits. “0.1 0.1” could be linear and “0.01 0.01” could be quadratic. To transform back to the original scale, use $\exp(a_0+a_1*X_1+a_2*X_2)$.

OPTION SNP_file snp

Specifies the SNP file name **snp** to use genotype data.

Standard deviations for (co)variance functions including heritability**OPTION se_covar_function label function**

Calculates SD for (co)variance functions by repeated sampling of parameter estimates from their asymptotic multivariate normal distribution, following idea presented by Meyer and Houle 2013. For details, see documentation at <http://nce.ads.uga.edu/wiki/doku.php?id=readme.aireml>.

OPTION samples_se_covar_function x

This allows the user to set the number of samples to calculate the standard error for functions of (co)variance components (default value is 10000).

GIBBSxF90 programs implement Bayesian methods. These methods potentially have better statistical properties. Also, they are more stable and use less memory for complicated models. After running any of the Gibbs sampling programs, samples can be analyzed (posterior means, SD, and convergence parameters) with the POSTGIBBSF90 program.

In practical cases, results from Gibbs samplers and REML are similar. Choose one or the other based on computing feasibility. If there are large differences beyond sampling errors, this indicates problems usually with the Gibbs sampler. Try longer chains or different priors.

Gibbs samplers may be slow to achieve convergence if initial values are far away from those at convergence, e.g., 100 times too low or too high. Before using more complicated models, Karin Meyer advocates using a series of simpler models.

GIBBS1F90 can run models with over 20 traits. However, if models are different per trait, the lines due to effects need to be modified. Also, with too many differences in models among traits, the program becomes increasingly slower.

GIBBS2F90 adds joint sampling of correlated effects. This results in faster mixing with random regression and maternal models. Memory requirements and CPU time per round are somewhat higher than in gibbs1f90.

Interactive inputs:

number of samples and length of burn-in?

In the first run, if you have no idea about the number of samples and burn-in, just type your guess (10000 or whatever) for samples and (0) for burn-in. You may need 2 or 3 runs to figure out the convergence.

Give n to store every n-th sample?

Gibbs samples are highly correlated, so you do not have to keep all samples (every 10th, 20th, 50th, ...).

The following options are available for **GIBBSx90**:

OPTION fixed_var all 1 2 3

Stores all solutions and posterior means and SD for effects 1, 2, and 3 are stored in "all_solutions" and in "final_solutions" every round using fixed variances. Without numbers, all solutions for all effects are stored.

OPTION fixed_var mean 1 2 3

Posterior means and SD for effects 1, 2, and 3 in "final_solutions" using fixed (known) variances.

OPTION solution all 1 2 3

Stores all solutions and posterior means and SD for effects 1, 2, and 3 in "all_solutions" and in "final_solutions" every round. Without numbers, all solutions for all effects are stored.

Caution: this option will create a huge output solution file when you run many rounds and/or use a large model.

OPTION solution mean 1 2 3

Posterior means and SD for effects 1, 2, and 3 are stored in "final_solutions".

OPTION cont 10000

10000 is the number of samples run previously when restarting the program from the last run.

OPTION prior 5 2 -1 5

The (co)variance priors are specified in the parameter file. Degree of belief for all random effects should be specified using the following structure:

OPTION prior eff1 db1 eff2 db2 ... effn dbn -1 dbres; where effx corresponds to the effect number and dbx to the degree of belief for this random effect, -1 corresponds to the degree of belief of the residual variance. In this example, 2 is the degree of belief for the 5th effect, and 5 is the degree of belief for the residual.

OPTION seed 123 321

Two seeds for a random number generator can be specified.

OPTION SNP_file snp

Specifies the SNP file name **snp** to use genotype data.

GIBBS3F90 adds estimation of heterogeneous residual covariances in classes. The computing costs usually increase with the number of classes.

OPTION hetres_int 5 10

The position (5) to identify the interval in the data file and the number of intervals (10) for heterogeneous residual variances.

Other options are the same as for **GIBBS1F90** and **GIBBS2F90**. For **fixed_var all** or **fixed_var mean**, heterogeneous residual variances are read from a file '**hetres**'. This file name cannot be changed.

THRGIBBS1F90 is a Gibbs sampling program to analyze categorical and continuous traits simultaneously; categorical traits can be censored. The following options are available:

OPTION cat 0 0 2 5

"0" indicates that the first and second traits are linear. "2" and "5" indicate that the third and fourth traits are categorical with 2 (binary) and 5 categories.

OPTION thresholds 0.0 1.0 2.0

Set the fixed thresholds. No need to set 0 for binary traits.

OPTION residual 1

Set the residual variance = 1.

OPTION save_halfway_samples 5000

The program saves every “5000” samples to restart or recover the job right after the last saved samples. It is useful when the program accidentally stopped.

OPTION censored 1 0

Negative values of the last category in the data set indicate censored records. “1 0” determines that the first categorical trait is censored, and the second categorical trait is uncensored.

OPTION pos_def x.x

This specifies the tolerance *x.x* (default = 1d-08) for checking post-def for fixed effects.

Using the following options for ordered categorical data with right censored records:

OPTION cat 0 0 2 5

OPTION censored 1 0

The data file may look like

traits:	1	2	3	4
	1.71	11.1	1	1
	2.22	15.2	0	5
	3.29	16.4	2	1
	1.95	14.7	1	3
	2.25	20.8	-2	4
	3.64	19.2	1	5
	1.99	13.3	-1	2

Columns 1 and 2 are observations for linear traits and columns 3 and 4 are traits for 2 categories (binary) with censored records (negative values) and 5 categories.

Other options are the same as for **GIBBS1F90** and **GIBBS2F90**.

THRGIBBS3F90 works as THRGIBBS1f90 but with the estimation of heterogeneous residual covariances in classes as described for GIBBS3F90.

POSTGIBBSF90 is a program to calculate posterior means and SD and diagnose the convergence of the Gibbs chain. The program reads “**gibbs_samples**” and “**fort.99**” files from Gibbs sampling programs.

Read 1000 samples from round 10 to 10000

Burn-in?

1000 # in the first run, type 0 for burn-in to include all samples.

Give n to read every n-th sample? (1 means read all samples)

10 # Type the same number used with a Gibbs sampling program.
You should not type 1 unless you have typed 1 in the Gibbs sampling program.

samples after burn-in = 9000

Input files:

gibbs_samples, fort.99, and other files used in a parameter file from (THR)GIBBSxF90

Output files:

postgibbs_samples, postout, postmean, postsd

postgibbs_samples

A text file containing all Gibbs samples from **gibbs_samples** for other software (EXCEL, SAS, R, ...) to calculate posterior means and SD, and to create graphs.

postmean

Posterior means

postsd

Posterior standard deviations

postout

***** Monte Carlo Error by Time Series *****													
Pos.	eff1	eff2	trt1	trt2	MCE	Mean	HPD	Effective	Median	Mode	Independent	chain size	
							Interval (95%)	sample size					
1	4	4	1	1	1.362E-02	0.9889	0.7788	1.215	70.4	0.9844	0.9861	18	
2	4	4	1	2	1.288E-02	1.006	0.777	1.219	84.1	1.006	0.952	18	
3	4	4	2	2	1.847E-02	1.66	1.347	1.987	80.3	1.652	1.579	25	
4	0	0	1	1	9.530E-03	24.47	24.07	24.84	425.6	24.47	24.53	2	
5	0	0	1	2	8.253E-03	11.84	11.54	12.18	395.8	11.83	11.82	2	
6	0	0	2	2	1.233E-02	30.1	29.65	30.58	387.8	30.09	29.97	5	

***** Posterior Standard Deviation *****

Pos.	eff1	eff2	trt1	trt2	PSD	Mean	PSD	Geweke	Autocorrelations	Independent	# batches				
							Interval (95%)	diagnostic	lag: 1	10	50				
1	4	4	1	1	0.1144	0.9889	0.7648	1.213	-0.02	0.853	0.188	0.049	50		
2	4	4	1	2	0.1182	1.006	0.7742	1.237	-0.11	0.828	0.111	-0.066	50		
3	4	4	2	2	0.1656	1.66	1.335	1.984	0.06	0.828	0.108	-0.021	36		
4	0	0	1	1	0.1967	24.47	24.09	24.86	-0.01	0.034	0.029	-0.062	450		
5	0	0	1	2	0.1643	11.84	11.51	12.16	0.03	0.032	-0.006	-0.016	450		
6	0	0	2	2	0.2429	30.1	29.62	30.57	-0.02	0.07	-0.014	0.037	180		

where

"Pos."

position of each parameter in the parameter file.

"eff1" and "eff2"

- effect number in the parameter file.
- "trt1" and "trt2"
trait number in the parameter file (0 for residual).
- "MCE"
Monte Carlo Error.
- "Mean"
posterior means.
- "HPD interval (95%)"
95% Highest Probability Density.
- "Effective sample size"
at least > 10 is recommended; > 30 may be better.
- "Median"
median of Gibbs samples.
- "Mode"
when the distribution of the samples is not normal, "Mean" and "Mode" could be different.
- "Independent chain size"
number of independent cycles of Gibbs samples.
- "PSD"
Posterior Standard Deviation.
- "PSD interval (95%)"
95% Posterior Standard Deviation interval.
- "Geweke diagnostic"
the ratio between the first and second halves of the samples should be < 1.0, but it may not be helpful because it is < 1.0 most of the time.
- "Autocorrelations"
autocorrelations between two lags. High correlation implies samples are not independent.
- "Independent # batches"


Hint 1: when eff1, eff2, trt1, trt2 are all -1, the values presented are for thresholds (if THRGIBBSXF90 is used).

Choose a graph for samples (= 1) or histogram (= 2); or exit (= 0)

1

positions

1 2 3 # choose from the position numbers 1 through 6



If the graph is stable (not increasing or decreasing), the convergence is met. All samples before that point should be discarded as burn-in.

print = 1; other graphs = 2; or stop = 0


2

Choose a graph for samples (= 1) or histogram (= 2); or exit (= 0)

2

Type position and # bins

1 20



The distribution should be usually normal (Mean = Mode = Median).

```
print = 1; other graphs = 2; or stop = 0  
0
```

```
*** Log Marginal Density for Bayes Factor ***  
after 900 burn-in  
log(p) = -179448.742766031
```

This value could be used when calculating Bayes Factor and/or DIC.

Combined programs

BLUPF90+

This software combines BLUPF90, REMLF90, and AIREMLF90. Therefore, it can take options used in each of these programs.

It has some new features such as the computation of reliabilities of (G)EBV based on PEV, and the ability to save solutions with original ID.

The default of this software is to run BLUP, unless variance components estimation options are used.

Hint: type `blupf90+ --help` to see all the BLUPF90+ options
 or `blupf90+ --help-genomic` to see genomic options BLUPF90+ can take.

Specific options

OPTION method VCE

Runs AIREMLF90 for variance component estimation.

OPTION EM-REML x

Runs EM-REML (REMLF90) for first *x* rounds to get initial variances within the parameter space (default 0). After 100 rounds, it will switch to AI-REML (AIREMLF90) and continue until convergence. If the program converges within 100 rounds, it will show only the results from AI-REML

Examples:

OPTION EM-REML *n*

....Runs AI rounds until convergence or *x* after *n* EM rounds, showing AI output

OPTION EM-REML or OPTION EM-REML pure

....Runs EM until convergence or *x*, showing EM output, which is equivalent to REMLF90

OPTION EM-REML AI or ai

....Runs EM until convergence and then switches to AI rounds until AI convergence or *x*, showing AI output

OPTION store_accuracy eff

Stores reliabilities based on PEV, where *eff* is the number of the animal effect. By default, it uses inbreeding (*F*) in the denominator of the reliability formula: $\text{reliability} = 1 - \text{PEV} / (\sigma_u^2 (1 + F))$. It uses inbreeding based on the relationship matrix that is being used in the mixed model equations.

OPTION acctype 1.0

Select 1.0 for dairy cattle (Reliability) or 0.5 for beef cattle (BIF accuracy) (default 1.0).

OPTION correct_accuracy_by_inbreeding filename

filename is the name of the inbreeding file if other than renf90.inb

OPTION correct_accuracy_by_inbreeding_direct 0

This option turns off the inbreeding correction in the reliability formula.

OPTION origID

Stores solutions with the original ID. The output is *trait effect level original_id solution*, and is stored in solutions.original.

OPTION store_accuracy eff orig

Stores reliabilities based on PEV, where **eff** is the number of the animal effect, and **orig** should be used to output reliabilities with original ID. Combine with OPTION origID if solutions should also be output with original ID. The resulting file, acc_bf90, contains: trait, effect, level, original_ID, solutions, reliabilities.

OPTION set_eig 1d-12

It allows to set a tolerance (or precision) for positive definite matrix and g-inverse subroutines (default is 1d-18).

Click [here](#) for more details on BLUPF90+

GIBBSF90+

This software combines GIBBS1F90, GIBBS2F90, GIBBS3F90, THRGIBBS1F90, and THRGIBBS3F90.

It takes any options from the above Gibbs programs.

Click [here](#) for more details on GIBBSF90+

Genomic programs**PREGSF90**

PreGSF90 is an interface program to the genomic module to process the genomic information for the BLUPF90 family of programs. This software performs quality control of genomic data and constructs and inverts the genomic relationship matrix (**G**) and the pedigree relationship matrix for genotyped animals (**A₂₂**). When the inverse of the relationship matrix based on the pedigree information (**A**) in the mixed model equations is replaced by the inverse of the realized relationship matrix (**H**), which combines pedigree and genomic information, BLUP becomes single-step GBLUP (**ssGBLUP**). The main difference between **A⁻¹** and **H⁻¹** is the structure of **G⁻¹ - A₂₂⁻¹** added for the genotyped animals. Some of the options for **PREGSF90** can be also used with **BLUPF90**, **(AI)REMLF90**, **GIBBS1F90**, **GIBBS2F90**, **GIBBS3F90**, **THRGIBBS1F90**, **BLUPF90+**, **GIBBSF90+**, **BLUP90IOD2**, and **BLUP90IOD3**.

*Input files***OPTION SNP_file <file>**

This option invokes the genomic routine in the application programs. The SNP file should contain Field 1 - animal ID with the same format as in pedigree file

Field 2 - genotypes with 0, 1, 2, and 5 (missing) or real values for gene content (or genotype probability) 0.120.890.54 (i.e., 0.12 0.89 0.54 without spaces). Be aware that some quality control steps are turned off when using genotype probabilities.

Two Fields (animal ID and SNP) need to be separated by at least one space, and Field 2 should have fixed format (i.e., all rows of genotypes should start at the same column number or position).

```
80 21101011002012011011010110111111211111210100
8014 21110101511101120221110111511112101112210100
516 21100101202252021120210121102111202212111101
181 2111011111220112055020002010102221221111100
```

The renumbered ID file for genotypes named after the genotype file, e.g., **file_XrefID**, is created by RENUMF90 (using the SNP file), containing the renumbered ID and the original ID, which follows the same order as in the SNP file:

```
1732 80
8474 8014
406 516
9441 181
```

The pedigree file from RENUMF90 looks like:

```
1732 11010 10584 1 3 12 1 0 0 80
8474 8691 9908 1 3 12 1 0 0 8014
406 8691 9825 1 3 12 1 0 2 516
9441 8691 8829 1 3 12 1 0 0 181
```

Map file for SNP can be used as optional:

OPTION map_file <file>: reads SNP map information from the file.

The file should have a header with the following column names:

```
SNP_ID #identification of the SNP (alphanumeric)
CHR #chromosome number (numeric), starting from 1
POS #position bp (numeric)
```

Extra columns are possible (optional).

The first SNP in the Map file corresponds to the first SNP in the genotype file, and so on.

Example:

```
SNP_ID CHR POS
1 1 1201
2 1 8004
3 1 12006
4 1 16008
```

The map file is useful to check for Mendelian conflicts and HWE (with also **OPTION sex_chr**) and for **POSTGSF90** (ssGWAS).

With other options, the program can read **G** or its inverse, **A₂₂** or its inverse, etc.

Output files

By default, **PREGSf90** runs quality control and creates **GimA22i** in binary format for use by other

application programs, specifying **OPTION readGimA22i**. With **OPTION saveAscii**, this file can be stored as ASCII format: $i, j, \mathbf{G}^{-1} - \mathbf{A}_{22}^{-1}$.

“**freqdata.count**” contains allele frequencies in the original genotype file with the format: SNP number (related to the genotype file) and allele frequency as mentioned above.

“**freqdata.count.after.clean**” contains allele frequencies as used in calculations with the format: SNP number (related to the genotype file), allele frequency, and exclusion code.

Exclusion codes:

- 1: Call Rate
- 2: MAF
- 3: Monomorphic
- 4: Excluded by request
- 5: Mendelian error
- 6: HWE
- 7: High Correlation with other(s) SNP

“**Gen_call_rate**” contains a list of animals excluded with call rate below the threshold.

“**Gen_conflicts**” contains a report of animals with Mendelian conflicts with their parents.

The program can store files such as **G** or its inverse, **A₂₂** or its inverse, or other reports from QC as specified by their respective OPTIONS.

*Options for creating the genomic relationship Matrix (**G**)*

The genomic relationship matrix, **G**, can be created in different ways.

OPTION whichG x

Specifies how **G** is created.

The variable **x** can be

- 1: $\mathbf{G} = \frac{\mathbf{ZZ}'}{k}$; VanRaden, 2008 (default)
- 2: $\mathbf{G} = \frac{\mathbf{ZDZ}'}{n}$; Amin et al., 2007; Leuttenger et al., 2003; where $\mathbf{D} = \frac{1}{2p(1-p)}$
- 3: As 2 with modification UAR from Yang et al., 2010

OPTION whichfreq x

Specifies which frequency is used for centering **Z** to create **G**.

The variable **x** can be

- 0: read from file “**freqdata**” or from the other file using **OPTION FreqFile**

- 1: 0.5
- 2: current calculated from genotypes (default)

OPTION whichfreqScale x

Specifies which frequency is used to scale **G**. This can be applied to use different allele frequencies to center and scale **G**. The variable **x** can be:

- 0: read from file as specified using **OPTION FreqFile**
- 1: 0.5
- 2: current calculated from genotypes (default)

OPTION FreqFile <file>

Reads allele frequencies from a file. For example, based on allele frequencies calculated by estfreq.f90 (VanRaden, 2009) with format:

Field 1 – SNP number (sequential marker number)

Field 2 – allele frequency as a real value from 0 to 1

Example:

```
1 0.525333
2 0.293667
3 0.448333
4 0.510667
```

where SNP corresponds to the index of SNP based on the same order as in the genotype file.

If **whichfreq** is set to 0, the default file name is “freqdata”.

OPTION whichScale x

Specifies how **G** is scaled.

The variable **x** can be

- 1: $2 \sum \{p(1-p)\}$; VanRaden, 2008 (default)
- 2: $\frac{tr(\mathbf{ZZ}')}n$; Legarra, 2009, Hayes, 2009
- 3: correction; Gianola et al., 2009

OPTION weightedG <file>

Reads weights from a file to create weighted genomic relationships.

With weights, $Z^* = Z \text{ sqrt}(D) \Rightarrow \mathbf{G} = Z^*Z^{*'} = \mathbf{ZDZ}'$. Format:

Field 1 – weight

Example:

```
0.7837836E-01
0.4900770E-01
0.7538282
1.0
```

Each weight corresponds to each SNP marker defined in the map file.

Weights can be extracted from the output of **POSTGSF90**.

OPTION maxsnp x

Sets the maximum length of string to read marker data from a file. It is only necessary if greater than default (400,000).

Quality Control (QC) for G

By default the following QC can be run:

- MAF
- Call rate (SNPs and animals)
- Monomorphic
- Parent-progeny conflicts (SNPs and animals)

Parameters can be modified with the following options:

OPTION minfreq x

Ignores all SNP with MAF < x (default value = 0.05).

OPTION callrate x

Ignores SNP with call rates < x (number of calls / number of individuals with genotypes). The default value is 0.90.

OPTION callrateAnim x

Ignores genotypes with call rates < x (number of calls / number of SNPs). Default value is 0.90.

OPTION monomorphic x

Ignores monomorphic SNPs. Optional parameter x can be used to enable (1) or disable (0) the check. The default value is 1.

OPTION hwe x

Checks departure of heterozygous from Hardy-Weinberg equilibrium. By default, this QC is not run. The optional parameter x can be the maximum difference between observed and expected frequency (default value = 0.15) as used in Wiggans et al. (2009) in JDS.

OPTION high_correlation x y

Checks for highly correlated SNP. By default, this QC is not run. The optional parameter x can be the maximum difference in allele frequency to check a pair of loci. If no value is set, 0.025 is used. Decrease this value to speed up the calculation. A pair of loci is considered highly correlated if all genotypes are the same (0-0, 1-1, 2-2) or the opposite (0-2, 1-1, 2-0) (Wiggans et al., 2009. JDS). The optional parameter y can be used to set a threshold to check the number of identical samples out of the number of genotypes (default values: x=0.025, y=0.995).

OPTION verify_parentage x

Verifies parent-progeny Mendelian conflicts and writes a report into the “Gen_conflicts” file. The optional parameter *x* can be

0: no action

1: only detects

2: detects and searches for an alternate parent; no change to any file. This option is implemented in the **SeekParentF90** program.

3: detects and eliminates progenies with conflicts (default).

OPTION exclusion_threshold *x*

Sets the number of parent-progeny exclusions as percentage. All SNP are used to determine wrong relationships (default value = 2).

OPTION exclusion_threshold_snp *x*

Sets the number of parent-progeny exclusions for each locus as percentage. A pair of genotyped animals is evaluated to exclude SNP from the analysis (default value = 10).

OPTION number_parent_progeny_evaluations *x*

Sets the number of minimum pair of parent-progeny evaluations to exclude SNP due to parent-progeny exclusion (default value = 100).

OPTION outparent_progeny *x*

Creates a full log file “Gen_conflicts_all” with all pairs of parent-progeny tested for Mendelian conflicts.

OPTION excludeCHR *n1 n2 n3 ...*

Excludes all SNP from chromosomes *n1, n2, n3, ...* A map file must be provided (see **OPTION map_file**).

OPTION includeCHR *n1 n2 n3 ...*

Include all SNP from chromosomes *n1, n2, n3, ...* A map file must be provided (see **OPTION map_file**).

OPTION excludeSample *n1 n2 n3 ...*

Exclude genotype samples *n1, n2, n3, ...* Where *n1, n2, n3, ...* are row number of individuals in the genotype file.

OPTION sex_chr *n*

Chromosomes with a number greater or equal to *n* are not considered as autosomes. If this option is used, sex chromosomes will not be used for checking parent-progeny, Mendelian conflicts, and HWE. A map file must be provided (see **OPTION map_file**).

OPTION threshold_duplicate_samples *x*

Sets the threshold to issue warning for possible duplicate samples if $G(i,j) / \sqrt{G(i,i) * G(j,j)} > x$ (default value = 0.9).

OPTION high_threshold_diagonal_g x

Checks for extremely large diagonals in the genomic relationship matrix. If optional **x** is present, the threshold will be set (default value = 1.6).

OPTION low_threshold_diagonal_g x

Checks for extremely low diagonals in the genomic relationship matrix. If optional **x** is present, the threshold will be set (default value = 0.7).

OPTION plotpca print/noprint

Plots the first two principal components to look for stratification in the population. With **noprint** the program will save the first two principal components of **G** without showing the PCA plot on the screen; otherwise, (**print**) it will print on the screen.

OPTION extra_info_pca <file> col

Reads the column **col** to plot with different colors for different classes from the file. The file should contain at least one variable with different classes for each genotyped individual, and the order should match the order of the genotype file. Variables could be alphanumeric and separated by one or more spaces.

OPTION calculate_LD

Calculates LD as the squared correlation of allele counts for two SNP.

Results are stored in "ld_results", columns: snp_i, chr_i, pos_i, freq_i, snp_j, chr_j, pos_j, freq_j, dist_ij, Rsq_ij

OPTION LD_by_chr

Calculates LD within chromosome.

OPTION LD_by_pos x

Calculates LD within chromosome and windows of SNP based on position. Optional parameter **x** defines with windows size in Bp, default value 200000

OPTION filter_by_LD x

Filters SNP with $Rsq > \text{threshold}$. Optional parameter **x** define the threshold. default value 0.8

OPTION thr_output_LD x

Threshold to print out Rsq between pair of SNP Optional parameter **x** define the threshold. default value 0.1

OPTION saveCleanSNPs *

Saves clean genotype data with excluded SNP and animals based on the OPTIONS specified.

*_clean files are created:

- gt_clean
- gt_clean_XrefID

*_removed files are created:

- gt_SNPs_removed
- gt_Animals_removed

where “gt” is the genotype file.

OPTION no_quality_control

Turns off all quality control. It speeds up computations when the QC was previously performed.

OPTION outcallrate

Prints all call rate information for SNP and individuals. The files “callrate” for SNP and “callrate_a” for individuals are created.

OPTION h2_gene_content

This allows to check if the heritability of gene content is equal to 1.00 as described in Forneris et al. (2015). Markers whose estimated heritability is < 0.98 and significant p-value for the LRT ($p < 0.01$) will be removed, and a file “h2_gc_test” will be created with heritability and status of each marker. The test is useful for homogenous populations (breeds) but theory does not hold for crossbred animals. This test uses explicitly $\text{inv}(\mathbf{A}_{22})$ so it is not suitable for very large populations.

Quality Control for Off-diagonal of \mathbf{A}_{22} and \mathbf{G}

OPTION thrWarnCorAG x

Sets the threshold to issue warning if correlation between \mathbf{A}_{22} and $\mathbf{G} < x$ (default value = 0.5).

OPTION thrStopCorAG x

Sets the threshold to stop the analysis if correlation between \mathbf{A}_{22} and $\mathbf{G} < x$ (default value = 0.3).

OPTION thrCorAG x

Sets the threshold to calculate correlation between \mathbf{A}_{22} and \mathbf{G} for only $\mathbf{A}_{22} \geq x$ (default value = 0.02).

Options for \mathbf{H}

The options includes different weights to create $\mathbf{G}^{-1} - \mathbf{A}_{22}^{-1}$ as

$$\tau(\alpha\mathbf{G} + \beta\mathbf{A}_{22} + \gamma\mathbf{I} + \delta\mathbf{1}\mathbf{1}')^{-1} - \omega\mathbf{A}_{22}^{-1}$$

where the parameters are to scale the genomic information to be compatible with the pedigree information, to make matrices invertible in the presence of clones, and to control bias. The default values are: tau (τ) = 1, alpha (α) = 0.95, beta (β) = 0.05, gamma (γ) = 0, delta (δ) = 0, and omega (ω) = 1. Options to change these defaults are specified with:

OPTION TauOmega tau omega

OPTION AlphaBeta alpha beta

OPTION GammaDelta gamma delta

Hint: OPTION TauOmega was needed when inbreeding was not considered for \mathbf{A}^{-1} . Because inbreeding is now considered for \mathbf{A}^{-1} , we recommend not using this option anymore.

OPTION tunedG x

Scales \mathbf{G} based on \mathbf{A}_{22} . The variable x can be:

0: no scaling

1: $\text{mean}(\text{diag}(\mathbf{G}))=1$ and $\text{mean}(\text{offdiag}(\mathbf{G}))=0$

2: $\text{mean}(\text{diag}(\mathbf{G}))=\text{mean}(\text{diag}(\mathbf{A}_{22}))$ and $\text{mean}(\text{offdiag}(\mathbf{G}))=\text{mean}(\text{offdiag}(\mathbf{A}_{22}))$ (default)

3: $\text{mean}(\mathbf{G})=\text{mean}(\mathbf{A}_{22})$

4: rescale \mathbf{G} using the first adjustment as in Powell et al. (2010) or Vitezica et al. (2011).

Options to extract the diagonal of \mathbf{H}

The diagonal of \mathbf{H} contains an improved estimator of inbreeding: $F_{\mathbf{H}} = \text{diag}(\mathbf{H}) - 1$. For genotyped animals, $F_{\mathbf{H}} = F_{\mathbf{G}}$ (because $\text{diag}(\mathbf{H}) = \text{diag}(\mathbf{G})$). For non-genotyped animals $\text{diag}(\mathbf{H})$ also includes pedigree-based estimates of genomic inbreeding. To extract $\text{diag}(\mathbf{H})$ the following options can be used:

OPTION saveDiagH

It outputs the diagonal of \mathbf{H} with renumbered id's.

OPTION saveDiagHOrig

It outputs the diagonal of \mathbf{H} with original and renumbered id's.

The user can choose one of two equivalent methods:

OPTION methodDiagH 1

OPTION methodDiagH 2

OPTION methodDiagH 1 does a sparse inversion of \mathbf{H}^{-1} (default) which is very fast for medium size pedigrees. **OPTION methodDiagH 2** uses the third method described in Legarra et al. (2019) to compute $\mathbf{M} = \mathbf{A}_{22}^{-1}(\mathbf{G} - \mathbf{A}_{22})\mathbf{A}_{22}^{-1}$. This method is **recommended** for large pedigrees. The output depends on the used method. Method 1 shows only individual id and $\text{diag}(\mathbf{H})$ and method 2 outputs individual id and the values of $\text{diag}(\mathbf{H})$ and $\text{diag}(\mathbf{A})$, and the difference $\text{diag}(\mathbf{H}) - \text{diag}(\mathbf{A})$.

General control of PREGSF90

OPTION num_threads_pregs n

Specifies number of threads to be used with MKL-OpenMP for creation and inversion of matrices.

OPTION num_threads_iod n

Specifies number of threads to be used with MKL-OpenMP in BLUP90IOD for matrix-vector multiplications in the PCG algorithm.

OPTION graphics s

Allows to generate plots with GNUPLOT. If optional parameter *s* is present, set the time in seconds to show the plot. Avoid using in batch programs!!!

OPTION msg x

Sets the level of verbose; 0 minimal; 1 prints lots of diagnostics on the screen.

Save and Read options:

OPTION saveAscii

Saves intermediate matrices (GimA22i, G, Gi, etc.) into files as ASCII (default = binary).

OPTION saveHinv

Saves \mathbf{H}^{-1} in "Hinv.txt" (format: i, j, val; where i, j, are the index level for the additive genetic effect).

OPTION saveAinv

Saves \mathbf{A}^{-1} in "Ainv.txt" (format: i, j, val; where i, j, are the index level for the additive genetic effect).

The following options use the information of the original ID (alphanumeric) stored in the 10th column of the "renaddxx.ped" file created by **RENUMF90**.

OPTION saveHinvOrig

Saves \mathbf{H}^{-1} with original IDs

OPTION saveAinvOrig

Saves \mathbf{A}^{-1} with original IDs

OPTION saveDiagGOrig

Saves diagonal of \mathbf{G} in "DiagGOrig.txt" (format: id, val; where id is the original ID).

OPTION saveGOrig

Saves \mathbf{G} in "G_Orig.txt" (format: id_i, id_j, val; where id_i and id_j are the original IDs).

OPTION saveA22Orig

Saves \mathbf{A}_{22} in "A22_Orig.txt" (format: id_i, id_j, val; where id_i and id_j are the original IDs).

OPTION readOrigId

Reads information from "renaddxx.ped" file, original ID, and possibly year of birth for its use in parent-

progeny conflict. Only needed if none of the previous “save*Orig” is present.

OPTION saveGimA22iRen

Saves GimA22i matrix in GimA22i_Ren.txt (format: id_i, id_j, val; where id_i and id_j are the IDs as stored in the first column of renaddXX.ped).

OPTION saveGimA22iOrig

Saves GimA22i matrix in GimA22i_Orig.txt (format: id_i, id_j, val; where id_i and id_j are the IDs as stored in the original pedigree file and in column 10 of renaddXX.ped).

OPTION savePLINK

Saves genotypes in PLINK format files: toPLINK.ped and toPLINK.map.

OPTION no_full_binary

Saves the elements of half-matrix instead of the full matrix. It is useful to keep the compatibility with the older versions of preGSf90. The newer versions save the matrix in a more efficient way, where reading the information from the binary file is not trivial (i.e., not as *i, j, val* anymore).

The following options are used to save and read intermediate files:

OPTION readGimA22i <file>

Reads $\mathbf{G}^{-1} - \mathbf{A}_{22}^{-1}$ from a file. This option can be used in the application programs (BLUPF90, REMLF90, etc.) to use the information already stored in the GimA22i file (default filename). In general, methods used to create and invert matrices in such programs do not use an optimized version. For a large number of genotyped animals, run first PREGSf90 and read stored matrices in the application programs.

The optional file can be used to specify a different file name (other than GimA22i) or a path. For example,

OPTION readGimA22i ../../pregsrun/GimA22i

Other intermediate matrices files can be stored for inspection or for use in BLUPF90 programs as user_file type of random effect. See tricks and REMLF90 for details.

Individual output options:

OPTION saveA22

Saves \mathbf{A}_{22} in “A22”.

OPTION saveA22Inverse

Saves \mathbf{A}_{22}^{-1} in “A22i”.

OPTION saveA22InverseOrig

Saves \mathbf{A}_{22}^{-1} with original id’s (format id_i, id_j, and value).

OPTION saveG all

If optional **all** is present, all intermediate matrices for **G** will be saved in separate files. If omitting **all**, only the final **G** will be saved in “G”.

OPTION saveGInverse

Saves \mathbf{G}^{-1} in “Gi”.

OPTION saveGInverseOrig

Saves \mathbf{G}^{-1} with original id’s (format id_i,id_j, and value).

OPTION saveGmA22

Saves $\mathbf{G} - \mathbf{A}_{22}$ in “GmA22”. This option is obsolete.

OPTION readG <file>

Reads **G** from “G” by default, or from a user-supplied **file**.

OPTION readGInverse <file>

Reads \mathbf{G}^{-1} from “Gi” by default, or from a user-supplied **file**. See the caution below.

OPTION readA22 <file>

Reads \mathbf{A}_{22} from “A22” by default, or from a user-supplied **file**.

OPTION readA22Inverse <file>

Reads \mathbf{A}_{22}^{-1} from “A22i” by default, or from a user-supplied **file**. See the caution below.

OPTION readGmA22 <file>

Reads $\mathbf{G} - \mathbf{A}_{22}$ from “GmA22” by default, or from user-supplied **file**. This option is obsolete.

Caution:

With the options **readGInverse** and **readA22Inverse** combined **OPTION TauOmega tau omega**, the program applies τ to the loaded \mathbf{G}^{-1} and ω to the loaded \mathbf{A}_{22}^{-1} regardless of whether the matrices have been already scaled with τ or ω . In other words, the loaded matrix could be scaled twice if the user used τ or ω both in saving and reading the matrix. Be careful to use the scaling factors combined with the input/output options.

Hint: OPTION TauOmega was needed when inbreeding was not considered for \mathbf{A}^{-1} . Because inbreeding is now considered for \mathbf{A}^{-1} , we recommend not using this option anymore.

POSTGSF90

Basic options

The program calculates SNP effects using the ssGBLUP framework ([Wang et al., 2012](#)). The program needs **OPTION map_file** to assign SNP to their location for Manhattan plots, so chromosomes are visualized in different colors. The following options for **POSTGSF90** (ssGWAS) are available:

OPTION Manhattan_plot

Plots the Manhattan plot (SNP effects) for each trait and correlated effects using **GNUPLOT**.

OPTION Manhattan_plot_R

Plots the Manhattan plot (SNP effects) for each trait and correlated effects using R. TIF images are created: [manplot_Sft1e2.tif](#) (note: t1e2 corresponds to trait 1, effect 2).

OPTION Manhattan_plot_R_format format

Controls the format type to create images in R. The [format](#) values accepted are: pdf (default), png, or tif.

OPTION plotsnp n

Controls the values of SNP effects to use in Manhattan plots

- 1: plots regular SNP effects: abs(val)
- 2: plots standardized SNP effects: abs(val/sd) (default)

OPTION SNP_moving_average n

Solutions for SNP effects will be by moving average of [n](#) adjacent SNPs.

OPTION windows_variance n

Calculates the variance explained by [n](#) adjacent SNPs.

Hint: When this option is used, the sum of variance explained by [n](#) adjacent SNPs (column 8 of `snp_sol` or column 3 of `chrnpvar`) is not 100%. This is because moving variance is used. If windows size is 20, the proportion of variance assigned to SNP 1 is calculated from SNP 1 to 20, for SNP 2 it goes from 2 to 21, for SNP 3 it goes from 3 to 22, and so forth. A file called `windows_variance` has variance that sums to 100% in column 9.

OPTION windows_variance_mbp n

Calculates the variance explained by [n](#) Mb window of adjacent SNPs.

OPTION windows_variance_type n

Sets windows type for variances calculations

- 1: moving windows
- 2: exclusive windows

OPTION which_weight x

Generates a weight variable to construct a weighted genomic relationship matrix $\mathbf{G} = \mathbf{ZDZ}'$

1: $w = y^2 * (2(p(1-p)))$

2: $w = y^2$

3: experimental with the degree of brief

4: $w = C * (abs(y_i) / \sqrt{\text{var}(y)} - 2)$ from VanRaden et al. (2009)

nonlinearA: same as 4

where y is the SNP solution, with scaled weight = $w * n\text{Snp} / \text{sum}(w)$; and C is 1.125 by default (enable to change it using the second argument of the option line (**OPTION which_weight nonlinearA value**), e.g., **OPTION which_weight nonlinearA 1.2**)

OPTION solutions_postGS x

Sets the file name for the solutions file (default = solutions).

OPTION postgs_trt_eff x1 x2

Computes postGS solutions (SNP solutions, variance explained, etc.) for only trait: **x1** and effect: **x2**

OPTION snp_p_value

Computes p-values for GWAS from elements of the inverse of the Mixed Model Equations previously obtained from blupf90. This requires quite a lot of memory and time. See [Aguilar et al. \(2019\)](#) for more details.

OPTION snp_var

Creates a file with prediction error covariance (PEC) for SNP to be used in **PREDF90** to compute reliability for indirect predictions. This option works when **OPTION snp_p_value** is used in BLUPF90+.

*Output files for **POSTGSF90**:*

“**snp_sol**” contains solutions of SNP and weights

1: trait

2: effect

3: SNP

4: Chromosome

5: Position

6: SNP solution

7: weight (can be used as the weight to calculate the weighted \mathbf{G} matrix)

8: variance explained by n adjacent SNP (if **OPTION windows_variance** is used)

9: variance of the SNP solution (used to compute the p-value if **OPTION snp_p_value** is used)

“**chrnsnp**” contains data to create the plot by GNUPLOT

1: trait

- 2: effect
- 3: values of SNP effects to use in Manhattan plots, i.e., $(\text{abs}(\text{SNP}_i)/\text{var}(\text{SNP}))$
- 4: SNP
- 5: Chromosome
- 6: Position

“[chrnp_pval](#)” contains data to create the plot by GNUPLOT

- 1: trait
- 2: effect
- 3: $-\log_{10}(\text{p-value})$
- 4: SNP
- 5: Chromosome
- 6: Position

“[chrnpvar](#)” contains data to create plot by GNUPLOT

- 1: trait
- 2: effect
- 3: variance explained by n adjacent SNP
- 4: SNP
- 5: Chromosome
- 6: Position

“[windows_segment](#)” contains information of windows segments used to get variance explained

- 1: label
- 2: window size (number of SNP)
- 3: Start SNP number for the window
- 4: End SNP number for the window
- 5: identification of window: $(\text{ChrNumber})'_\text{'(startPositionMBP)}$
- 6: Start $(\text{ChrNumber})'_\text{'(Position)}$ for the window
- 7: End $(\text{ChrNumber})'_\text{'(Position)}$ for the window

“[windows_variance](#)” contains variance explained for the biggest non-overlapping windows segments

- 1: trait
- 2: effect
- 3: Start SNP number or SNP name for the window
- 4: End SNP number or SNP name for the window
- 5: window size (number of SNP)
- 6: Start $(\text{ChrNumber})'_\text{'(Position)}$ for the window
- 7: End $(\text{ChrNumber})'_\text{'(Position)}$ for the window
- 8: identification of window: $(\text{ChrNumber})'_\text{'(startPositionMBP)}$
- 9: variance explained by n adjacents SNP

“snp_pred” contains allele frequencies + SNP effects

Graphic control files:

Several files are created to generate graphics using either GNUPLOT or R.

File names rules

“Sft1e2.R”. The first letter indicates “S” for solutions of SNP, “V” for variance explained, and “P” for p-values.

“t1e2” indicates that the file is for the trait 1 and the effect 2.

Filename extension

xxx.gnuplot => GNUPLOT

xxx.R => R programs

xxx.pdf => image

xxx.png => image

xxx.tif => image

Misc. options:

OPTION num_threads_pregs n

Specify the number of threads *n* to be used with MKL-OpenMP for creating and inverting matrices

OPTION num_threads_iod n

Specify the number of threads *n* to be used with MKL-OpenMP in "BLUP90IOD" program for matrix-vector multiplications in the PCG algorithm

OPTION graphics s

Allows to generate plots with "GNUPLOT" program.

If present optional parameter *s*, set the time in seconds to show the plot.

Avoid using in batch programs!

OPTION msg x

x set level of verbose; 0 minimal; 1 gives more diagnostic information

PREDF90

Predicts direct genomic value (DGV) for young animals based on only genotypes i.e. $\hat{\mathbf{u}} = \mathbf{Z}\hat{\mathbf{a}}$, where $\hat{\mathbf{u}}$ is DGV and $\hat{\mathbf{a}}$ is the SNP effects. The prediction is based on SNP effects obtained from **POSTGSF90**. For young animals that were not included in the previous analysis, DGV can be calculated using the “snp_pred” file

from **POSTGSF90**. PREDF90 requires some output files from POSTGSF90 and a genotype file for the animals to be predicted. It does not accept a parameter file but takes command-line options.

PREDF90 does not accept a parameter file but takes command-line options.

--snpfile name

Provides the SNP file for animals to be indirectly predicted. PREDF90 will ask for the SNP file name if this command is not present. The SNP file has the same format as for PREGSF90.

--acc

Computes reliability for indirect predictions. It requires OPTION snp_p_value in BLUPF90+ and OPTION snp_var in POSTGSf90. It reads "snp_var", a file with SNP PEC created by POSTGSF90.

--acc_type

Select 1.0 for dairy cattle (Reliability) or 0.5 for beef cattle (BIF accuracy) (default 1.0).

--use_diagG_acc

Uses inbreeding (F) from **G** in the denominator of the reliability formula: $\text{reliability} = 1 - \text{PEV} / (\sigma_u^2(1+F))$.

--use_mu_hat

Adds the base ($\hat{\mu}$) for DGV so the values are comparable to GEBV. See [Legarra et al. \(2021\)](#) and [Lourenco et al. \(2018\)](#) for more details.

--use_var_mu_hat

Considers the variance of $\hat{\mu}$ when calculating the reliability of DGV and is automatically turned on if --use_mu_hat and --acc are present.

--help

Shows the main options.

Usage:

```
predf90 --snpfile new_genotypes.txt --use_mu_hat --acc --use_diagG_acc
```

With these commands, predf90 will compute indirect predictions for the animals in new_genotypes.txt, including $\hat{\mu}$ (i.e., $\text{DGV} = \hat{\mu} + \mathbf{Z}\hat{\mathbf{a}}$), computing reliabilities adjusted for inbreeding in **G**.

Input files:

This program automatically detects and read the following files:

"snp_pred"

- information about the random effect (number of traits + correlated effects)
- gene frequencies
- solutions of SNP effects

SNP_file_for_animals_to_predict

SNP file for animals to have DGV predicted. This file has the same format as used in PREGSF90 and POSTGSF90.

Output file:

“SNP_predictions”

- ID, call rate, DGV, reliability (if --acc is present)

Constant parameters that cannot be changed by the users:

1. alpha - fraction of **G** used (default=0.95); affects scale of prediction
2. callrate - to be used later for discarding genotypes with poor quality (default=0.7)

PREDICTF90

This program computes adjusted phenotypes. It reads the blupf90 parameter file, the solutions file, and the data file. It needs **OPTION include_effects x1 x2 x3** followed by the effects (**x1 x2 x3**) that should NOT be used to adjust phenotypes (y). It computes:

$y_{\text{star}} = y$ adjusted by the effects not mentioned in **OPTION include_effects x1 x2 x3** (i.e., the included effects)

$y_{\text{hat}} =$ sum of estimates of the included effects

residual = $y -$ included effects (not a true residual)

Example: $y = \text{herd} + \text{age} + \text{animal} + e$

If the parameter file has **OPTION include_effects 3**.

$y_{\text{star}} = y - \text{herd}_{\text{hat}} - \text{age}_{\text{hat}}$ ($y -$ effects to be adjusted for)

$y_{\text{hat}} = \text{animal}_{\text{hat}}$ (effect to keep)

Which makes $\text{cor}(y_{\text{hat}}, y_{\text{star}}) = \text{cor}(\text{ebv}, \text{adjusted } y)$, in this example, which is a measure of accuracy. However, this is done based on one dataset. Real validations are done between a benchmark computed with a complete dataset (e.g., adjusted phenotypes here) and a prediction using a reduced dataset (e.g., the ebv here).

It outputs the correlation between y_{hat} and y_{star} , for instance $\text{cor}(y_{\text{star}}, y_{\text{hat}}) = \text{cor}(u+e, u_{\text{hat}})$ and outputs these columns into a file, together with animal id (if there is animal in the model) or record number (if not).

In addition, if animal effect is in the model, it produces a file with ebvs from the solutions file.

Output file:

“yhat_residual”

The main file is yhat_residual, which has corrected phenotypes and predicted residuals. The number of columns in this file depend on the number of traits (N).

Column 1: Animal ID (renumbered i.e., same as the 1st column in renaddxx.ped)

Column 2 to N+1: “y_star” explained above

Column N+2 to 2N+1: “y_hat” explained above

Column 2N+2 to 3N+1: “residual” explained above

Demonstration for genomic analysis

*Data were simulated by D. Lourenco and the files are available here:
https://github.com/danielall/Data_ssGBLUP*

Preparation with RENUMF90

“renum.par” for RENUMF90

```
# Parameter file for renumf90
# Data file = phenotypes.txt
# 1 2 3 4 5
# animal, sex ,phenotype, TBV, generation
# Pedigree file = pedigree.txt
# 1 2 3
# animal sire dam
# SNP file = genotypes.txt
# SNP map file = gen_map.txt
DATAFILE
phenotypes.txt
TRAITS
3
FIELDS_PASSED TO OUTPUT

WEIGHT(S)

RESIDUAL_VARIANCE
0.60
```

```

EFFECT
2 cross alpha #sex
EFFECT
1 cross alpha #animal
RANDOM
animal
FILE
pedigree.txt
SNP_FILE
genotypes.txt
(CO)VARIANCES
0.40
OPTION map_file gen_map.txt

```

Run RENUMF90

RENUMF90 version 1.157 with zlib

```

renum.par
... ..
Inbreeding statistics:
the maximum inbreeding coefficient = 0.3125
average inbreeding for inbred animals = 0.0621 n = 1292
                                for all animals = 0.0067 n = 12010

Number of animals with records = 10000
Number of animals with genotypes = 2024
Number of animals with records or genotypes = 10000
Number of animals with genotypes and no records = 0
Number of parents without records or genotypes = 2010
Total number of animals = 12010

Wrote cross reference IDs for SNP file "genotypes.txt_XrefID"

Wrote parameter file "renf90.par"
Wrote renumbered data "renf90.dat" 10000 records
Wrote field information "renf90.fields" for 3 fields in data

```

“renf90.par” from RENUMF90

BLUPF90 parameter file created by RENUMF90

```

DATAFILE
renf90.dat
NUMBER_OF_TRAITS
1
NUMBER_OF_EFFECTS
2
OBSERVATION(S)
1
WEIGHT(S)

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT[EFFECT NESTED]
2 2 cross
3 12010 cross
RANDOM_RESIDUAL VALUES

```

```

0.60000
RANDOM_GROUP
  2
RANDOM_TYPE
add_an_upginb
FILE
renadd02.ped
(CO)VARIANCES
  0.40000
OPTION SNP_file genotypes.txt
OPTION map_file gen_map.txt

```

Analysis with BLUPF90

Run BLUPF90

BLUPF90 ver. 1.71

```

Parameter file:          renf90.par
Data file:              renf90.dat
Number of Traits        1
Number of Effects       2
Position of Observations 1
Position of Weights     0
Value of Missing Trait/Observation 0
name of parameter file?renf90.par
... ..
*-----*
*          Genomic Library: Version 1.308          *
*-----*
*          Optimized OpenMP Version - 4 threads    *
*-----*
* Modified relationship matrix (H) created for effect: 2 *
*-----*

Read 12010 animals from pedigree file: "renadd02.ped"
Number of Genotyped Animals: 2024
... ..
round = 55 convergence = 0.1126E-11
round = 56 convergence = 0.5045E-12
56 iterations, convergence criterion= 0.5045E-12
solutions stored in file: "solutions"

```

Analysis with POSTGSF90

Run POSTGSF90

```

name of parameter file?renf90.par

postGSf90 ver. 1.77
... ..
Solutions read from file: "solutions"
Solutions for SNPs in file: "snp_sol"
Files for pedictions by SNP effects in file: "snp_pred"

```

*Indirect Predictions with PREDF90***Run PREDF90**

```

predf90 1.13
Predicts EBVs from genotypes based on results from single-step evaluation
... ..
Number of SNP:      4500
Number of traits:   1
number of correlated traits: 1
... ..
MU_hat to adjust Za
  Trait: 1
    Correlated effect: 1
    mu_hat:      0.1443
... ..
      3000 SNP
The genotype file contains 45000 SNP starting from position 14

Firts 10 genotypes: Id, EBV
UGA42014      0.4649608
UGA42019      0.6343889
UGA42029     -0.1096066
UGA42039      0.9360114
UGA42047      0.6454658
UGA42051      0.5041275
UGA42052      1.7737031E-02
UGA42056      0.9935431
UGA42057      0.2609830

Processed 2024 genotypes
Average calling rate: 1.00

```

```

$head -5 SNP_predictions
UGA42014      1.00      0.46496075
UGA42019      1.00      0.63438886
UGA42029      1.00     -0.10960658
UGA42039      1.00      0.93601137
UGA42047      1.00      0.64546579

```

*Computing adjusted phenotypes with PREDICTF90***Run PREDICTF90**

This program is used to calculate adjusted y , \hat{y} , and residuals using the same parameter file and “[solutions](#)” as BLUPF90

Output files:

“[yhat_residual](#)”

Format: record #, adjusted y , \hat{y} , residual

“[bvs.dat](#)”

The same format as “[solutions](#)” including (G)EBV.

BLUPF90 parameter file created by RENF90 and extended to work with PREDICTF90

DATAFILE

renf90.dat

NUMBER_OF_TRAITS

1

NUMBER_OF_EFFECTS

2

OBSERVATION(S)

1

WEIGHT(S)

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT[EFFECT NESTED]

2 2 cross

3 12010 cross

RANDOM_RESIDUAL VALUES

0.60000

RANDOM_GROUP

2

RANDOM_TYPE

add_an_upginb

FILE

renadd02.ped

(CO)VARIANCES

0.40000

OPTION SNP_file genotypes.txt

OPTION map_file gen_map.txt

OPTION include_effects 2 #phenotypes will be adjusted for all effects but effect number 2 (animal)

Run PREDICTF90

name of parameter file?

pred.par

*** include effects to predict Yhat n, effects 1 2

PREDICTF90 ver. 1.6

... ..

Animal Effect: 2

y(s), yhat(s), residual(s) in written in "yhat_residual" file

10000 records read

Trait: 1 10000

mean Y 8.662515402103672E-002 var Y 0.934465837702133

mean Yhat 8.662514367382973E-002 var Yhat 0.181142370417667

cov (Y,Yhat) 0.344475853966058 corr (Y,Yhat) 0.837272925060839

wrote bvs for animals in data in file "bvs.dat"

Hints:

1) The effect that goes into OPTION include_effects (e.g., OPTION include_effects 2) is included in the Yhat. In this small example with 1 trait, the format of yhat_residual is: Animal_id, Y, Yhat, residual

Where: Y = Phenotype - μ

Yhat = EBV (or animal effect)

Residual = Phenotype - EBV

2) When 2 traits are used in the model, the format of yhat_residual is:

Animal_id, Y1, Y2, Yhat1, Yhat2, residual1, residual2

3) corr (Y,Yhat) should not be used as a measure of predictivity because it uses adjusted phenotypes and EBVs from the same dataset. Usually, predictivity requires phenotypes adjusted for fixed effects in the complete data (benchmark) and (G)EBVs calculated from the reduced data (without records for validation animals). The regular predictivity measure is: corr[Y_from_PREDICTf90, (G)EBV_reduced]

For this small example with 1 trait, a general Linux bash code is:

```
$awk '{print $1,$2}' ebv_complete/yhat_residual | sort +0 -1 > Y
$awk '{if ($2==2) print $3,$4}' ebv_reduced/solutions | sort +0 -1 > ebv.temp
$awk '{if ($2==2) print $3,$4}' gebv_reduced/solutions | sort +0 -1 > gebv.temp
$join -1 +1 -2 +1 Y validation_animals > file1.temp
$join -1 +1 -2 +1 file1.temp ebv.temp > file2.temp
$join -1 +1 -2 +1 file2.temp gebv.temp > Y_ebv_gebv
```

#obs: validation_animals is a file that contains sorted ids for validation animals

An R code to calculate correlations is:

```
pred <- read.table("Y_ebv_gebv",header=F)
ebv_predictivity <- cor(pred[,2],pred[,3]); ebv_predictivity
gebv_predictivity <- cor(pred[,2],pred[,4]); gebv_predictivity
```

Examples of parameter files

Sire model without A matrix

DATAFILE

test.dat

NUMBER_OF_TRAITS

1

NUMBER_OF_EFFECTS

2

OBSERVATION(S)

3

WEIGHT(S)

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT [EFFECT NESTED]

1 2 cross

2 3 cross

RANDOM_RESIDUAL VALUES

10
 RANDOM_GROUP
 2
 RANDOM_TYPE
 diagonal
 FILE

(CO)VARIANCES
 1

Sire model with A matrix

DATAFILE
 test.dat
 NUMBER_OF_TRAITS
 1
 NUMBER_OF_EFFECTS
 2
 OBSERVATION(S)
 3
 WEIGHT(S)

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT [EFFECT NESTED]

1 2 cross

2 3 cross

RANDOM_RESIDUAL VALUES

10

RANDOM_GROUP

2

RANDOM_TYPE

add_sire

FILE

sire.ped

(CO)VARIANCES

1

Two-trait sire model

DATAFILE
 test.dat
 NUMBER_OF_TRAITS
 2
 NUMBER_OF_EFFECTS
 2
 OBSERVATION(S)
 3 4
 WEIGHT(S)

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT [EFFECT NESTED]

1 1 2 cross

2 2 3 cross

RANDOM_RESIDUAL VALUES


```

10 1
1 5
RANDOM_GROUP
2
RANDOM_TYPE
add_sire
FILE
sire.ped
(CO)VARIANCES
1 0.1
0.1 1

```

Animal model

```

DATAFILE
test.dat
NUMBER_OF_TRAITS
1
NUMBER_OF_EFFECTS
2
OBSERVATION(S)
3
WEIGHT(S)

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT [EFFECT NESTED]
1 2 cross
5 10 cross
RANDOM_RESIDUAL VALUES
10
RANDOM_GROUP
2
RANDOM_TYPE
add_animal
FILE
animal.ped
(CO)VARIANCES
1

```

Multiple trait animal model

Example 1: two-trait animal model

```

DATAFILE
test.dat
NUMBER_OF_TRAITS
2
NUMBER_OF_EFFECTS
2
OBSERVATION(S)
3 4
WEIGHT(S)

```

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT [EFFECT NESTED]

1 1 2 cross

5 5 10 cross

RANDOM_RESIDUAL VALUES

10 1

1 5

RANDOM_GROUP

2

RANDOM_TYPE

add_animal

FILE

animal.ped

(CO)VARIANCES

1 0.1

0.1 1

Example 2: different model for each trait

DATAFILE

test.dat

NUMBER_OF_TRAITS

2

NUMBER_OF_EFFECTS

3

OBSERVATION(S)

3 4

WEIGHT(S)

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT [EFFECT NESTED]

1 2 2 cross

5 5 10 cross

6 7 30 cross

RANDOM_RESIDUAL VALUES

10 1

1 5

RANDOM_GROUP

2

RANDOM_TYPE

add_animal

FILE

animal.ped

(CO)VARIANCES

1 0.1

0.1 1

RANDOM_GROUP

3

RANDOM_TYPE

diagonal

FILE

(CO)VARIANCES

1 0

0 1

Animal model with UPG

DATAFILE

test.dat

NUMBER_OF_TRAITS

2

NUMBER_OF_EFFECTS

2

OBSERVATION(S)

3 4

WEIGHT(S)

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT [EFFECT NESTED]

1 1 2 cross

5 5 13 cross

RANDOM_RESIDUAL VALUES

10 1

1 5

RANDOM_GROUP

2

RANDOM_TYPE

add_an_upg

FILE

animal.ped

(CO)VARIANCES

1 0.1

0.1 1

Animal model with inbreeding

DATAFILE

test.dat

NUMBER_OF_TRAITS

2

NUMBER_OF_EFFECTS

2

OBSERVATION(S)

3 4

WEIGHT(S)

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT [EFFECT NESTED]

1 1 2 cross

5 5 13 cross

RANDOM_RESIDUAL VALUES

10 1

```

1 5
RANDOM_GROUP
2
RANDOM_TYPE
add_an_upginb
FILE
animal.ped
(CO)VARIANCES
1 0.1
0.1 1

```

Repeatability model – single trait

```

DATAFILE
test.dat
NUMBER_OF_TRAITS
1
NUMBER_OF_EFFECTS
3
OBSERVATION(S)
3
WEIGHT(S)

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT [EFFECT NESTED]
1 2 cross
5 5 cross
5 5 cross
RANDOM_RESIDUAL VALUES
10
RANDOM_GROUP
2
RANDOM_TYPE
add_animal
FILE
animal.ped
(CO)VARIANCES
1
RANDOM_GROUP
3
RANDOM_TYPE
diagonal
FILE

(CO)VARIANCES
1

```

Repeatability model – two traits

```

DATAFILE
test.dat

```

NUMBER_OF_TRAITS
2
NUMBER_OF_EFFECTS
3
OBSERVATION(S)
3 4
WEIGHT(S)

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT [EFFECT NESTED]

1 1 2 cross

5 5 5 cross

5 5 5 cross

RANDOM_RESIDUAL VALUES

10 1

1 5

RANDOM_GROUP

2

RANDOM_TYPE

add_animal

FILE

animal.ped

(CO)VARIANCES

1 0.1

0.1 1

RANDOM_GROUP

3

RANDOM_TYPE

diagonal

FILE

(CO)VARIANCES

1 0.1

0.1 1

Maternal effect model

DATAFILE

maternal.dat

NUMBER_OF_TRAITS

1

NUMBER_OF_EFFECTS

4

OBSERVATION(S)

4

WEIGHT(S)

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT [EFFECT NESTED]

3 946 cross

1 22473 cross

2 22473 cross

```

2 22473 cross
RANDOM_RESIDUAL VALUES
1050
RANDOM_GROUP
2 3
RANDOM_TYPE
add_animal
FILE
maternal.ped
(CO)VARIANCES
450 -100
-100 340
RANDOM_GROUP
4
RANDOM_TYPE
diagonal
FILE

(CO)VARIANCES
370

```

For (THR)GIBBSxF90

Example 1 – declaring the random, diagonal effect separately for effects 4 and 5.

```

DATAFILE
test.dat
NUMBER_OF_TRAITS
2
NUMBER_OF_EFFECTS
5
OBSERVATION(S)
3 4
WEIGHT(S)

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT [EFFECT NESTED]
1 0 2 cross
0 2 2 cross
5 5 10 cross
6 0 30 cross
0 7 20 cross
RANDOM_RESIDUAL VALUES
10 1
1 5
RANDOM_GROUP
3
RANDOM_TYPE
add_animal
FILE
animal.ped
(CO)VARIANCES

```

```

1 0.1
0.1 1
RANDOM_GROUP
4
RANDOM_TYPE
diagonal
FILE

```

```

(CO)VARIANCES
1 0
0 0
RANDOM_GROUP
5
RANDOM_TYPE
diagonal
FILE

```

```

(CO)VARIANCES
0 0
0 1

```

Example 2 – joint declaration for the random, diagonal effects 4 and 5.

```

DATAFILE
test.dat
NUMBER_OF_TRAITS
2
NUMBER_OF_EFFECTS
5
OBSERVATION(S)
3 4
WEIGHT(S)

```

```

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT [EFFECT NESTED]
1 0 2 cross
0 2 2 cross
5 5 10 cross
6 0 30 cross
0 7 30 cross
RANDOM_RESIDUAL VALUES
10 1
1 5
RANDOM_GROUP
3
RANDOM_TYPE
add_animal
FILE
animal.ped
(CO)VARIANCES
1 0.1

```

```

0.1 1
RANDOM_GROUP
4 5
RANDOM_TYPE
diagonal
FILE

```

```

(CO)VARIANCES
1 0 0 0
0 0 0 0
0 0 0 0
0 0 0 1

```

Dominance model

```

DATAFILE
dom.dat
NUMBER_OF_TRAITS
1
NUMBER_OF_EFFECTS
4
OBSERVATION(S)
3
WEIGHT(S)

```

```

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT [EFFECT NESTED]

```

```

1 1 cross
4 1 cov
2 30001 cross
5 10412 cross
RANDOM_RESIDUAL_VALUES
100
RANDOM_GROUP
3
RANDOM_TYPE
add_an_upginb
FILE
add.ped
(CO)VARIANCES
10
RANDOM_GROUP
4
RANDOM_TYPE
par_dom
FILE
dom.ped
(CO)VARIANCES
2

```

Random regression model

Single trait

DATAFILE
 data_score
 NUMBER_OF_TRAITS
 1
 NUMBER_OF_EFFECTS
 10
 OBSERVATION(S)
 9
 WEIGHT(S)

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT [EFFECT NESTED]

1 788 cross
 2 32 cross
 5 1 cov
 6 1 cov
 3 15097 cross
 5 15097 cov 3
 6 15097 cov 3
 3 81883 cross
 5 81883 cov 3
 6 81883 cov 3

RANDOM_RESIDUAL VALUES

100

RANDOM_GROUP

5 6 7

RANDOM_TYPE

diagonal

FILE

(CO)VARIANCES

100 1 1

1 10 1

1 1 10

RANDOM_GROUP

8 9 10

RANDOM_TYPE

add_an_upg

FILE

ped_score

(CO)VARIANCES

100 1 1

1 10 1

1 1 10

Two traits

DATAFILE
 test.dat1
 NUMBER_OF_TRAITS

2
 NUMBER_OF_EFFECTS
 9
 OBSERVATION(S)
 3 4
 WEIGHT(S)

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT [EFFECT NESTED]

1 1 2 cross
 6 6 1 cov
 7 7 1 cov
 2 2 5 cross
 6 6 5 cov 2 2
 7 7 5 cov 2 2
 2 2 10 cross
 6 6 10 cov 2 2
 7 7 10 cov 2 2

RANDOM_RESIDUAL VALUES

10 1
 1 5

RANDOM_GROUP

4 5 6

RANDOM_TYPE

diagonal

FILE

(CO)VARIANCES

1 0.1 0.1 0.1 0.1 0.1
 0.1 1 0.1 0.1 0.1 0.1
 0.1 0.1 1 0.1 0.1 0.1
 0.1 0.1 0.1 1 0.1 0.1
 0.1 0.1 0.1 0.1 1 0.1
 0.1 0.1 0.1 0.1 0.1 1

RANDOM_GROUP

7 8 9

RANDOM_TYPE

add_animal

FILE

animal.ped

(CO)VARIANCES

1 0.1 0.1 0.1 0.1 0.1
 0.1 1 0.1 0.1 0.1 0.1
 0.1 0.1 1 0.1 0.1 0.1
 0.1 0.1 0.1 1 0.1 0.1
 0.1 0.1 0.1 0.1 1 0.1
 0.1 0.1 0.1 0.1 0.1 1

Example 3

DATAFILE

```

test.dat2
NUMBER_OF_TRAITS
2
NUMBER_OF_EFFECTS
10
OBSERVATION(S)
3 4
WEIGHT(S)

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT [EFFECT NESTED]
1 1 2 cross
6 6 1 cov
7 7 1 cov
8 8 1 cov
6 6 5 cov 2 2
7 7 5 cov 2 2
8 8 5 cov 2 2
6 6 10 cov 2 2
7 7 10 cov 2 2
8 8 10 cov 2 2
RANDOM_RESIDUAL VALUES
10 1
1 5
RANDOM_GROUP
5 6 7
RANDOM_TYPE
diagonal
FILE

(CO)VARIANCES
1 0.1 0.1 0.1 0.1 0.1
0.1 1 0.1 0.1 0.1 0.1
0.1 0.1 1 0.1 0.1 0.1
0.1 0.1 0.1 1 0.1 0.1
0.1 0.1 0.1 0.1 1 0.1
0.1 0.1 0.1 0.1 0.1 1
RANDOM_GROUP
8 9 10
RANDOM_TYPE
add_animal
FILE
animal.ped
(CO)VARIANCES
1 0.1 0.1 0.1 0.1 0.1
0.1 1 0.1 0.1 0.1 0.1
0.1 0.1 1 0.1 0.1 0.1
0.1 0.1 0.1 1 0.1 0.1
0.1 0.1 0.1 0.1 1 0.1
0.1 0.1 0.1 0.1 0.1 1

```

Random regression model with heterogeneous residual variances

using airemlf90

Example 1: with intercept

```

DATAFILE
test.dat
NUMBER_OF_TRAITS
1
NUMBER_OF_EFFECTS
9
OBSERVATION(S)
3
WEIGHT(S)

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT [EFFECT NESTED]
1 2 cross
6 1 cov
7 1 cov
5 5 cross
6 5 cov 5
7 5 cov 5
5 10 cross
6 10 cov 5
7 10 cov 5
RANDOM_RESIDUAL_VALUES
10
RANDOM_GROUP
4 5 6
RANDOM_TYPE
diagonal
FILE

(CO)VARIANCES
1 0.1 0.1
0.1 1 0.1
0.1 0.1 1
RANDOM_GROUP
7 8 9
RANDOM_TYPE
add_animal
FILE
animal.ped
(CO)VARIANCES
1 0.1 0.1
0.1 1 0.1
0.1 0.1 1
OPTION hetres_pos 6 7
OPTION hetres_pol 4.0 1.0 0.1

```

Example 2: with no intercept

DATAFILE

test.dat

NUMBER_OF_TRAITS

1

NUMBER_OF_EFFECTS

7

OBSERVATION(S)

3

WEIGHT(S)

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT [EFFECT NESTED]

1 2 cross

6 1 cov

7 1 cov

6 5 cov 5

7 5 cov 5

6 10 cov 5

7 10 cov 5

RANDOM_RESIDUAL VALUES

10

RANDOM_GROUP

4 5

RANDOM_TYPE

diagonal

FILE

(CO)VARIANCES

1 0.1

0.1 1

RANDOM_GROUP

6 7

RANDOM_TYPE

add_animal

FILE

animal.ped

(CO)VARIANCES

1 0.1

0.1 1

OPTION hetres_pos 6 7

OPTION hetres_pol 1.0 0.1

using GIBBS3F90

DATAFILE

test.dat

NUMBER_OF_TRAITS

1

NUMBER_OF_EFFECTS

9

OBSERVATION(S)

3

WEIGHT(S)

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT [EFFECT NESTED]

1 2 cross

6 1 cov

7 1 cov

5 5 cross

6 5 cov 5

7 5 cov 5

5 10 cross

6 10 cov 5

7 10 cov 5

RANDOM_RESIDUAL VALUES

10

RANDOM_GROUP

4 5 6

RANDOM_TYPE

diagonal

FILE

(CO)VARIANCES

1 0.1 0.1

0.1 1 0.1

0.1 0.1 1

RANDOM_GROUP

7 8 9

RANDOM_TYPE

add_animal

FILE

animal.ped

(CO)VARIANCES

1 0.1 0.1

0.1 1 0.1

0.1 0.1 1

OPTION hetres_int 8 5

Competitive model (i.e., social interaction effects)

DATAFILE

competition.dat

NUMBER_OF_TRAITS

1

NUMBER_OF_EFFECTS

19

OBSERVATION(S)

24

WEIGHT(S)

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT[EFFECT NESTED]

2 88 cross
3 362 cross
21 2409 cross
4 8004 cross
22 0 cov 5
22 0 cov 6
22 0 cov 7
22 0 cov 8
22 0 cov 9
22 0 cov 10
22 0 cov 11
22 0 cov 12
22 0 cov 13
22 0 cov 14
22 0 cov 15
22 0 cov 16
22 0 cov 17
22 0 cov 18
22 8004 cov 19
RANDOM_RESIDUAL VALUES
1225.8
RANDOM_GROUP
4 5
RANDOM_TYPE
add_animal
FILE
renadd04.ped
(CO)VARIANCES
267.03 25.313
25.313 104.44
RANDOM_GROUP
2
RANDOM_TYPE
diagonal
FILE

(CO)VARIANCES
89.187
RANDOM_GROUP
3
RANDOM_TYPE
diagonal
FILE

(CO)VARIANCES
167.34

Appendix A (single trait animal model)

Single trait “USDA-type” animal model. The files used in this example are available [here](#).

$$y_{ijkl} = hys_i + hs_{ij} + p_k + a_k + e_{ijkl}$$

where

- y_{ijkl} - production yield
- hys_i - fixed herd year season
- hs_{ij} - random herd x sire interaction
- p_k - random permanent environment
- a_k - random animal

and

$$\text{var}(hs_{ij}) = .05, \text{var}(p_k) = .1, \text{var}(a_k) = .5, \text{var}(e_{ijkl}) = 1$$

Data file (ic)

Format: animal/hys/p/hs/y

```
1 1 1 1 10
2 1 2 1 11
3 2 3 2 15
4 2 4 3 13
5 3 5 4 14
6 3 6 3 12
```

Pedigree file (is)

Format: animal/dam/sire/code

```
1 12 8 2
2 1 8 1
3 2 9 1
4 7 10 1
5 12 11 2
6 1 10 1
7 13 14 3
8 5 11 1
9 13 8 2
10 7 14 2
11 13 14 3
```

Parameter file

Example of single-trait animal model with one fixed effect

DATAFILE

ic

NUMBER_OF_TRAITS

1

NUMBER_OF_EFFECTS

4

OBSERVATION(S)

5

WEIGHT(S)

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT [EFFECT NESTED]

2 3 cross

3 6 cross

4 4 cross

1 14 cross

RANDOM_RESIDUAL VALUES

1

RANDOM_GROUP

2

RANDOM_TYPE

diagonal

FILE

(CO)VARIANCES

.1

RANDOM_GROUP

3

RANDOM_TYPE

diagonal

FILE

(CO)VARIANCES

.05

RANDOM_GROUP

4

RANDOM_TYPE

add_an_upg

FILE

is

(CO)VARIANCES

.5

Execution

name of parameter file?exiap

BLUPF90 1.00

```
Parameter file:      exiap
Data file:          ic
Number of Traits    1
Number of Effects   4
Position of Observations 5
Position of Weight (1) 0
Value of Missing Trait/Observation 0
```

EFFECTS

#	type	position (2)	levels	[positions for nested]
1	cross-classified	2	3	
2	cross-classified	3	6	
3	cross-classified	4	4	
4	cross-classified	1	14	

Residual (co)variance Matrix

```

1.000
Random Effect      2
Type of Random Effect: diagonal
trait  effect      (CO)VARIANCES
  1      2          0.100

Random Effect      3
Type of Random Effect: diagonal
trait  effect      (CO)VARIANCES
  1      3          0.050

Random Effect      4
Type of Random Effect: additive animal
Pedigree File:      is
trait  effect      (CO)VARIANCES
  1      4          0.500

```

REMARKS

- (1) Weight position 0 means no weights utilized
- (2) Effect positions of 0 for some effects and traits means that such effects are missing for specified traits

Data record length = 5

```

original G
  0.10
inverted G
 10.00
original G
  0.05
inverted G
 20.00
original G
  0.50
inverted G
  2.00
solutions stored in file: "solutions"

```

```

trait/effect level  solution
  1  1      1      11.8589
  1  1      2      13.7539
  1  1      3      14.7086
  1  2      1      -0.0088
  1  2      2       0.0088
  1  2      3      -0.0159
  1  2      4       0.0159
  1  2      5       0.0321
  1  2      6      -0.0321
  1  3      1       0.0000
  1  3      2      -0.0079
  1  3      3      -0.0081
  1  3      4       0.0161
  1  4      1      -1.7627
  1  4      2      -0.9553
  1  4      3       1.4288
  1  4      4      -0.9206
  1  4      5      -1.0781
  1  4      6      -2.3474
  1  4      7       0.8511
  1  4      8      -0.1521
  1  4      9       3.8926
  1  4     10      -2.7717

```

1	4	11	0.8528
1	4	12	-3.1911
1	4	13	7.9976
1	4	14	-6.3340

Appendix B (multiple trait sire model)

Example of multiple trait sire model (from L.R. Schaeffer notes of 1985).

Models

$$\text{Trait 1: } y_{1i} = h_i + s_{1j} + e_{1ijk}$$

$$\text{Trait 2: } y_{2i} = \mu + s_{2j} + e_{2jk}$$

where

h - fixed herd

s - random sire

and

$$\text{var}(s) = A \begin{bmatrix} 8 & 6 \\ 6 & 17 \end{bmatrix}, \text{var}(e) = I \begin{bmatrix} 10 & 10 \\ 10 & 20 \end{bmatrix}$$

Data file (Irsdat)

Format: h/ μ /s/ y_1 / y_2

```
1 0 1 3.4 0
2 0 2 1.3 0
1 1 3 .8 50.3
2 1 4 4.5 52.6
0 1 5 0 55.0
```

Pedigree file (Irsrel)

Format: bull/sire/MGS

```
1 3 0
2 0 5
3 0 0
4 0 0
5 0 0
```

Parameter file (Irssex)

Example of two trait sire model with unequal models

DATAFILE

Irsdat

NUMBER_OF_TRAITS

2

NUMBER_OF_EFFECTS

2

OBSERVATION(S)

4 5

WEIGHT(S)

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT [EFFECT NESTED]

1 2 2 cross

3 3 5 cross

RANDOM_RESIDUAL VALUES

10 10

10 20

RANDOM_GROUP

2

RANDOM_TYPE

add_sire

FILE

lrsrel

(CO)VARIANCES

8 6

6 17

Execution

name of parameter file?lrsex

BLUPF90 1.00

```

Parameter file:      lrsex
Data file:          lrsdat
Number of Traits     2
Number of Effects    2
Position of Observations  4 5
Position of Weight (1)  0
Value of Missing Trait/Observation      0

```

EFFECTS

#	type	position (2)	levels	[positions for nested]
1	cross-classified	1 2	2	
2	cross-classified	3 3	5	

Residual (co)variance Matrix

```

10.000  10.000
10.000  20.000

```

Random Effect 1

Type of Random Effect: additive sire

Pedigree File: lrsrel

trait	effect	(CO)VARIANCES	
1	2	8.000	6.000
2	2	6.000	17.000

REMARKS

- (1) Weight position 0 means no weights utilized
- (2) Effect positions of 0 for some effects and traits means that such effects are missing for specified traits

Data record length = 5

original G

```

8.00  6.00
6.00  17.00

```

inverted G

```

0.17  -0.06
-0.06  0.08

```

solutions stored in file: "solutions"

trait/effect	level	solution
1 1	1	2.3877
2 1	1	52.4449
1 1	2	3.2180
2 1	2	0.0000
1 2	1	0.2243
2 2	1	-0.0210
1 2	2	-0.8217
2 2	2	-0.3866
1 2	3	-0.4969
2 2	3	-0.7512
1 2	4	0.6178
2 2	4	-0.0769
1 2	5	0.2217
2 2	5	1.0851

Appendix C (test-day model)

This test-day model example comes from the paper of Schaeffer and Dekkers (WCGALP94 18:443). The files used in this example are available [here](#).

Model

$$y_{ijkl} = h_i + \beta_1 X_{1j} + \beta_2 X_{2j} + a_k + \gamma_{1k} X_{1j} + \gamma_{2k} X_{2j} + e_{ijkl}$$

where

- y_{ijkl} - yield of test day
- h_i - test day effect
- X_{1j} - days in milk
- X_{2j} - log(days in milk)
- β_1, β_2 - fixed regressions
- a_k - random animal
- γ_{1k}, γ_{2k} - random regressions for each animal

and

$$\text{var}(e_{ijkl}) = 1; \text{var}(a_k, \gamma_{1k}, \gamma_{2k}) = [2.25 \ 4 \ -0.7; \ 4 \ 1375 \ 12; \ -0.7 \ 12 \ 94]^{-1}$$

Data file (Irsrrdat)

Format: h/a/ X_1 / X_2 / y

```

1 1 73 1.42985 26
1 2 34 2.19395 29
1 3 8 3.64087 37
2 1 123 0.908127 23
2 2 84 1.28949 18
2 3 58 1.65987 25
2 4 5 4.11087 44
3 1 178 0.538528 21
3 2 139 0.785838 8
3 3 113 0.992924 19
3 4 60 1.62597 29
4 2 184 0.505376 1
4 3 158 0.657717 15
4 4 105 1.06635 22
4 5 14 3.08125 35
5 3 218 0.335817 11
5 4 165 0.614366 14
5 5 74 1.41625 23
5 6 31 2.28632 28
6 3 268 0.129325 7
6 4 215 0.349674 8
6 5 124 0.90003 17
6 6 81 1.32586 22

```

Pedigree file (Irsrrrel)

Format: animal/sire/dam

```

1 9 7
2 10 8
3 9 2
4 10 8

```

```

5 11 7
6 11 1
7 0 0
8 0 0
9 0 0
10 0 0
11 0 0

```

Parameter file (exlrsrr)

Example of single-trait random-regression model

DATAFILE

lrsrrdat

NUMBER_OF_TRAITS

1

NUMBER_OF_EFFECTS

6

OBSERVATION(S)

5

WEIGHT(S)

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT [EFFECT NESTED]

1 6 cross

3 1 cov

4 1 cov

2 11 cross

3 11 cov 2

4 11 cov 2

RANDOM_RESIDUAL VALUES

1

RANDOM_GROUP

4 5 6

RANDOM_TYPE

add_animal

FILE

lrsrrrel

(CO)VARIANCES

.447906 -0.001334 0.003506

-0.001334 0.000732 -0.000103

0.003506 -0.000103 .010678

Execution

name of parameter file?exlrsrr

BLUPF90 1.00

```

Parameter file:          exlrsrr
Data file:              lrsrrdat
Number of Traits        1
Number of Effects       6
Position of Observations 5
Position of Weight (1)  0
Value of Missing Trait/Observation 0

```

EFFECTS

#	type	position (2)	levels	[positions for nested]
1	cross-classified	1	6	
2	covariable	3	1	
3	covariable	4	1	
4	cross-classified	2	11	
5	covariable	3	11	2
6	covariable	4	11	2

Residual (co)variance Matrix

1.000

correlated random effects 4 5 6
 Type of Random Effect: additive animal
 Pedigree File: lrsrrrel
 trait effect (CO)VARIANCES
 1 4 0.448 -0.001 0.004
 1 5 -0.001 0.001 0.000
 1 6 0.004 0.000 0.011

REMARKS

- (1) Weight position 0 means no weights utilized
- (2) Effect positions of 0 for some effects and traits means that such effects are missing for specified traits

Data record length = 5

original G

0.45	0.00	0.00
0.00	0.00	0.00
0.00	0.00	0.01

inverted G

2.25	4.00	-0.70
4.001375	0.09	11.95
-0.70	11.95	94.00

solutions stored in file: "solutions"

trait/effect	level	solution
1 1	1	19.9496
1 1	2	20.3729
1 1	3	20.6095
1 1	4	19.7278
1 1	5	18.6035
1 1	6	17.8500
1 2	1	-0.0498
1 3	1	5.2912
1 4	1	-0.4430
1 4	2	0.2704
1 4	3	-0.7288
1 4	4	1.1019
1 4	5	-0.1626
1 4	6	-0.4828
1 4	7	-0.0988
1 4	8	0.4574
1 4	9	-0.6288
1 4	10	0.4574
1 4	11	-0.1872
1 5	1	0.0369
1 5	2	-0.0661
1 5	3	0.0068
1 5	4	-0.0054
1 5	5	0.0069
1 5	6	0.0167
1 5	7	0.0133

1	5	8	-0.0238
1	5	9	0.0350
1	5	10	-0.0238
1	5	11	-0.0008
1	6	1	-0.0370
1	6	2	0.0325
1	6	3	-0.0479
1	6	4	0.0767
1	6	5	-0.0149
1	6	6	-0.0377
1	6	7	-0.0103
1	6	8	0.0364
1	6	9	-0.0480
1	6	10	0.0364
1	6	11	-0.0145

Appendix D (multibreed maternal effect model)

This model was used for studies on multibreed evaluation in beef cattle. It is provided as an example of a model with maternal effect and different models per trait.

Model (in concise form, with most indices omitted)

$$y_1 = cg_1 + bt + mbt + a + M + e$$

$$y_2 = cg_2 + bt + mbt + a + M + pe + e$$

$$y_3 = cg_3 + bt + mbt + a + e$$

where

- y_{1-3} - birth weight, weaning weight, and gain
- cg_{1-3} - contemporary groups separate for each trait
- br - breed type
- mbt - maternal breed type
- a - additive effect
- m - maternal effect
- pe - permanent environmental effect of the dam

Data file (data.out)

Format:

1. contemporary group for trait 1
2. contemporary group for trait 2
3. contemporary group for trait 3
4. animal breed type
5. maternal breed type
6. animal id
7. dam id
8. birth weight
9. weaning weight
10. gain

Pedigree file (pedi.outok)

Format:

- animal
- sire or unknown parent group
- dam or unknown parent group
- "1 + number of missing parents"

Parameter file (param.out)

DATAFILE

data.out

NUMBER_OF_TRAITS

3

NUMBER_OF_EFFECTS

6

OBSERVATION(S)

8 9 10

WEIGHT(S)

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT [EFFECT
NESTED]

1 2 3 133085 cross

4 4 4 181 cross

5 5 0 165 cross

6 6 6 1724112 cross

7 7 0 1724112 cross

0 7 0 1724112 cross

RANDOM_RESIDUAL VALUES

26.3 40.7 20.3

40.7 1312.9 141.9

20.3 141.9 1246.3

RANDOM_GROUP

4 5

RANDOM_TYPE

add_an_upg

FILE

pedi.outok

(CO)VARIANCES

22.9 36.3 18.6 -4.6 0.0 0.0

36.6 500.2 110.8 0.0 -91.6 0.0

18.6 110.8 313.0 0.0 0.0 0.0

-4.6 0.0 0.0 10.1 0.0 0.0

0.0 -91.6 0.0 0.0 419.1 0.0

0.0 0.0 0.0 0.0 0.0 0.0

RANDOM_GROUP

2

RANDOM_TYPE

diagonal

FILE

(CO)VARIANCES

0.263 0.0 0.0

0.0 13.129 0.0

0.0 0.0 12.463

RANDOM_GROUP

3

RANDOM_TYPE

diagonal

FILE

(CO)VARIANCES

0.263	0.0	0.0
-------	-----	-----

0.0	13.129	0.0
-----	--------	-----

0.0	0.0	0.0
-----	-----	-----

RANDOM_GROUP

6

RANDOM_TYPE

diagonal

FILE

(CO)VARIANCES

0.0	0.0	0.0
-----	-----	-----

0.0	45.5	0.0
-----	------	-----

0.0	0.0	0.0
-----	-----	-----

Appendix E (random regression model)

A single-trait random regression model for test-day milk is using cubic Legendre polynomials.

Model

$$y_{ijkl} = \text{hym}_{ij} + \sum_{m=1}^4 \alpha_m(l) h_{im} + \sum_{m=1}^4 \alpha_m(l) u_{km} + \sum_{m=1}^4 \alpha_m(l) \text{pe}_{im} + e_{ijkl}$$

where

- y_{ijkl} - test day milk
- hym_{ij} - hear-year-test for herd i and year-test j
- h_i - effects of herd i
- $\alpha_m(l)$ - value of m-th Legendre polynomial at point corresponding to DIM=l
- u - additive effects
- pe - permanent environmental effects

Data file (datarr)

Format:

1. herd
2. hear-year-test
- 3-6. values of Legendre polynomials
7. weight for residuals: $100/\text{var}(e_{ijkl})$
8. test day
9. animal

Relationship file (pedirr)

Format:

- animal
- sire
- dam

Parameter file (exrr3)

DATAFILE

datarr

NUMBER_OF_TRAITS

1

NUMBER_OF_EFFECTS

13

OBSERVATION(S)

8

WEIGHT(S)

7

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT

```

2 3726 cross      #herd-year-test
3 84 cov 1       #herd
4 84 cov 1
5 84 cov 1
6 84 cov 1
3 21874 cov 9    #additive
4 21874 cov 9
5 21874 cov 9
6 21874 cov 9
3 21874 cov 9    #pe
4 21874 cov 9
5 21874 cov 9
6 21874 cov 9
RANDOM_RESIDUAL VALUES
100
RANDOM_GROUP
6 7 8 9
RANDOM_TYPE
add_animal
FILE
pedirr
(CO)VARIANCES
(4 x 4 matrix)
RANDOM_GROUP
10 11 12 13
RANDOM_TYPE
diagonal
FILE

(CO)VARIANCES
(4 x 4 matrix)

```

Appendix F (terminal cross model)

A terminal cross model by Fernando et al. and Lo et al.

breed A: $ya = cga + ua + ea$
 breed B: $yb = cgb + ub + eb$
 cross: $yab = cgab + uaab + ubab + eab$

Data file (data_cross)

1. cg A (85 levels)
2. cg B (110 levels)
3. cg crossbred (87 levels)
4. animal - breed A (2400 animals) or parent from breed A
5. animal - breed B (3000 animals) or parent from breed B
6. ya
7. yb
8. yc

Pedigree files: pedig_A for breed A and pedig_B for breed B

Parameter file

Example of a terminal-cross model

DATAFILE

data-cross

NUMBER_OF_TRAITS

3

NUMBER_OF_EFFECTS

3

OBSERVATION(S)

6 7 8

WEIGHT(S)

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT [EFFECT NESTED]

1 2 3 110 cross

4 0 4 2400 cross

0 5 5 3000 cross

RANDOM_RESIDUAL VALUES

100 0 0

0 100 0

0 0 100

RANDOM_GROUP

2

RANDOM_TYPE

add_animal

FILE

pedig_A

(CO)VARIANCES

(3 x 3 matrix)

RANDOM_GROUP

3

RANDOM_TYPE

add_animal

FILE

pedig_B

(CO)VARIANCES

(3 x 3 matrix)

Appendix G (competitive model)

Example of a competitive model (a la Muir and Schinkel)

$$y = cg + a + c_1 + c_2 + \dots + c_5 + e$$

c_i is the effect of the i -th competitor; assumed pen size of up to 6.

Datafile (data_comp)

1. y
2. cg (max 120)
3. animal (max 3000)
4. competitor 1
5. c 2
- ...
8. c 5

If pen size is less than 6, unused fields set to 0.

Parameter file

Example of a competitive model

DATAFILE

data_comp

NUMBER_OF_TRAITS

1

NUMBER_OF_EFFECTS

7

OBSERVATION(S)

1

WEIGHT(S)

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT [EFFECT NESTED]

2 120 cross

3 3000 cross

4 0 cross

5 0 cross

6 0 cross

7 0 cross

8 3000 cross

RANDOM_RESIDUAL VALUES

50

RANDOM_GROUP

2 3

RANDOM_TYPE

add_animal

FILE

The 2nd effect (position 3 in the data) is additive direct effect and 3rd to 7th effects (positions 4 to 8 in the data) are competitive effects (animal ID for competitors).

pedig
(CO)VARIANCES
40 -10
-10 10

The covariance matrix contains variance for the second effect, variance for effects 3 to 7 (accumulated to 7), and covariance between direct and competitive effects.

Appendix H (genomic model)

Example of evaluation /variance component estimation using phenotypic, pedigree and genomic information in single-step evaluation

Files simulated by Huiyu Wang using program QMSim by Mehdi Sargolzaei & Flavio Schenkel.

Parameter file for renumbering program RENUMF90

```

DATAFILE
phenotypes.txt
TRAITS
3
FIELDS_PASSED TO OUTPUT

WEIGHT(S)

RESIDUAL_VARIANCE
0.9038
EFFECT
1 cross alpha #fixed effect
EFFECT
2 cross alpha #animal
RANDOM
animal
FILE
pedigree
SNP_FILE
marker.geno.clean
(CO)VARIANCES
0.9951E-01

```

```

Phenotypes.txt – phenotype file
Single trait in position 3
Fixed effect in position 1 read as alphanumeric
Random animal effect in position 3
Pedigree file pedigrees
SNP file marker.geno.clean

```

Phenotype file

phenotypes . txt

```

1 1 4.16 0
1 2 3.47 0
1 3 4.5 0
1 4 4.97 0
1 5 5.98 0
1 6 6.63 0
1 7 3.32 0
1 8 5.85 0
1 9 4.77 0
1 10 4.22 0

```

Pedigree file

pedigree

```

1 0 0 0
2 0 0 0
3 0 0 0
4 0 0 0
5 0 0 0

```

```
6 0 0 0
7 0 0 0
8 0 0 0
9 0 0 0
10 0 0 0
```

SNP file for the first 50 SNP

```
$cut -c1-50 marker.geno.clean|head -10
```

```
8002 21101011002012011011010110111111211111210100
8014 21110101111101120221110111111112101112210100
8016 21100101202202021120210121102111202212111101
8018 21110111112201120210200020101022212211111100
8024 21110102201201111220210111102122201221111111
8038 11110000102100120201211121201022112111121111
8041 22210001201201121110210121202111102102121001
8063 20110101202202020212211101101120222012120021
8065 21110101111112111221110101010220212001110012
8083 1011101111001011111110112100111121011010121
```

Run RENUMF90

```
RENUMF90 version 1.86
name of parameter file?renum.par
renum.par
datafile:phenotypes.txt
traits: 3
fields passed: 4
R
0.9038

Processing effect 1 of type cross
item_kind=alpha

Processing effect 2 of type cross
item_kind=alpha
pedigree file name "pedigree"
positions of animal, sire, dam, alternate dam and yob 1 2
3 0 0
SNP file name "marker.geno.clean"
all pedigrees to be included
Reading (CO)VARIANCES: 1 x 1

Maximum size of character fields: 20

Maximum size of record (max_string_readline): 800

Maximum number of fields innput file (max_field_readline): 100

hash tables for effects set up
table expanded from 10000 to 20000 records
table expanded from 20000 to 40000 records
read 15800 records
table with 1 elements sorted
added count
Effect group 1 of column 1 with 1 levels
table expanded from 10000 to 10000 records
added count
Effect group 2 of column 1 with 15800 levels
wrote statistics in file "renf90.tables"

Basic statistics for input data (missing value code is 0)
Pos Min Max Mean SD N
3 0.73000 8.8300 4.9793 1.0069 15800
```

```

random effect with SNPs 2
type: animal
file: marker.geno.clean
read SNPs      1500 records
Effect group   2 of column      1 with      15800 levels

random effect 2
type: animal
opened output pedigree file "renadd02.ped"
read      15800 pedigree records

Pedigree checks

Number of animals with records:      15800
Number of animals with genotypes:    1500
Number of animals with records or genotypes: 15800
Number of animals with genotypes and no records 0
Number of parents without records or genotypes: 0
Total number of animals:      15800

Wrote cross reference IDs for SNP file "marker.geno.clean_XrefID"

Wrote parameter file "renf90.par"
Wrote renumbered data "renf90.dat"

```

Parameter file for application programs with renumbered fields

renf90.par

```

# BLUPF90 parameter file created by RENF90
DATAFILE
renf90.dat
NUMBER_OF_TRAITS
1
NUMBER_OF_EFFECTS
2
OBSERVATION(S)
1
WEIGHT(S)

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT[EFFECT NESTED]
2 1 cross
3 15800 cross
RANDOM_RESIDUAL_VALUES
0.9038
RANDOM_GROUP
2
RANDOM_TYPE
add_animal
FILE
renadd02.ped
(CO)VARIANCES
0.9951E-01
OPTION SNP_file marker.geno.clean

```

```

renf90.dat – phenotype file
Single trait in position 1
Two effects in model
Fixed effect in position 1 cross-classified with 1 level ( $\mu$ )
Animal effect in position 3
Second effect (Random Group 2) is additive-animal with
renadd02.ped – pedigree file
SNP file marker.geno.clean

```

Renumbered pedigree file

```
renadd02.ped
```

```

1 5742 14705 1 0 2 1 0 0 14670
2 2302 1384 1 0 2 1 0 0 12367
3 4248 15309 1 0 12 1 0 2 9123
4 4241 3492 1 0 2 1 0 0 7455
5 14459 14202 1 0 2 1 0 0 5736
6 1029 1292 1 0 2 1 0 3 5877
7 10876 7596 1 0 2 1 0 0 9638
8 13589 12642 1 0 2 1 0 0 14136
9 7070 11562 1 0 2 1 0 0 6010
10 6449 2448 1 0 2 1 0 0 15498

```

Renumbered phenotype file

renf90.dat

```

4.16 1 5903 0
3.47 1 3628 0
4.5 1 1329 0
4.97 1 14808 0
5.98 1 12481 0
6.63 1 10205 0
3.32 1 7935 0
5.85 1 5639 0
4.77 1 3348 0
4.22 1 1951 0

```

Run BLUPF90

name of parameter file?renf90.par

```

* SNP file: marker.geno.clean
* SNP Xref file: marker.geno.clean_XrefID
* Frequency to Center Z=M-p to create G=ZZ'/k (default whichfreq = 2):
  2
  BLUPF90 1.42

```

```

Parameter file:          renf90.par
Data file:              renf90.dat
Number of Traits        1
Number of Effects       2
Position of Observations 1
Position of Weight (1)  0
Value of Missing Trait/Observation 0

```

EFFECTS

#	type	position (2)	levels	[positions for nested]	
1	cross-classified	2			1
2	cross-classified	3			15800

```

Residual (co)variance Matrix
0.90380

```

```

Random Effect(s)      2
Type of Random Effect: additive animal
Pedigree File:        renadd02.ped
trait  effect  (CO)VARIANCES
  1      2      0.9951E-01

```

REMARKS

- (1) Weight position 0 means no weights utilized
- (2) Effect positions of 0 for some effects and traits means that such effects are missing for specified traits

```

Data record length =      3
# equations =          15801
G
0.99510E-01

```

read 15800 records in 3.5994001E-02 s, 31601 nonzeros
 read 15800 additive pedigrees

```

*-----*
*           Setup Genomic: Version 1.76           *
*-----*
* Modified relationship matrix (H) created for effect: 2 *
*-----*

```

Read 15800 animals from pedigree file
 Pedigree was in not chronological order (parent first format), reordering will be performed!!!

Current OPTIONS

Genomic Matrix

Make/Read	Which	Save	Test	File	StorageType
Make	1	F	F	G	densem

Rel. Matrix A22

Make/Read	Which	Save	Test	File	StorageType
Make	4	F	F	A22	densem

Inv. Genomic Matrix

Make/Read	Which	Save	Test	File	StorageType
Make	9	F	F	Gi	densem

Inv. Rel. Matrix A22

Make/Read	Which	Save	Test	File	StorageType
Make	9	F	F	A22i	densem

Genomic - A22 Matrix

Make/Read	Which	Save	Test	File	StorageType
None	9	F	F	GmA22	densem

Inv. Genomic- A22 Matrix

Make/Read	Which	Save	Test	File	StorageType
Make	0	F	F	GimA22i	densem

Other options

Allele Frequency file: freqdata
 Center Allele Frequency: 2
 Scale Allele Frequency: 2
 Scale Method: 1
 Regression G on A: F
 Tuned G Method: 2

Creation of GimA22i

$\tau \text{ inv}(\alpha G + \beta A22 + \gamma I + \delta) - \omega \text{ inv}(A22)$
 alpha,beta 0.950 0.050
 gamma,delta 0.000 0.000
 tau,omega 1.000 1.000

Number of Genotyped Animals 1500

Creating A22

Extracting subset of: 3432 pedigrees from: 15800 elapsed time: 0.0000
 Calculating Inbreeding by M&L function.. elapsed time 1.0000020E-03
 Calculating A22 Matrix by Colleau ...elapsed time 0.3299500

Statistics for A22

Statistic of Rel. Matrix A22

	N	Mean	Min	Max	Var
Diagonal	1500	1.001	1.000	1.250	0.000
Off-diagonal	2248500	0.003	0.000	0.750	0.001

Statistics for SNP file

Reading SNP file

Column position in file for the first marker: 7
 Format to read SNP file: (6x,400000i1)
 Number of SNPs : 3000
 Number of Genotyped animals: 1500
 Reading SNP file elapsed time 0.4639290

Statistics of alleles frequencies in the current population

N: 3000
 Mean: 0.501
 Min: 0.132
 Max: 0.890
 Var: 0.014

Several quality checks performed; no error messages as all files for this example have been simulated

Quality Control - Check call rate for animals

Quality Control - Check Parent-Progeny Mendelian conflicts

Total animals: 15800 - Genotyped animals: 1500
 Number of Individual - Sire pairs: 470
 Number of Individual - Dams pairs: 256
 Number of Individual - Sire - Dam trios: 152

Checking SNPs for Mendelian conflicts

Total number of parent-progeny evaluations: 726
 Number of SNPs with Mendelian conflicts: 0

Checking Animals for Mendelian conflicts

Statistics of alleles frequencies in the current population after

Quality Control (MAF, monomorphic, call rate)

N: 3000
 Mean: 0.501
 Min: 0.132
 Max: 0.890
 Var: 0.014

Locus	Freq	0-2p	1-2p	2-2p
1	0.751333	-1.502667	-0.502667	0.497333
2	0.382333	-0.764667	0.235333	1.235333
3	0.568667	-1.137333	-0.137333	0.862667
4	0.680000	-1.360000	-0.360000	0.640000
5	0.184333	-0.368667	0.631333	1.631333
6	0.298333	-0.596667	0.403333	1.403333
7	0.392000	-0.784000	0.216000	1.216000
8	0.379667	-0.759333	0.240667	1.240667
9	0.596667	-1.193333	-0.193333	0.806667
10	0.352333	-0.704667	0.295333	1.295333

Genotypes missings (%): 0.0000000E+00

Average denom. (scale): 1415.90178466665
 Center Matrix elapsed: 8.3986998E-02

Creating G Matrix

Calculating G Matrix

Wall time: 08-05-2011 16h 57m 34s 213
 MMP - OPTML
 Elapsed time 18.47419
 Wall time: 08-05-2011 16h 58m 09s 371

Statistics of G calculated assuming current allele frequencies

Statistic of Genomic Matrix

	N	Mean	Min	Max	Var
Diagonal	1500	0.999	0.889	1.463	0.002
Off-diagonal	2248500	-0.001	-0.147	0.830	0.002

Correlation of Genomic Inbreeding and Pedigree Inbreeding

Correlation: 0.3220

All elements - Diagonal / Off-Diagonal

Estimating Regression Coefficients $G = b_0 11' + b_1 A + e$
 Regression coefficients $b_0 \ b_1 = \quad -0.004 \quad 0.997$

Correlation all elements G & A 0.644

Correlations of off-diagonal elements of G and A22 is 0.660; low numbers indicated genotyped mistakes or poor pedigrees

Off-Diagonal

Using 70386 elements from A22 ≥ 0.02000

Estimating Regression Coefficients $G = b_0 11' + b_1 A + e$
 Regression coefficients $b_0 \ b_1 = \quad -0.006 \quad 1.000$

Correlation Off-Diagonal elements G & A 0.660

Blend G as $\alpha \cdot G + \beta \cdot A22$: (α, β) 0.950 0.050

Statistic of Genomic Matrix

	N	Mean	Min	Max	Var
Diagonal	1500	0.999	0.894	1.446	0.002
Off-diagonal	2248500	0.000	-0.139	0.820	0.002

Frequency - Diagonal of G

N: 1500
 Mean: 0.999
 Min: 0.894
 Max: 1.446
 Range: 0.028
 Class: 20

Diagonal elements of G should be 1 ± 0.2 . Too large or too small elements indicate:
 Genotyping mistakes
 Mixed lines
 See Simeone et al. (2011)

#Class	Class	Count
1	0.8942	9
2	0.9218	86
3	0.9494	343
4	0.9770	480
5	1.005	361
6	1.032	139
7	1.060	51
8	1.087	16
9	1.115	6
10	1.142	2
11	1.170	1
12	1.198	1
13	1.225	1
14	1.253	1
15	1.280	0
16	1.308	0
17	1.336	0
18	1.363	2
19	1.391	0
20	1.418	1
21	1.446	0

Scale G matrix according to A22 - Method: 2

Diagonal A: 1.001 Offdiagonal A: 0.003 All A: 0.004 Difference: 0.998
 Diagonal G: 0.999 Offdiagonal G: 0.000 All G: 0.000 Difference: 0.999
 Diff G Diag - G OffDiag: 0.999 $(da-oa)/(dg-og)$: 0.998
 Diff A OffDiag - G OffDiag: 0.004
 Diff A all - G all: 0.004
 New Alpha: 0.948 New Beta: 0.050 :New Delta 0.004

 Final Pedrigree-Based Matrix

Statistic of Rel. Matrix A22

	N	Mean	Min	Max	Var
Diagonal	1500	1.001	1.000	1.250	0.000
Off-diagonal	2248500	0.003	0.000	0.750	0.001

Statistics of G after scaling as in Chen et al (2011) or Vitezica et al. (2011)
Statistics should be same as for A22.

Final Genomic Matrix

Statistic of Genomic Matrix

	N	Mean	Min	Max	Var
Diagonal	1500	1.001	0.896	1.447	0.002
Off-diagonal	2248500	0.003	-0.134	0.822	0.002

Correlation of Genomic Inbreeding and Pedigree Inbreeding
Correlation: 0.3363

All elements - Diagonal / Off-Diagonal

Estimating Regression Coefficients $G = b_0 11' + b_1 A + e$
Regression coefficients $b_0 \ b_1 = \quad 0.000 \quad 0.995$

Correlation all elements G & A 0.663

Off-Diagonal

Using 70386 elements from A22 ≥ 0.02000

Estimating Regression Coefficients $G = b_0 11' + b_1 A + e$
Regression coefficients $b_0 \ b_1 = \quad -0.001 \quad 0.998$

Correlation Off-Diagonal elements G & A 0.679

Creating A22-inverse

Wall time: 08-05-2011 16h 58m 10s 866

Inverse using ginv2

elapsed time 3.54446100000000

Wall time: 08-05-2011 16h 58m 17s 691

Statistics of A_{22}^{-1}

Statistic of Inv. Rel. Matrix A22

	N	Mean	Min	Max	Var
Diagonal	1500	1.607	1.056	9.221	0.575
Off-diagonal	2248500	-0.001	-1.067	0.533	0.001

Creating G-inverse

Wall time: 08-05-2011 16h 58m 17s 987

Inverse using ginv2

elapsed time 4.24635400000000

Wall time: 08-05-2011 16h 58m 26s 044

Statistics of G^{-1}

$2 \times \text{diag}(G^{-1} - A_{22}^{-1})$ is approx. measure of extra genomic info in terms of effective daughters

Statistic of Inv. Genomic Matrix

	N	Mean	Min	Max	Var
Diagonal	1500	8.007	3.597	64.893	21.055
Off-diagonal	2248500	-0.005	-12.697	6.632	0.056

Creating GimA22i in file: "GimA22i"

Calculating GmA22/GimA22i Matrix Densem storage

Calculating GmA22/GimA22i Matrix...elapsed time 0.1269817

```

Setup Genomic Done.
wGimA22i 1.0000000000000000
hash matrix increased from 100000 to 150000 % filled: 0.9000
hash matrix increased from 150000 to 225000 % filled: 0.9000
hash matrix increased from 225000 to 337500 % filled: 0.9000
hash matrix increased from 337500 to 506250 % filled: 0.9000
hash matrix increased from 506250 to 759375 % filled: 0.9000
hash matrix increased from 759375 to 1139062 % filled: 0.9000
hash matrix increased from 1139062 to 1708593 % filled: 0.9000
finished peds in 30.68333 s, 1193064 nonzeros
round 1 convergence= 3.234776127905992E-004
round 2 convergence= 1.615955145159698E-005
round 3 convergence= 9.675137058360991E-006
round 4 convergence= 6.533482675941447E-006
round 5 convergence= 2.711751165983321E-006
.....
round 64 convergence= 2.721030958617683E-012
round 65 convergence= 1.931029578758311E-012
round 66 convergence= 1.610472992188148E-012
round 67 convergence= 1.259204136643006E-012
round 68 convergence= 9.025592862452768E-013
68 iterations, convergence criterion= 9.025592862452768E-013
solutions stored in file: "solutions"

```

Solution file

solutions

```

trait/effect level solution
1 1 1 4.97591211
1 2 1 0.10194865
1 2 2 0.33749439
1 2 3 0.04475742
1 2 4 -0.31055520
1 2 5 0.22368631
1 2 6 -0.09454804
1 2 7 -0.03186435
1 2 8 0.18033163

```

Variance component estimation by AIREMLF90

```

name of parameter file?renf90.par

* SNP file: marker.geno.clean
* SNP Xref file: marker.geno.clean_XrefID
* Frequency to Center Z=M-p to create G=ZZ'/k (default whichfreq = 2):
2
AI-REMLF90 ver. 1.96

Parameter file:          renf90.par
Data file:              renf90.dat
Number of Traits        1
Number of Effects       2
Position of Observations 1
Position of Weight (1)  0
Value of Missing Trait/Observation 0

.....
.....

Statistic of Inv. Genomic Matrix
          N      Mean      Min      Max      Var
Diagonal 1500    8.007    3.597    64.893    21.055
Off-diagonal 2248500 -0.005   -12.697    6.632    0.056

Creating GimA22i in file: "GimA22i"

```

```

Calculating GmA22/GimA22i Matrix Densem storage
Calculating GmA22/GimA22i Matrix...elapsed time 0.1089821
Setup Genomic Done.
wGimA22i 1.0000000000000000
hash matrix increased from 85428 to 128142 % filled: 0.9000
hash matrix increased from 128142 to 192213 % filled: 0.9000
hash matrix increased from 192213 to 288319 % filled: 0.9000
hash matrix increased from 288319 to 432478 % filled: 0.9000
hash matrix increased from 432478 to 648717 % filled: 0.9000
hash matrix increased from 648717 to 973075 % filled: 0.9000
hash matrix increased from 973075 to 1459612 % filled: 0.9000
hash matrix increased from 85428 to 128142 % filled: 0.9000
hash matrix increased from 128142 to 192213 % filled: 0.9000
hash matrix increased from 192213 to 288319 % filled: 0.9000
hash matrix increased from 288319 to 432478 % filled: 0.9000
hash matrix increased from 432478 to 648717 % filled: 0.9000
hash matrix increased from 648717 to 973075 % filled: 0.9000
hash matrix increased from 973075 to 1459612 % filled: 0.9000
finished peds in 32.01313 s, 1193064 nonzeros
rank= 15801
*****
**** FSPAK ****
*****
MPE / IM / MAE
Jun 1994

SPARSE STATISTICS
DIMENSION OF MATRIX = 15801
RANK = 15801
STORAGE AVAILABLE = 7061497
MAXIMUM NEEDED = 7061497
NZE IN UPPER TRIANGULAR = 1208865
NZE IN FACTOR = 1521840
NO. OF CALLS NUM FACT = 1
NO. OF CALLS SOLVE = 1
NO. OF CALLS SPARS SOLV = 0
NO. OF CALLS DET / LDET = 1
NO. OF CALLS SPARS INV = 1
TOTAL CPU TIME IN FSPAK = 9.465561
TIME FOR FINDING ORDER = 2.568611
TIME FOR SYMBOLIC FAC = 0.676899
TIME FOR NUMERICAL FAC = 2.017693
TIME FOR SOLVE = 0.008995
TIME FOR SPARSE SOLVE = 0.000000
TIME FOR SPARSE INVERSE = 4.147369
-2logL = 43515.7413644011 : AIC = 43519.7413644011
In round 1 convergence= 0.423851780381002
delta convergence= 0.252173522062583
new R
0.58510
new G
0.28516
-2logL = 53013.2734486053 : AIC = 53017.2734486053
In round 2 convergence= 0.141351613622645
delta convergence= 0.117430758820623
new R
0.52205
new G
0.45696
-2logL = 52800.6601605267 : AIC = 52804.6601605267
In round 3 convergence= 1.725330565925358E-002
delta convergence= 4.769938966058494E-002
new R
0.49575
new G
0.52606
-2logL = 52785.2479463395 : AIC = 52789.2479463395
In round 4 convergence= 1.101891763451498E-004
delta convergence= 3.662497104484009E-003
new R
0.49400

```

```

new G
0.53164
-2logL = 52785.1635385807 : AIC = 52789.1635385807
In round 5 convergence= 2.804695847240073E-009
delta convergence= 1.777604045032979E-005
new R
0.49400
new G
0.53167

```

Estimates of variance components

```

Final Estimates
Genetic variance(s) for effect 2
0.53167
Residual variance(s)
0.49400
inverse of AI matrix (Sampling Variance)
0.40448E-03 -0.17367E-03
-0.17367E-03 0.14702E-03
Correlations from inverse of AI matrix
1.0000 -0.71219
-0.71219 1.0000
SE for R
0.12125E-01
SE for G
0.20112E-01
solutions stored in file: "solutions"

```

Appendix I (complete genomic analysis)

Data files are available at http://nce.ads.uga.edu/wiki/doku.php?id=course_materials_-_from_uga_2014.

Using RENUMF90, PREGSF90, BLUPF90 (BLUP), BLUPF90 (ssGBLUP), PREDICTF90, POSTGSF90 (ssGWAS)

Simulated data

Single trait with heritability of 0.30 and phenotypic variance = 1.0

Five generations

Total of 994 parents from generations 1 to 4 were genotyped

Three hundred progeny from 5th generation had genotypes and pedigree, but phenotypes were removed for traditional and genomic evaluations

Data Structure:

#Animal Generation Sex Mu QTL Residual Phenotype (Phenotype = Mu + QTL + Residual)

```
1 0 1 1 -0.826104 1.586661 1.76056
2 0 1 1 -1.093034 -0.451821 -0.544855
3 0 1 1 -0.135824 0.984936 1.84911
4 0 1 1 0.044242 -0.802145 0.242097
5 0 1 1 0.342068 0.028434 1.3705
.
.
6095 5 1 1 1.801324 -0.494822 2.3065
6096 5 2 1 0.772964 0.791936 2.5649
6097 5 2 1 0.748241 0.285815 2.03406
6098 5 1 1 1.042522 -1.606656 0.435866
6099 5 1 1 0.891319 0.179843 2.07116
6100 5 1 1 0.745873 0.034715 1.78059
```

Pedigree: 6100 animals

#Animal Sire Dam

```
1 0 0
2 0 0
3 0 0
4 0 0
5 0 0
.
.
6095 4576 4403
6096 4576 4065
6097 4576 2263
6098 4576 4150
6099 4576 3690
6100 4576 4311
```

Genotypes: 1294 animals genotyped for 1000 SNP across 5 chromosomes

Animal SNP₁SNP₂SNP₃SNP₄SNP₅...SNP₁₀₀₀

```
6100 22212...1
```

Map:

#SNP order chromosome position

```
1 1 10010
2 1 16722
3 1 33444
4 1 50166
5 1 66888
.
.
1000 5 299878
```

Parameter file for RENUMF90

DATAFILE

newdata.txt

TRAITS

7

FIELDS_PASSED TO OUTPUT

2

WEIGHT(S)

RESIDUAL_VARIANCE

0.70

EFFECT

4 cross alpha #mu

EFFECT

1 cross alpha #animal

RANDOM

animal

FILE

ped.txt

FILE_POS

1 2 3 0 0

SNP_FILE

snp.txt

PED_DEPTH

0

(CO)VARIANCES

0.30

OPTION map_file map.txt

Log file for RENUMF90

RENUMF90 version 1.104

name of parameter file? renum.par

datafile:newdata.txt

traits: 7

fields passed: 2

R

0.7000

Processing effect 1 of type cross
item_kind=alpha

Processing effect 2 of type cross


```

item_kind=alpha
pedigree file name "ped.txt"
positions of animal, sire, dam, alternate dam and yob      1   2   3   0   0
SNP file name "snp.txt"
all pedigrees to be included
Reading (CO)VARIANCES:           1 x           1

Maximum size of character fields: 20

Maximum size of record (max_string_readline): 800

Maximum number of fields for input file (max_field_readline): 100

hash tables for effects set up
read          6100 records
table with          1 elements sorted
added count
Effect group          1 of column          1 with          1 levels
table expanded from          10000 to          10000 records
added count
Effect group          2 of column          1 with          6100 levels
wrote statistics in file "renf90.tables"

Basic statistics for input data (missing value code is 0)
Pos  Min          Max          Mean          SD          N
  7  -2.8883       5.0863       1.0042       0.99034       6100

random effect with SNPs  2
type: animal
file: snp.txt
read SNPs          1294 records
Effect group          2 of column          1 with          6100 levels

random effect  2
type:animal
opened output pedigree file "renadd02.ped"
read          6100 pedigree records

Pedigree checks

Number of animals with records:          6100
Number of animals with genotypes:          1294
Number of animals with records or genotypes:          6100
Number of animals with genotypes and no records          0
Number of parents without records or genotypes:          0
Total number of animals:          6100

Wrote cross reference IDs for SNP file "snp.txt_XrefID"

Wrote parameter file "renf90.par"
Wrote renumbered data "renf90.dat"

```

Parameter file for PREGSF90 without quality control

DATAFILE

renf90.dat

NUMBER_OF_TRAITS

1

NUMBER_OF_EFFECTS

2

OBSERVATION(S)

1

WEIGHT(S)

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT[EFFECT NESTED]

2 1 cross

3 6100 cross

RANDOM_RESIDUAL VALUES

0.70000

RANDOM_GROUP

2

RANDOM_TYPE

add_animal

FILE

renadd02.ped

(CO)VARIANCES

0.30000

OPTION SNP_file snp.txt

OPTION map_file map.txt

OPTION no_quality_control

Log file for PREGSF90 without quality control

name of parameter file?

renf90.par

preGS 1.10

```

Parameter file:          renf90.par
Data file:              renf90.dat
Number of Traits        1
Number of Effects       2
Position of Observations 1
Position of Weight (1)  0
Value of Missing Trait/Observation      0

```

EFFECTS

#	type	position (2)	levels	[positions for nested]	
1	cross-classified	2			1
2	cross-classified	3			6100

Residual (co)variance Matrix

0.70000

Random Effect(s) 2

Type of Random Effect: additive animal

Pedigree File: renadd02.ped

trait effect (CO)VARIANCES

1 2 0.3000

REMARKS

- (1) Weight position 0 means no weights utilized
- (2) Effect positions of 0 for some effects and traits means that such effects are missing for specified traits

Options read from parameter file:

* SNP file: snp.txt

```

* SNP Xref file: snp.txt_XrefID
* Map file: map.txt
* No Quality Control Checks !!!!! (default .false.): T

*-----*
*           Genomic Library: Version 1.164           *
*           *                                       *
*           Optimized OpenMP Version                 *
*           *                                       *
* Modified relationship matrix (H) created for effect: 2 *
*-----*

Read 6100 animals from pedigree file: "renadd02.ped"
Number of Genotyped Animals: 1294

Creating A22
  Extracting subset of: 2312 pedigrees from: 6100 elapsed time: 0.0150
  Calculating A22 Matrix by Colleau OpenMP...elapsed time: .0190
  Numbers of threads=8 16

Reading SNP file
  Column position in file for the first marker: 8
  Format to read SNP file: (7x,400000i1)
  Number of SNPs: 1000
  Number of Genotyped animals: 1294
  Reading SNP file elapsed time: .06

Statistics of alleles frequencies in the current population
  N:          1000
  Mean:       0.504
  Min:        0.043
  Max:        0.929
  Var:        0.032

Reading MAP file: "map.txt" - 1000 SNPs out of 1000

  Min and max # of chromosome: 1 5

  Min and max # of SNP: 1 1000

Genotypes missings (%): 0.000

Calculating G Matrix
  Dgemm MKL #threads=      8   16 Elapsed omp_get_time: 0.7359

Scale by Sum(2pq). Average: 435.221580281360

Blend G as alpha*G + beta*A22: (alpha,beta) 0.950 0.050

Frequency - Diagonal of G
  N:          1294
  Mean:       0.999
  Min:        0.895
  Max:        1.468
  Range:      0.029
  Class:      20

#Class      Class      Count
  1 0.8949         27
  2 0.9236        109
  3 0.9523        300
  4 0.9810        380

```

5	1.010	287
6	1.038	137
7	1.067	33
8	1.096	14
9	1.124	3
10	1.153	1
11	1.182	0
12	1.210	2
13	1.239	0
14	1.268	0
15	1.296	0
16	1.325	0
17	1.354	0
18	1.382	0
19	1.411	0
20	1.440	1
21	1.468	0

Check for diagonal of genomic relationship matrix

Check for diagonal of genomic relationship matrix, genotypes not removed: 0

Final Pedrigree-Based Matrix

Statistic of Rel. Matrix A22

	N	Mean	Min	Max	Var
Diagonal	1294	1.001	1.000	1.250	0.000
Off-diagonal	1673142	0.005	0.000	0.750	0.001

Final Genomic Matrix

Statistic of Genomic Matrix

	N	Mean	Min	Max	Var
Diagonal	1294	1.001	0.898	1.469	0.002
Off-diagonal	1673142	0.005	-0.158	0.791	0.002

Correlation of Genomic Inbreeding and Pedigree Inbreeding

Correlation: 0.2177

All elements - Diagonal / Off-Diagonal

Estimating Regression Coefficients $G = b_0 11' + b_1 A + e$

Regression coefficients $b_0 b_1 = 0.000 \quad 0.991$

Correlation all elements G & A 0.717

Off-Diagonal

Using 83426 elements from A22 $\geq .02000$

Estimating Regression Coefficients $G = b_0 11' + b_1 A + e$

Regression coefficients $b_0 b_1 = -0.003 \quad 0.999$

Correlation Off-Diagonal elements G & A 0.777

Creating A22-inverse

Inverse LAPACK MKL dpotrf/i #threads= 8 16 Elapsed omp_get_time: 0.1071

Final A22 Inv Matrix

Statistic of Inv. Rel. Matrix A22

	N	Mean	Min	Max	Var
Diagonal	1294	1.851	1.067	5.812	0.431
Off-diagonal	1673142	-0.001	-1.200	0.600	0.001

Creating G-inverse

Inverse LAPACK MKL dpotrf/i #threads= 8 16 Elapsed omp_get_time: 0.1050

Final Genomic Inv Matrix

Statistic of Inv. Genomic Matrix

	N	Mean	Min	Max	Var
Diagonal	1294	13.457	5.827	45.588	27.985
Off-diagonal	1673142	-0.010	-13.500	6.896	0.226

Check for diagonal of Inverse Genomic - Inverse of pedigree relationship matrix

Saving GimA22i in file: "GimA22i"

Final G Inv - A22 Inv Matrix

Statistic of Inv. Genomic- A22 Matrix

	N	Mean	Min	Max	Var
Diagonal	1294	11.606	4.746	40.310	21.707
Off-diagonal	1673142	-0.009	-12.500	6.396	0.211

 * Setup Genomic Done !!! *

Parameter file for PREGSF90 with quality control

DATAFILE

renf90.dat

NUMBER_OF_TRAITS

1

NUMBER_OF_EFFECTS

2

OBSERVATION(S)

1

WEIGHT(S)

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT[EFFECT NESTED]

2 1 cross

3 6100 cross

RANDOM_RESIDUAL VALUES

0.70000

RANDOM_GROUP

2

RANDOM_TYPE

```

add_animal
FILE
renadd02.ped
(CO)VARIANCES
0.30000
OPTION SNP_file snp.txt
OPTION map_file map.txt

```

Log file for PREGSF90 with quality control

```

name of parameter file?
renf90.par

```

```

preGS 1.10

```

```

Parameter file:          renf90.par
Data file:              renf90.dat
Number of Traits        1
Number of Effects       2
Position of Observations 1
Position of Weight (1)  0
Value of Missing Trait/Observation 0

```

EFFECTS

#	type	position (2)	levels	[positions for nested]	
1	cross-classified	2			1
2	cross-classified	3			6100

```

Residual (co)variance Matrix
0.70000

```

```

Random Effect(s)      2
Type of Random Effect: additive animal
Pedigree File:        renadd02.ped
trait  effect  (CO)VARIANCES
1      2      0.3000

```

REMARKS

- (1) Weight position 0 means no weights utilized
- (2) Effect positions of 0 for some effects and traits means that such effects are missing for specified traits

```

Options read from parameter file:

```

```

* SNP file: snp.txt
* SNP Xref file: snp.txt_XrefID
* Map file: map.txt

```

```

*-----*
*          Genomic Library: Version 1.164          *
*          *                                       *
*          Optimized OpenMP Version              *
*          *                                       *
* Modified relationship matrix (H) created for effect: 2 *
*-----*

```

```

Read 6100 animals from pedigree file: "renadd02.ped"
Number of Genotyped Animals: 1294

```

```

Creating A22

```

Extracting subset of: 2312 pedigrees from: 6100 elapsed time: 0.0160
 Calculating A22 Matrix by Colleau OpenMP...elapsed time: .0189
 Numbers of threads=8 16

Reading SNP file

Column position in file for the first marker: 8
 Format to read SNP file: (7x,400000i1)
 Number of SNPs: 1000
 Number of Genotyped animals: 1294
 Reading SNP file elapsed time: .06

Statistics of alleles frequencies in the current population

N: 1000
 Mean: 0.504
 Min: 0.043
 Max: 0.929
 Var: 0.032

Reading MAP file: "map.txt" - 1000 SNPs out of 1000

Min and max # of chromosome: 1 5

Min and max # of SNP: 1 1000

Quality Control - SNPs with Call Rate < callrate (0.90) will removed: 0

Quality Control - SNPs with MAF < minfreq (0.05) will removed: 1

Quality Control - Monomorphic SNPs will be removed: 0

Quality Control - Removed Animals with Call rate < callrate (0.90): 0

Quality Control - Check Parent-Progeny Mendelian conflicts

Total animals: 6100 - Genotyped animals: 1294 - Effective: 1294

Number of pairs Individual - Sire: 450

Number of pairs Individual - Dam: 440

Number of trios Individual - Sire - Dam: 206

No sex Chromosome information is available

Parent-progeny conflicts or HWE could eliminate SNPs in sex Chr

Provide map information and sex Chr to checks using autosomes

Checking SNPs for Mendelian conflicts

Total number of effective SNP: 999

Total number of parent-progeny evaluations: 890

Number of SNPs with Mendelian conflicts: 0

Checking Animals for Mendelian conflicts

Total number of effective SNP for checks on Animals: 999

Number of Parent-Progeny Mendelian Conflicts: 0

Number of effective SNPs (after QC): 999

Number of effective Individuals (after QC): 1294

Statistics of alleles frequencies in the current population after
 Quality Control (MAF, monomorphic, call rate, HWE, Mendelian conflicts)

N: 999
 Mean: 0.504
 Min: 0.051
 Max: 0.929
 Var: 0.032

Genotypes missings (%): 0.100

Genotypes missings after cleannig (%): 0.000

Calculating G Matrix

Dgemm MKL #threads= 8 16 Elapsed omp_get_time: 0.9840

Scale by Sum(2pq) . Average: 435.140185710293

Blend G as $\alpha G + \beta A22$: (α, β) 0.950 0.050

Frequency - Diagonal of G

N: 1294
 Mean: 0.999
 Min: 0.895
 Max: 1.469
 Range: 0.029
 Class: 20

#Class	Class	Count
1	0.8951	27
2	0.9238	109
3	0.9524	304
4	0.9811	379
5	1.010	285
6	1.038	137
7	1.067	32
8	1.096	14
9	1.125	3
10	1.153	1
11	1.182	0
12	1.211	2
13	1.239	0
14	1.268	0
15	1.297	0
16	1.325	0
17	1.354	0
18	1.383	0
19	1.411	0
20	1.440	1
21	1.469	0

Check for diagonal of genomic relationship matrix

Check for diagonal of genomic relationship matrix, genotypes not removed: 0

 Final Pedrigree-Based Matrix

Statistic of Rel. Matrix A22

	N	Mean	Min	Max	Var
Diagonal	1294	1.001	1.000	1.250	0.000
Off-diagonal	1673142	0.005	0.000	0.750	0.001

Final Genomic Matrix

Statistic of Genomic Matrix

	N	Mean	Min	Max	Var
Diagonal	1294	1.001	0.898	1.470	0.002
Off-diagonal	1673142	0.005	-0.158	0.791	0.002

Correlation of Genomic Inbreeding and Pedigree Inbreeding

Correlation: 0.2180

All elements - Diagonal / Off-Diagonal

Estimating Regression Coefficients $G = b_0 11' + b_1 A + e$ Regression coefficients $b_0 b_1 = 0.000 0.991$

Correlation all elements G & A 0.717

Off-Diagonal

Using 83426 elements from A22 $\geq .02000$ Estimating Regression Coefficients $G = b_0 11' + b_1 A + e$ Regression coefficients $b_0 b_1 = -0.003 0.999$

Correlation Off-Diagonal elements G & A 0.777

Creating A22-inverse

Inverse LAPACK MKL dpotrf/i #threads= 8 16 Elapsed omp_get_time: 0.1068

Final A22 Inv Matrix

Statistic of Inv. Rel. Matrix A22

	N	Mean	Min	Max	Var
Diagonal	1294	1.851	1.067	5.812	0.431
Off-diagonal	1673142	-0.001	-1.200	0.600	0.001

Creating G-inverse

Inverse LAPACK MKL dpotrf/i #threads= 8 16 Elapsed omp_get_time: 0.1047

Final Genomic Inv Matrix

Statistic of Inv. Genomic Matrix

	N	Mean	Min	Max	Var
Diagonal	1294	13.466	5.863	45.587	28.023
Off-diagonal	1673142	-0.010	-13.521	6.897	0.227

Check for diagonal of Inverse Genomic - Inverse of pedigree relationship matrix

Saving GimA22i in file: "GimA22i"

Final G Inv - A22 Inv Matrix

Statistic of Inv. Genomic- A22 Matrix

	N	Mean	Min	Max	Var
Diagonal	1294	11.615	4.782	40.309	21.740
Off-diagonal	1673142	-0.009	-12.521	6.397	0.211

* Setup Genomic Done !!! *

Parameter file for PREGSF90 with quality control, removing SNP from chromosome 5 and saving the clean SNP file

```

DATAFILE
renf90.dat
NUMBER_OF_TRAITS
  1
NUMBER_OF_EFFECTS
  2
OBSERVATION(S)
  1
WEIGHT(S)

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT[EFFECT NESTED]
  2   1 cross
  3  6100 cross
RANDOM_RESIDUAL VALUES
  0.70000
RANDOM_GROUP
  2
RANDOM_TYPE
add_animal
FILE
renadd02.ped
(CO)VARIANCES
  0.30000
OPTION SNP_file snp.txt
OPTION map_file map.txt
OPTION excludeCHR 5
OPTION saveCleanSNPs

```

Log file for PREGSF90 with quality control, removing SNP from chromosome 5 and saving the clean SNP file

```

name of parameter file?
renf90.par

preGS 1.10

Parameter file:      renf90.par
Data file:          renf90.dat
Number of Traits    1
Number of Effects   2
Position of Observations 1
Position of Weight (1) 0
Value of Missing Trait/Observation      0

EFFECTS
# type                position (2)      levels  [positions for nested]
1 cross-classified    2
2 cross-classified    3

```

Residual (co)variance Matrix
0.70000

Random Effect(s) 2
Type of Random Effect: additive animal
Pedigree File: renadd02.ped
trait effect (CO)VARIANCES
1 2 0.3000

REMARKS

- (1) Weight position 0 means no weights utilized
- (2) Effect positions of 0 for some effects and traits means that such effects are missing for specified traits

Options read from parameter file:

* SNP file: snp.txt
* SNP Xref file: snp.txt_XrefID
* Map file: map.txt
* Save Clean SNP data to (SNP_file)_clean file (default .false.)
* Exclude Chromosomes (default .false.): 5

```
*-----*
*           Genomic Library: Version 1.164           *
*                                                                 *
*           Optimized OpenMP Version                 *
*                                                                 *
* Modified relationship matrix (H) created for effect: 2 *
*-----*
```

Read 6100 animals from pedigree file: "renadd02.ped"
Number of Genotyped Animals: 1294

Creating A22

Extracting subset of: 2312 pedigrees from: 6100 elapsed time: 0.0150
Calculating A22 Matrix by Colleau OpenMP...elapsed time: .0190
Numbers of threads=8 16

Reading SNP file

Column position in file for the first marker: 8
Format to read SNP file: (7x,400000i1)
Number of SNPs: 1000
Number of Genotyped animals: 1294
Reading SNP file elapsed time: .06

Statistics of alleles frequencies in the current population

N: 1000
Mean: 0.504
Min: 0.043
Max: 0.929
Var: 0.032

Reading MAP file: "map.txt" - 1000 SNPs out of 1000

Min and max # of chromosome: 1 5

Min and max # of SNP: 1 1000

Excluded 199 SNPs from 1 chromosomes: 5

Quality Control - SNPs with Call Rate < callrate (0.90) will removed: 199

Quality Control - SNPs with MAF < minfreq (0.05) will removed: 1

Quality Control - Monomorphic SNPs will be removed: 0

Quality Control - Removed Animals with Call rate < callrate (0.90): 0

Quality Control - Check Parent-Progeny Mendelian conflicts

Total animals: 6100 - Genotyped animals: 1294 - Effective: 1294

Number of pairs Individual - Sire: 450
 Number of pairs Individual - Dam: 440
 Number of trios Individual - Sire - Dam: 206

No sex Chromosome information is available
 Parent-progeny conflicts or HWE could eliminate SNPs in sex Chr
 Provide map information and sex Chr to checks using autosomes

Checking SNPs for Mendelian conflicts

Total number of effective SNP: 801
 Total number of parent-progeny evaluations: 890
 Number of SNPs with Mendelian conflicts: 0

Checking Animals for Mendelian conflicts

Total number of effective SNP for checks on Animals: 801

Number of Parent-Progeny Mendelian Conflicts: 0

Number of effective SNPs (after QC): 801

Number of effective SNP was reduced to 801
 after removing chromosome 5

Number of effective Individuals (after QC): 1294

Statistics of alleles frequencies in the current population after Quality Control (MAF, monomorphic, call rate, HWE, Mendelian conflicts)

N: 801
 Mean: 0.503
 Min: 0.051
 Max: 0.928
 Var: 0.032

List of SNPs removed in: "snp.txt_SNPs_removed"

Clean genotype file was created: "snp.txt_clean"

New files with clean genotypes

Cross reference ID file was created: "snp.txt_clean_XrefID"

Genotypes missings (%): 19.900

Genotypes missings after cleannig (%): 0.000

Calculating G Matrix

Dgemm MKL #threads= 8 16 Elapsed omp_get_time: 0.8764

Scale by Sum(2pq). Average: 349.571560214902

Blend G as alpha*G + beta*A22: (alpha,beta) 0.950 0.050

Frequency - Diagonal of G

N: 1294
 Mean: 1.000

Min: 0.874
 Max: 1.593
 Range: 0.036
 Class: 20

#Class	Class	Count
1	0.8741	17
2	0.9100	107
3	0.9460	341
4	0.9819	419
5	1.018	281
6	1.054	98
7	1.090	20
8	1.126	4
9	1.162	4
10	1.198	1
11	1.234	0
12	1.270	1
13	1.306	0
14	1.342	0
15	1.377	0
16	1.413	0
17	1.449	0
18	1.485	0
19	1.521	0
20	1.557	1
21	1.593	0

Check for diagonal of genomic relationship matrix

Check for diagonal of genomic relationship matrix, genotypes not removed: 0

 Final Pedrigree-Based Matrix

Statistic of Rel. Matrix A22

	N	Mean	Min	Max	Var
Diagonal	1294	1.001	1.000	1.250	0.000
Off-diagonal	1673142	0.005	0.000	0.750	0.001

 Final Genomic Matrix

Statistic of Genomic Matrix

	N	Mean	Min	Max	Var
Diagonal	1294	1.001	0.876	1.593	0.002
Off-diagonal	1673142	0.005	-0.169	0.861	0.003

Correlation of Genomic Inbreeding and Pedigree Inbreeding
 Correlation: 0.2092

All elements - Diagonal / Off-Diagonal

Estimating Regression Coefficients $G = b_0 11' + b_1 A + e$
 Regression coefficients $b_0 \ b_1 = \quad 0.000 \quad 0.991$

Correlation all elements G & A 0.677

Off-Diagonal

Using 83426 elements from A22 $\geq .02000$

Estimating Regression Coefficients $G = b_0 11' + b_1 A + e$
 Regression coefficients $b_0 \ b_1 = \quad -0.002 \quad 0.996$

Correlation Off-Diagonal elements G & A 0.742

Creating A22-inverse

Inverse LAPACK MKL dpotrf/i #threads= 8 16 Elapsed omp_get_time: 0.1409

 Final A22 Inv Matrix

Statistic of Inv. Rel. Matrix A22

	N	Mean	Min	Max	Var
Diagonal	1294	1.851	1.067	5.812	0.431
Off-diagonal	1673142	-0.001	-1.200	0.600	0.001

Creating G-inverse

Inverse LAPACK MKL dpotrf/i #threads= 8 16 Elapsed omp_get_time: 0.1370

 Final Genomic Inv Matrix

Statistic of Inv. Genomic Matrix

	N	Mean	Min	Max	Var
Diagonal	1294	17.075	7.840	56.092	43.645
Off-diagonal	1673142	-0.013	-16.499	8.893	0.309

Check for diagonal of Inverse Genomic - Inverse of pedigree relationship matrix

Saving GimA22i in file: "GimA22i"

 Final G Inv - A22 Inv Matrix


Statistic of Inv. Genomic- A22 Matrix

	N	Mean	Min	Max	Var
Diagonal	1294	15.223	6.759	51.043	35.648
Off-diagonal	1673142	-0.012	-15.499	8.393	0.289

 * Setup Genomic Done !!! *

Parameter file for PREGSF90 with quality control and PCA analysis

Include extra option: **OPTION plotpca**



Parameter file for BLUPF90 without genomic information

DATAFILE

renf90_5.dat

NUMBER_OF_TRAITS

1

NUMBER_OF_EFFECTS

2

OBSERVATION(S)

1

WEIGHT(S)

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT[EFFECT NESTED]

2 1 cross

3 6100 cross

RANDOM_RESIDUAL VALUES

0.70000

RANDOM_GROUP

2

RANDOM_TYPE

add_animal

FILE

renadd02.ped

(CO)VARIANCES

0.30000

OPTION conv_crit 1e-15

renf90_5.dat has phenotypes for all animals, but generation 5

Linux code to remove phenotypes for those animals:

```
$awk '{ if ($4==5) print 0,$2,$3,$4; else print $1,$2,$3,$4}' renf90.dat > renf90_5.dat
```

Default convergence criteria = 1e-12

Log file for BLUPF90 without genomic information

name of parameter file?

```

renf90.par
* convergence criterion (default=1e-12): 1.0000000E-15

      BLUPF90 1.48

Parameter file:          renf90.par
Data file:              renf90_5.dat
Number of Traits        1
Number of Effects       2
Position of Observations 1
Position of Weight (1)  0
Value of Missing Trait/Observation      0

EFFECTS
# type                position (2)      levels  [positions for nested]
1 cross-classified    2                                1
2 cross-classified    3                                6100

Residual (co)variance Matrix
0.70000

Random Effect(s)      2
Type of Random Effect: additive animal
Pedigree File:        renadd02.ped
trait  effect  (CO)VARIANCES
1      2      0.3000

REMARKS
(1) Weight position 0 means no weights utilized
(2) Effect positions of 0 for some effects and traits means that such
    effects are missing for specified traits

Data record length =          3
# equations =          6101
G
0.30000
read          6100 records in 1.4997000E-02 s,          12201
nonzeroes
read          6100 additive pedigrees
finished peds in 1.9996000E-02 s,          27178 nonzeroes
round =      1 convergence = 0.1730E-03
round =      2 convergence = 0.7971E-03
round =      3 convergence = 0.5923E-04
round =      4 convergence = 0.6219E-04
round =      5 convergence = 0.2122E-04
.
.
.
round =     40 convergence = 0.1230E-13
round =     41 convergence = 0.3164E-14
round =     42 convergence = 0.2804E-14
round =     43 convergence = 0.1081E-14
round =     44 convergence = 0.5761E-15
44 iterations, convergence criterion= 0.5761E-15
solutions stored in file: "solutions"

```

Solutions for BLUPF90 without genomic information

```

trait/effect level  solution
1 1 1 1.02176505
1 2 1 -0.24665178

```


1	2	2	0.16420973
1	2	3	0.32371581
1	2	4	0.00318130
1	2	5	-0.13277100

The solution file (**solutions**) has 4 columns:

- 1) Trait [only 1 trait in this example]
- 2) Effect [we have 2 effects: overall mean (effect 1) and additive genetic direct (effect 2)]
- 3) Level [number of the level for each effect in the model]
- 4) Solution

EBV accuracy

If accuracy of EBV is desired, it can be calculated based on standard errors (se) for EBV.

BLUPF90 has an option for calculating se:

OPTION sol se

Solutions for BLUPF90 with option to calculate se

trait/effect	level	solution	s.e.
1 1	1	1.02176504	0.02496866
1 2	1	-0.24665117	0.39158195
1 2	2	0.16421026	0.40488662
1 2	3	0.32371755	0.29405286
1 2	4	0.00318218	0.38229658
1 2	5	-0.13277154	0.46566701

The solution file now includes a 5th column with EBV standard errors

Parameter file for BLUPF90 with genomic information (ssGBLUP)

DATAFILE

renf90_5.dat

NUMBER_OF_TRAITS

1

NUMBER_OF_EFFECTS

2

OBSERVATION(S)

1

WEIGHT(S)

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT[EFFECT NESTED]

2 1 cross

3 6100 cross

RANDOM_RESIDUAL VALUES

0.70000

RANDOM_GROUP

2

RANDOM_TYPE

add_animal

FILE

renadd02.ped

(CO)VARIANCES

0.30000

OPTION SNP_file snp.txt

OPTION map_file map.txt

OPTION conv_crit 1e-15

Log file for BLUPF90 with genomic information (ssGBLUP)

name of parameter file?

renf90.par

* convergence criterion (default=1e-12): 1.0000000E-15

Options read from parameter file:

* SNP file: snp.txt

* SNP Xref file: snp.txt_XrefID

* Map file: map.txt

BLUPF90 1.48

Parameter file: renf90.par
 Data file: renf90_5.dat
 Number of Traits 1
 Number of Effects 2
 Position of Observations 1
 Position of Weight (1) 0
 Value of Missing Trait/Observation 0

EFFECTS

#	type	position (2)	levels	[positions for nested]	
1	cross-classified	2			1
2	cross-classified	3			6100

Residual (co)variance Matrix
 0.70000

Random Effect(s) 2
 Type of Random Effect: additive animal
 Pedigree File: renadd02.ped
 trait effect (CO)VARIANCES
 1 2 0.3000

REMARKS

- (1) Weight position 0 means no weights utilized
 (2) Effect positions of 0 for some effects and traits means that such effects are missing for specified traits

Data record length = 3
 # equations = 6101
 G
 0.30000
 read 6100 records in 0.1499770 s, 12201
 nonzeroes
 read 6100 additive pedigrees

```

*-----*
*           Genomic Library: Version 1.164           *
*                                                     *
*           Optimized OpenMP Version                 *
*                                                     *
* Modified relationship matrix (H) created for effect: 2 *
*-----*

```

Read 6100 animals from pedigree file: "renadd02.ped"
 Number of Genotyped Animals: 1294

Creating A22

Extracting subset of: 2312 pedigrees from: 6100 elapsed time: 0.0150
 Calculating A22 Matrix by Colleau OpenMP...elapsed time: .0346
 Numbers of threads=8 16

Reading SNP file

Column position in file for the first marker: 8
 Format to read SNP file: (7x,400000i1)
 Number of SNPs: 1000
 Number of Genotyped animals: 1294
 Reading SNP file elapsed time: .06

Statistics of alleles frequencies in the current population

N: 1000
 Mean: 0.504
 Min: 0.043
 Max: 0.929
 Var: 0.032

Reading MAP file: "map.txt" - 1000 SNPs out of 1000

Min and max # of chromosome: 1 5

Min and max # of SNP: 1 1000

Quality Control - SNPs with Call Rate < callrate (0.90) will removed: 0

Quality Control - SNPs with MAF < minfreq (0.05) will removed: 1

Quality Control - Monomorphic SNPs will be removed: 0

Quality Control - Removed Animals with Call rate < callrate (0.90): 0

Quality Control - Check Parent-Progeny Mendelian conflicts

Total animals: 6100 - Genotyped animals: 1294 - Effective: 1294

Number of pairs Individual - Sire: 450

Number of pairs Individual - Dam: 440

Number of trios Individual - Sire - Dam: 206

No sex Chromosome information is available

Parent-progeny conflicts or HWE could eliminate SNPs in sex Chr

Provide map information and sex Chr to checks using autosomes

Checking SNPs for Mendelian conflicts

Total number of effective SNP: 999

Total number of parent-progeny evaluations: 890

Number of SNPs with Mendelian conflicts: 0

Checking Animals for Mendelian conflicts

Total number of effective SNP for checks on Animals: 999

Number of Parent-Progeny Mendelian Conflicts: 0

Number of effective SNPs (after QC): 999

Number of effective Individuals (after QC): 1294

Statistics of alleles frequencies in the current population after
 Quality Control (MAF, monomorphic, call rate, HWE, Mendelian conflicts)

N: 999
 Mean: 0.504
 Min: 0.051
 Max: 0.929
 Var: 0.032

Genotypes missings (%): 0.100

Genotypes missings after cleannig (%): 0.000

Calculating G Matrix

Dgemm MKL #threads= 8 16 Elapsed omp_get_time: 1.0240

Scale by Sum(2pq). Average: 435.140185710293

Blend G as $\alpha * G + \beta * A22$: (α, β) 0.950 0.050

Frequency - Diagonal of G

N: 1294
 Mean: 0.999
 Min: 0.895
 Max: 1.469
 Range: 0.029
 Class: 20

#Class	Class	Count
1	0.8951	27
2	0.9238	109
3	0.9524	304
4	0.9811	379
5	1.010	285
6	1.038	137
7	1.067	32
8	1.096	14
9	1.125	3
10	1.153	1
11	1.182	0
12	1.211	2
13	1.239	0
14	1.268	0
15	1.297	0
16	1.325	0
17	1.354	0
18	1.383	0
19	1.411	0
20	1.440	1
21	1.469	0

Check for diagonal of genomic relationship matrix

Check for diagonal of genomic relationship matrix, genotypes not removed: 0

 Final Pedrigree-Based Matrix

Statistic of Rel. Matrix A22

	N	Mean	Min	Max	Var
Diagonal	1294	1.001	1.000	1.250	0.000
Off-diagonal	1673142	0.005	0.000	0.750	0.001

```
-----
Final Genomic Matrix
-----
```

Statistic of Genomic Matrix

	N	Mean	Min	Max	Var
Diagonal	1294	1.001	0.898	1.470	0.002
Off-diagonal	1673142	0.005	-0.158	0.791	0.002

Correlation of Genomic Inbreeding and Pedigree Inbreeding
Correlation: 0.2180

All elements - Diagonal / Off-Diagonal

Estimating Regression Coefficients $G = b_0 11' + b_1 A + e$
Regression coefficients $b_0 \ b_1 = \quad 0.000 \quad 0.991$

Correlation all elements G & A 0.717

Off-Diagonal

Using 83426 elements from A22 $\geq .02000$

Estimating Regression Coefficients $G = b_0 11' + b_1 A + e$
Regression coefficients $b_0 \ b_1 = \quad -0.003 \quad 0.999$

Correlation Off-Diagonal elements G & A 0.777

Creating A22-inverse

Inverse LAPACK MKL dpotrf/i #threads= 8 16 Elapsed omp_get_time: 0.1059

```
-----
Final A22 Inv Matrix
-----
```

Statistic of Inv. Rel. Matrix A22

	N	Mean	Min	Max	Var
Diagonal	1294	1.851	1.067	5.812	0.431
Off-diagonal	1673142	-0.001	-1.200	0.600	0.001

Creating G-inverse

Inverse LAPACK MKL dpotrf/i #threads= 8 16 Elapsed omp_get_time: 0.1093

```
-----
Final Genomic Inv Matrix
-----
```

Statistic of Inv. Genomic Matrix

	N	Mean	Min	Max	Var
Diagonal	1294	13.466	5.863	45.587	28.023
Off-diagonal	1673142	-0.010	-13.521	6.897	0.227

Check for diagonal of Inverse Genomic - Inverse of pedigree relationship matrix

```
-----
Final G Inv - A22 Inv Matrix
-----
```

Statistic of Inv. Genomic- A22 Matrix

	N	Mean	Min	Max	Var
Diagonal	1294	11.615	4.782	40.309	21.740
Off-diagonal	1673142	-0.009	-12.521	6.397	0.211

```
*-----*
* Setup Genomic Done !!! *
*-----*
```

```
hash matrix increased from      131072 to      262144 % filled:    0.8000
hash matrix increased from      262144 to     524288 % filled:    0.8000
hash matrix increased from      524288 to     1048576 % filled:    0.8000
hash matrix increased from     1048576 to     2097152 % filled:    0.8000
finished peds in    25.61810      s,      861721 nonzeros
round =    1  convergence =  0.6397E-03
round =    2  convergence =  0.4280E-03
round =    3  convergence =  0.3112E-03
round =    4  convergence =  0.9994E-04
round =    5  convergence =  0.8129E-04
.
.
.
round =   90  convergence =  0.3590E-14
round =   91  convergence =  0.2549E-14
round =   92  convergence =  0.2022E-14
round =   93  convergence =  0.1453E-14
round =   94  convergence =  0.9599E-15
  94 iterations,  convergence criterion= 0.9599E-15
solutions stored in file: "solutions"
```

Solutions for BLUPF90 with genomic information (ssGBLUP)

The solution file has the same format as in blupf90 without genomic information. The option for calculating se for EBV can also be used here.

Parameter file for PREDICTF90

Predictivity can be measured as correlation between adjusted phenotypes and (G)EBV. In this example we show how to use PREDICTF90 to adjust phenotypes for genotyped animals in the validation population.

1) Adjusting phenotypes

As this program needs solution file, it can be run in the same folder as BLUP with complete data

Parameter file:

```
DATAFILE
pred.dat
NUMBER_OF_TRAITS
1
NUMBER_OF_EFFECTS
2
OBSERVATION(S)
1
WEIGHT(S)
```

pred.dat is the data file only for genotyped animals in the 5th generation (validation animals). Lines can be extracted from renf90.dat

```
EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT[EFFECT NESTED]
```

```

2 1 cross
3 6100 cross
RANDOM_RESIDUAL_VALUES
0.70000
RANDOM_GROUP
2
RANDOM_TYPE
add_animal
FILE
renadd02.ped
(CO)VARIANCES
0.30000
OPTION include_effects 2

```

Log file for adjusting phenotypes for genotyped animals in 5th generation

```

name of parameter file?
pred.par

*** include effects to predict Yhat n, effects          1          2
    PREDICTF90 1.3

Parameter file:          gen.par
Data file:               pred.dat
Number of Traits         1
Number of Effects        2
Position of Observations 1
Position of Weight (1)   0
Value of Missing Trait/Observation          0

EFFECTS
#  type                position (2)      levels  [positions for nested]
1  cross-classified    2
2  cross-classified    3                                1
                                                6100

Residual (co)variance Matrix
0.70000

Random Effect(s)      2
Type of Random Effect: additive animal
Pedigree File:        renadd02.ped
trait  effect  (CO)VARIANCES
1      2      0.3000

REMARKS
(1) Weight position 0 means no weights utilized
(2) Effect positions of 0 for some effects and traits means that such
    effects are missing for specified traits

Data record length =          3
# equations =          6101
*** effects to include in Yhat (T/F):  F T
solutions read from file: solutions
Animal Effect:          2
y(s), yhat(s), residual(s) in written in "yhat_residual" file
    300 records read

Trait:          1          300
  mean Y        -5.204056186291079E-002  var Y          0.979795877964320
  mean Yhat     -1.187536126623551E-002  var Yhat         7.349890384221654E-002

```

```

cov (Y,Yhat) 8.232182257800019E-002 corr (Y,Yhat) 0.306765659847626
wrote bvs for animals in data in file "bvs.dat"

```

Output files from PREDICTF90

yhat_residual

yhat_residual has 4 columns: animal | y | yhat | residual

```

4644 -0.266520 0.415535 0.339710
2176 -0.418925 0.094263 0.508577

```

Because **OPTION include_effects 2** was used:
y is phenotype minus all effects other than animal
yhat receives the second effect, which is the animal effect
residual is phenotype minus animal effect

bvs.dat

bvs.dat has 4 columns: trait | effect | Animal | solution (EBV)

```

1 2 4644 0.415535
1 2 2176 0.094263

```

Hint: corr (Y,Yhat) from the output of PREDICTF90 (corr (Y,Yhat) 0.306765659847626) should not be used as a measure of predictivity because it uses adjusted phenotypes and EBVs from the same dataset. Usually, predictivity requires phenotypes adjusted for fixed effects in the complete data (benchmark) and (G)EBVs calculated from the reduced data (without records for validation animals). The regular predictivity measure is: corr[Y_from_PREDICTf90, (G)EBV_reduced]

For this small example with 1 trait, a general Linux code to merge files is:

```

$awk '{print $1,$2}' ebv_complete/yhat_residual | sort +0 -1 > Y
$awk '{if ($2==2) print $3,$4}' ebv_reduced/solutions | sort +0 -1 > ebv.temp
$awk '{if ($2==2) print $3,$4}' gebv_reduced/solutions | sort +0 -1 > gebv.temp
$join -1 +1 -2 +1 Y ebv.temp > file1.temp
$join -1 +1 -2 +1 file1.temp gebv.temp > Y_ebv_gebv

```

An R code to calculate correlations is:

```

pred <- read.table("Y_ebv_gebv",header=F)
ebv_predictivity <- cor(pred[,2],pred[,3]); ebv_predictivity
gebv_predictivity <- cor(pred[,2],pred[,4]); gebv_predictivity

```

Parameter files for GWAS using ssGBLUP (ssGWAS)

Run BLUPF90 with genomic information and solve G^{-1} and A_{22}^{-1}

DATAFILE

renf90.dat

NUMBER_OF_TRAITS


```

1
NUMBER_OF_EFFECTS
2
OBSERVATION(S)
1
WEIGHT(S)

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT[EFFECT NESTED]
2 1 cross
3 6100 cross
RANDOM_RESIDUAL_VALUES
0.70000
RANDOM_GROUP
2
RANDOM_TYPE
add_animal
FILE
renadd02.ped
(CO)VARIANCES
0.30000
OPTION SNP_file snp.txt
OPTION map_file map.txt
OPTION no_quality_control
OPTION saveGInverse
OPTION saveA22Inverse
OPTION weightedG wei

```

Weights for SNP can be updated by an iterative process, where the initial weights are all equal to 1.

Linux code to get initial weights for 1000 SNP:
`$awk 'BEGIN { for (i=1;i<1000;i++) print 1}' > wei`

Run POSTGSF90 and read G^{-1} and A_{22}^{-1}

```

DATAFILE
renf90.dat
NUMBER_OF_TRAITS
1
NUMBER_OF_EFFECTS
2
OBSERVATION(S)
1
WEIGHT(S)


EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT[EFFECT NESTED]
2 1 cross
3 6100 cross
RANDOM_RESIDUAL_VALUES
0.70000
RANDOM_GROUP
2
RANDOM_TYPE
add_animal
FILE
renadd02.ped
(CO)VARIANCES
0.30000

```


OPTION SNP_file snp.txt
OPTION map_file map.txt
OPTION no_quality_control
OPTION Manhattan_plot
OPTION readGInverse
OPTION readA22Inverse
OPTION weightedG wei
OPTION windows_variance 5

Moving average of SNP effects can be obtained by using the following option:
OPTION SNP_moving_average n
where n is the number of SNP

Manhattan plots for SNP windows variance



Manhattan plots for SNP effect using moving average of 2 SNP



Output files for ssGWAS**snp_sol**

1	2	1	1	0	0.7001368E-02	0.2209213	0.1119293	0.1126648E-03
1	2	2	1	0	-0.1359349E-01	0.5065436	0.2104747	0.2118577E-03
1	2	3	1	0	0.8714214E-02	0.3917027	0.7757968	0.7808942E-03
1	2	4	1	0	-0.4223401E-02	0.6873333E-01	1.271113	0.1279465E-02
1	2	5	1	0	0.5471629E-03	0.1539137E-02	1.261010	0.1269296E-02

snp_sol has 9 columns because "OPTION windows_variance" was used:

trait | effect | SNP | chromosome | position | SNP_solution | weight | % of variance explained by n adjacent SNP | variance explained by n adjacent SNP

chrnpvar

1	2	0.1119293459	1	1	0
1	2	0.2104747339	2	1	0
1	2	0.7757968029	3	1	0
1	2	1.2711127978	4	1	0
1	2	1.2610103595	5	1	0

chrnpvar has 6 columns:

trait | effect | % of variance explained by n adjacent SNP | SNP | chromosome | position

This file is used by **POSTGSF90** for Manhattan plots

Appendix J (custom relationship matrices)

When a relationship (or dispersion) matrix cannot be created within the application programs, it can be prepared separately and then included as a custom relationship matrix. Two options exist for inclusion of such a matrix. Option `user_file` incorporates this matrix directly. Option `user_file_inv` incorporates the inverse of this matrix.

The example below presents a model from the previous Appendix with matrix \mathbf{H}^{-1} created externally and then read as a custom matrix. The custom matrix (`Hinverse.txt`) is stored as below, with each line containing: row, column and value.

```

1      1      3.0000
1     422     -1.0000
1     870      0.5000
1    4326     -1.0000
1    4612     -1.0000
.      .      .
.      .      .
6096  6100    -0.0527
6097  6097     2.5000
6098  6098    11.0000
6099  6099     2.0000
6100  6100    12.0236

```

Parameter file for BLUPF90 with a custom relationship matrix

```

DATAFILE
renf90_5.dat
NUMBER_OF_TRAITS
1
NUMBER_OF_EFFECTS
2
OBSERVATION(S)
1
WEIGHT(S)

EFFECTS: POSITIONS_IN_DATAFILE NUMBER_OF_LEVELS TYPE_OF_EFFECT[EFFECT NESTED]
2      1 cross
3      6100 cross
RANDOM_RESIDUAL_VALUES
0.70000
RANDOM_GROUP
2
RANDOM_TYPE
user_file
FILE
Hinverse.txt
(CO)VARIANCES
0.30000
OPTION conv_crit 1e-15

```

Log file for BLUPF90 with a custom relationship matrix

name of parameter file?

user.par

* convergence criterion (default=1e-12): 1.000000E-15

BLUPF90 1.48

Parameter file: user.par

Data file: renf90_5.dat

Number of Traits 1

Number of Effects 2

Position of Observations 1

Position of Weight (1) 0

Value of Missing Trait/Observation 0

EFFECTS

#	type	position (2)	levels	[positions for nested]
1	cross-classified	2		1
2	cross-classified	3		6100

Residual (co)variance Matrix

0.70000

Random Effect(s) 2

Type of Random Effect: user defined from file

User File: Hinverse.txt

trait effect (CO)VARIANCES

1 2 0.3000

The name of custom matrix used is shown here

REMARKS

(1) Weight position 0 means no weights utilized

(2) Effect positions of 0 for some effects and traits means that such effects are missing for specified traits

Data record length = 3

equations = 6101

G

0.30000

read 6100 records in 4.7991998E-02 s, 12201 nonzeros

...

g_usr_inv: read 855620 elements

largest row, column, diagonal: 6100 6100 6100

...

finished peds in 1.776729 s, 861721 nonzeros

round = 1 convergence = 0.5737E-03

...

round = 80 convergence = 0.9128E-15

80 iterations, convergence criterion= 0.9128E-15

solutions stored in file: "solutions"

Appendix K (selected programming details)

This section provides some programming insights into an early version of the blupf90 program.

The model is completely described in the module MODEL.

```

module model
implicit none

!      Types of effects
integer,parameter::effcross=0,& !effects can be cross-classified
                    effcov=1    !or covariables

!      Types of random effects
integer, parameter :: g_fixed=1,&    ! fixed effect
                    g_diag=2, &    ! diagonal
                    g_A=3, &      ! additive animal
                    g_A_UPG=4, &   ! additive animal with unknown
                                !   parent groups
                    & g_A_UPG_INB=5, & ! additive animal with unknown
                                !   parent groups and inbreeding
                    & g_As=6,&    ! additive sire
                    g_PD =7, &    ! parental dominance
                    g_last=8     ! last type

character (40)      ::  parfile, &    !name of parameter file
                    datafile    !name of data set

integer :: ntrait,&          !number of traits
          neff,&            !number of effects
          miss=0           !value of missing trait/effect

integer,allocatable :: pos_y(:)      !positions of observations
integer ::          pos_weight      ! position of weight of records; zero if none

integer,allocatable :: pos_eff(:,:),& !positions of effects for each trait
                    nlev(:),&       !number of levels
                    effecttype(:),& !type of effects
                    nestedcov(:,:),& !position of nesting effect for each trait
                                ! if the effect is nested covariable
                    & randomtype(:),& ! status of each effect, as above
                    randomnumb(:)   ! number of consecutive correlated effects

character (40),allocatable:: randomfile(:) ! name of file associated with given
                                         ! effect

real, allocatable :: r(:,:),&      !residual (co)variance matrix
                    rinv(:,:),&   ! and its inverse
                    g(:,:,:)      ! The random (co)variance matrix for each trait
end module model

```

The core of the program is presented below.

```

program BLUPF90
use model;use sparsem; use sparseop
implicit none
real,allocatable :: y(:),&          ! observation value
                    indata(:)      ! one line of input data

real ::          weight_y          ! weight for records

type (sparse_hashm)::xx           ! X'X in sparse hash form

```

```

type (sparse_ija):: xx_ija          ! X'X in IJA form, for use with FSPAK only
real, allocatable:: xy(:),sol(:)   !X'Y and solutions

real,allocatable :: weight_cov(:,:)
integer,allocatable:: address(:,:) ! start and address of each effect
integer :: neq,io,&                 ! number of equations and io-status
          data_len,&                ! length of data record to read
          i,j,k,l                    ! extra variables
real:: val, dat_eff

!
call read_parameters
call print_parameters
neq=ntrait*sum(nlev)
data_len=max(pos_weight,maxval(pos_y),maxval(pos_eff))
print*,'Data record length = ',data_len
allocate (xy(neq), sol(neq),address(neff,ntrait),&
          weight_cov(neff,ntrait),y(ntrait),indata(data_len))
call zerom(xx,neq); xy=0
!
call setup_g                      ! invert R matrices

open(50,file=datafile)           !data file

! Contributions from records
do
  read(50,*,iostat=io)indata
  if (io.ne.0) exit
  call decode_record
  call find_addresses
  call find_rinv
  do i=1,neff
    do j=1,neff
      do k=1,ntrait
        do l=1,ntrait
          val=weight_cov(i,k)*weight_cov(j,l)*weight_y*rinv(k,l)
          call addm(val,address(i,k),address(j,l),xx)
        enddo
      enddo
    enddo
    do k=1,ntrait
      do l=1,ntrait
        xy(address(i,k))=xy(address(i,k))+rinv(k,l)*y(l)*weight_cov(i,k) &
          *weight_y
      enddo
    enddo
  enddo
enddo
!
! Random effects' contributions
do i=1,neff
  select case (randomtype(i))
  case (g_fixed)
    continue          ! fixed effect, do nothing
  case (g_diag)
    call add_g_diag(i)
  case (g_A, g_As, g_A_UPG,g_A_UPG_INB)
    call add_g_add(randomtype(i),i)
  case (g_PD)
    call add_g_domin(i)
  case default
    print*,'unimplemented random type',randomtype(i)
  endselect
enddo

if (neq < 15) then
  print*,'left hand side'
  call printm(xx)
  print '( ' ' right hand side:' ' ,100f8.1)',xy
endif

```

```
call solve_iterm(xx,xy,sol)

! Comment the line above and uncomments the lines below only if
! solutions by FSPAK are desired
!xx_ija=xx;
!call fspak90('solve',xx_ija,xy,sol)

if (neq <15) print '( '' solution:'' ,100f7.3)',sol

call store_solutions
```


Modules and Libraries

Module DENSEOP

Subroutines and functions for dense matrix manipulation in Fortran 90.
Uses F90 LAPACK implementation by Alan Miller for some low level routines.

Written by: Tomasz Strabel & Ignacy Misztal, University of Georgia e-mail:
strabel@au.poznan.pl, ignacy@uga.edu, Oct/5/98-June 8, 2006

The module implements matrix operations on dense general and symmetric matrices. Each subroutine/function is overloaded to work with several types of arguments. The module is primarily designed for matrix operations where timing and memory requirements are not critical.

Symmetric matrices

Each of the functions/subroutines works with full-stored and packed (half-stored) matrices. Each matrix or vector can be single or double precision. However, in one function/subroutine, all arguments should be of the same precision, and all matrices should be stored the same way.

Subroutines

```
call chol(a,rank)      - Cholesky decomposition
call inverse_s(A,rank) - Generalized inverse:  $AI = A^{-1}$ 
call eigen(A,d,V)     - Eigenvalues and eigenvectors:  $A = V \text{diag}(d) * V'$ 
call solve_s(A,b,x)   - Generalized solutions:  $x: Ax=b$ 
```

The optional variable rank returns the rank of the matrix.

Functions

```
fchol(A)              - Cholesky decomposition
finverse_s(A)         - Generalized inverse
fsolve_s(A,b)         - Generalized solve
fdet_s(A)             - Determinant of A
```

Procedures for symmetric matrices work with generalized matrices. Redundant rows/columns equations are determined by operational zero, which is kept in global variable denseop_tol with default value is 10-

10. To change the limit, change the value of the variable in the application program, e.g., `denseop_tol=1d-12`

Conversions

Let A be a square matrix and AP be a packed matrix

`call packit(A,AP)` - Conversion from square to packed form; only lower-diagonal elements are used.

`call unpackit(AP,A)` - Conversion from packed to square form; the matrix is assumed symmetric.

General matrices

Each matrix or vector can be single or double precision. However, in one function/subroutine, all arguments should be of the same precision. All matrices are assumed full-rank.

Subroutines

`call inverse(A)` - Inverse: $AI = A^{-1}$ `call solve(A,b,x)` - Solutions: $x: Ax=b$

Functions

`AI=finverse(A)` - Returns inverse: $AI = A^{-1}$ `Ax=fsolve(A,b)` - Computes solutions: $x: Ax=b$

Printing

`call printmat(matrix, text, fmt, un)` print any type of matrix using the specified format `fmt` and preceded by `text`. Both `text` and `fmt` are optional. If optional `un` is present, the output is send to file with unit `un`.

Warning: The `printmat` function prints the symmetric packed matrices in full. If a half-stored matrix is in packed form, it will be printed as full-stored matrix.

Additional subroutines and functions

The subroutine(s) and functions below work only with double precision arguments (r8) and fullstored matrices.

`call pos_def(x,text,min_eig,stat)` Corrects X if it is not "sufficiently" positive-definite; ignores rows/columns with 0 elements only.

X - real (r8) symmetric square matrix

`text` - optional character variable that is printed if X is corrected

`min_eig` - optional real (r8) variable that sets the minimum relative eigenvalue in X; if `min_eig` is missing, 1e-5 is used.

`stat` - optional logical variable that is set to `.true.` if X was corrected and `.false.` if not.

`A = diag(b)` - creates square diagonal real (r8) matrix with values of real (r8) vector `b` on diagonal

`b = diag(A)` - creates real (r8) vector `b` containing diagonals of real (r8) matrix `A`

`A=kron(B,C)` - `A = B` "Kronecker product" `C`; works with real(r4) and real (r8) matrices

Technical details

The basic operations are done in full storage and double precision. Operations with other formats and precision are obtained by conversions. Computing of eigenvalues/eigenvectors and general matrix operations use parts of LAPACK subroutines as converted by Alan Miller. These subroutines may contain many more functionality than necessary and may be trimmed to reduce size of the object code.

The modules consist of two files:

`lapack90r.f90` - Part of LAPACK `denseop.f90` - Interfaces, subroutines, functions and conversion codes.

For compilation, module `kind` in file `kind.f90` that contains definitions of single and double precision is also needed.

In the BLUPF90 distribution, these files are included in directory `libs` and are compiled as `denseop.a`. One way to use the `denseop` module is via a Makefile from an application program in the `blupf90` package.

Example (`exdense.f90`)

Program Example:

```
use kinds; use denseop
real (r4):: xpacked4(3)=(/1,3,10/)      ! Symmetric packed single
precision
real (r4)::x4(2,2)      ! Full single precision
real (r8)::x8(2,2)      ! Full double precision
call printmat(xpacked4,' X ')
call printmat(fchol(xpacked4),' Cholesky(X) ', '(10(f10.2))')
x4=xpacked4
x8=x4
print*, ' Determinant(xpacked4)=', fdet_s(xpacked4)
print*, ' Determinant(x8)=', fdet_s(x8)
print*, ' Determinant(x4)=', fdet_s(x4)
end
```

Compilation

To compile standalone:

```
f90 kind.f90 lapack90r.f90 denseop.f90 exdense.f90
```

This assumes that all files are in the same directory.

To compile in subdirectory of the blupf90 distribution under Linux/Absoft,

```
f90 -p ../libs exdense.f90 ../libs/denseop.a
```

where option -p specifies library directory. This option (-p) is different under different platforms.

See documentation on blupf90 distribution for details.

Module SPARSEM

Collection of sparse matrix modules for Fortran 90 useful in animal breeding problems

Written by: Ignacy Misztal, University of Georgia e-mail: ignacy@uga.edu,
9/4/1997 - 5/25/2007

Introduction

Traditionally, programming in animal breeding is done in 2 stages: in a matrix language and in a regular programming language. Programs in a matrix language such as IML SAS, Matlab, Mathematica or APL are reasonably simple and useful for creating examples but inefficient for large problems. Programs in a regular programming language such as Fortran or C/C++ are much more efficient but could take much longer to write and require substantial training.

Matrix languages are easy to deal with matrices partly because usually only one format is usually supported: dense rectangular. Operations on such matrices are easy to specify and program, but large matrices require large memory and long running time. Also, memory and computations are equal whether matrices are sparse (contain very few nonzero elements) or not. In animal breeding, many matrices are sparse. If that sparsity is taken into account, the memory requirements and computations can decrease dramatically. Unfortunately, there is more than one format for storing sparse matrices, and some computations are fast with one format and but not with another one. Also, the storage formats and operations are considerably more complicated than dense rectangular matrices. A library to handle multiple matrix formats and multiple operations would contain many subroutines, each with a long list of arguments. Such a library would involve considerable learning, and many details associated with the library would create many opportunities for making a mistake.

One matrix package, Matlab, has some forms of sparse-matrix storage and operations included.

Modern programming languages with “object-oriented” features, such as C++ or Fortran 90, have abilities to create classes/modules, where many implementation details on specific data structures can be hidden. A technique called overloading allows single function/subroutine to work with different formats of its arguments. Therefore, the number of details to remember can be drastically reduced. Subsequently, programming can be done much easier and quicker.

SPARSEM is a module for Fortran 90 that enables programming common sparse matrix operations almost as easily as with dense matrices. It supports two dense matrix formats, useful for testing, and two sparse matrix formats. Changing a program from dense to sparse-matrix format using DENSEM can be as simple as changing one declaration line. SPARSEM incorporates an interface to FSPAK, which enables efficient

sparse matrix factorization, solving, sparse inversion and calculation of determinant on matrices much larger than possible with dense matrix structures.

Matrix formats

Four matrix formats are available.

DENSEM - dense square matrix.

DENSE_SYMM -dense symmetric upper-stored.

It has approximately only half memory requirements of the dense square matrix.

SPARSE_HASHM - sparse triple accessed by hash algorithm.

This is a very efficient format for set-up and for iterative-solving of sparse matrices.

SPARSE_IJA - Sparse IJA.

This is a memory-efficient format for sparse matrices used by sparse matrix packages. Format IJA cannot easily be set up directly but can be derived by conversion from the hash format.

For more information on all these formats see Duff et al, George and Liu, or my class notes.

A popular format that is not included here is linked list. That format is reasonably efficient for creating and computing with sparse matrices if the number of nonzero elements per row is not too high and the matrix is not too large. However, the combination of hash plus ija is generally more efficient.

Matrix operations

The following subroutines/functions are supported. All real scalars and vectors are single precision unless indicated otherwise.

Operation	Description	Comments
call init(x)	Initialize x	Required by standard but usually not necessary because on most systems pointers are initialized automatically
call zerom(x,n)	Allocate storage for x as an n*n matrix and zero it	If x was set before, it is reallocated ¹

call reset(x)	Deallocates storage	
call addm(a,i,j,x)	Add to matrix: $x(i,j)=x(i,j)+a$	Does not work on SPARSE_IJA
call setm(a,i,j,x)	sets element of matrix: $x(i,j)=a$	Does not work on SPARSE_IJA
y=getm(i,j,x)	find element of matrix: $y=x(i,j)$	real(4) function; returns lower-diagonal elements of upper-stored matrix
x=y	Conversion between formats	Conversion from sparse to dense formats may require too much storage
call printm(x)	Prints x as square matrix	print(x,'internal') prints sparse matrices in internal format
call solve_iterm(x,rs,sol)	Solves: $x \text{ sol} = \text{rs}$ iteratively by SOR	
call default_iter (conv,maxround,relax, zerosol)	Changes default iteration parameters	All parameters are optional; default values are: conv(ergence criterion)=1e-10, max round(s)=1000, relax(ation factor)=1.0, zerosol(utions ar beginning of iteration) = .true.
x=block(y,i1,i2,j1,j2)	Selects block from y: $x=y(i1:i2,j1:j2)$	does not work on dense_symm format; may not work with unsymmetric blocks from symmetric matrices
q=quadr(f,u,x,v)	$q=u'Xv$	real(8) function; does not work on dense_symm format
tr=trace(x,y)	Self explanatory	real(8) function; x and y must be in same formats; works on densem and sparse_ija formats only
tr=traceblock(x,y,i1,i2,j1,j2)	$\text{tr}=\text{trace}(xy(i1:i2,j1:j2))$	Works as a block-trace combination; produces correct results when blocks of y are nonsymmetric

¹The hash matrix is allocated for a default number of elements. If the default is too small, the hash matrix is enlarged automatically. To change the default p elements, use call `zerom(x,n,p)`. One matrix element in hash format takes 12 bytes, and for efficient operation there should be at least 10% more nonzero elements available than used.

All operations assume that the `densem` type is general while all the other types are upperstored.

Operations `tr`, `quadf` work with both upper- and full-stored matrices but the block operation works literally, i.e., selecting a lower block would return an empty matrix and selecting an upper block would return only an upper-stored matrix. This could be a source of incompatibility between `densem` and other formats that use the block operation without taking its limitations into consideration. Potential problems can be noticed in examples by printing matrices of interest.

Storage type

Matrices in the hash or `ija` format are half-stored by default. To change the storage type to full, add the option 'f' to the `addm` subroutine: `call addm(a,i,j,x,'f')`

The subsequent conversion to the `ija` format will also be full-stored. For conversion from half-stored hash matrix to full-stored `ija`, please see a documentation for the GIBBS module.

The printing and other functions/subroutines have been designed for half-stored hash and `ija` matrices. Results may not be correct with full-stored matrices.

Numerical accuracy

Module `KINDS` defines precision `r4` to be equivalent to `real*4`, and `r8` to be equivalent to `r8`. Precision `rh` can be set up to `r4` or `r8` dependent on whether memory or precision is more important.

Formats `DENSEM`, `DENSE_SYMM`, and `SPARSE_IJA` use precision `r8`. Format `SPARSE_HASHM` uses precision `rh`. Whenever the precision of numbers in `SPARSEM` functions/subroutines is not specified, it is of type `rh`. Setting `rh` to `r4` is useful when memory usage needs to be reduced, e.g., for large BLUP programs. Setting `rh` to `r8` is necessary when numerical accuracy is important, e.g., in variance component programs, and is usually a safer choice.

Diagnostics

Printing of some diagnostic messages depends on the value of an integer variable `sparsem_msg`. The value of 3 means maximum diagnostic messages while the value of 0 means no diagnostic messages. The default is 2. This variable can be set in any part of the application program using the module `SPARSEM`.

FSPAK90

FSPAK is a sparse matrix package written in F77 that performs operations on sparse matrices in format SPARSE_IJA. Operations include solving a system of linear equations by factorization, calculating a (log)determinant or finding a sparse inverse of a matrix. A sparse inverse is such a matrix that contains inverse values only for those elements that were nonzero in the original matrix. For sparse matrices, FSPAK is very efficient computationally.

FSPAK90 is a F90 interface written to simplify the use of FSPAK.

A complete call to FSPAK90 is:

```
call fspak90(operation,ija,rs,sol,det,msglev,maxmem,rank)
```

where

operation=	“factorize”	- calculate sparse factorization
	“invert”	- calculate sparse inverse
	“solve”	- solve a system of equation
	“reset”	- reset the storage
	“det”	- calculate determinant
	“stat”	- print statistics
	“fact_mult”	- multiplication by Cholesky factor of the reordered matrix (if LL=IJA; sol=L*rs)
	“inv_fact_mult”	- solve the system formed by the Cholesky factor of the reordered matrix (sol: L*sol=rs)

ija = matrix in SPARSE_IJA form

rs = real (r4) or (r8) vector of right hand side,

sol = real (r4) or (r8), identical to precision of rs, vector of solutions

det = real (r8) determinant or log-determinant

msglev= message level from 0 (minimum) to 3 (maximum); default=0 maxmem=maximum

memory available in the system; default=infinite

rank=rank of matrix

All the arguments of fspak90 except “operation” and “ija” are optional except when they are needed in a specific “operation”. Thus, rs and sol are needed for solving and det for “det” or “ldet”.

Examples:

To solve:

```
call fspak90('solve',ija,rs,sol)
```

for both rs and sol either in single or double precision; all. Preceding steps are done automatically.

To solve using double precision right hand side and solutions:

```
call fspak90('solve',ija,rs8=rs,sol8=sol)
```

To sparse invert:

```
call fspak90('invert',ija)
```

To obtain the determinant d:

```
call fspak90('det',ija,det=d)
```

To obtain the log determinant ld:

```
call fspak90('ldet',ija,det=ld)
```

To obtain rank r with any operation:

```
call fspak90(.....,rank=r)
```

To force new factorization, when the input matrix has changed: call

```
fspak90('factor',ija)
```

To deallocate the internal memory:

```
call fspak90('reset')
```

To limit memory to a maximum of maxmem, e.g., 20,000k, with any operation call

```
fspak90(.....,maxmem=20000)
```

Note that only relevant arguments for each step need to be included in calling FSPAK90. Reordering is performed the first time when FSPAK90 is called. Subsequent factorization except after the option “reset” will reuse the ordering. Subsequent solves will reuse the factorization.

Additionally:

To sample y from $N(0,A)$ where $x \sim N(0,1)$

```
call fspak90('fact_mult',A,rs8=x,sol8=y)
```

To sample y from $N(0,A^{-1})$ where $x \sim N(0,1)$

```
call fspak90('inv_fact_mult',A,rs8=x,sol8=y)
```

For details of the last operations, see Appendix S2

Additional subroutines and functions:

Function

```
y=mult(A,x)
```

```
y=mult(x,A)
```

Implements the matrix by vector multiplication for all matrix formats except dense_symm, and for double precision x and y.

Subroutine

```
call multmatscal(A,x)
```

Implements $A=A*x$ for all matrix formats except dense_symm, and for double precision x.

Hints on using SPARSEM

Initially all the matrices can be implemented in DENSEM format. After the program works well with an example, convert all data structures for potentially large matrices to sparse formats and verify that same results are obtained.

Compiling

Matrix types and functions subroutine are defined in module sparsem. Subroutine fspak90 is in module sparseop. Program xx.f90 can be compiled as

```
f90 -Maa xx.f90 aa/sparsem.a
```

where aa is the directory containing the modules and the library, and M is the option to include module directory.

Beginning in May, 1999, SPARSEM is part of a programming package that includes BLUPF90, REMLF90, GIBSF90 etc. Compilation for several Unix environments is automated by makefiles. To find details, read Readme and Installation files in the package distributions. To create application with SPARSEM and possibly other modules, create a subdirectory in the main directory of the package, and adapt a makefile from the existing directory, e.g., blup.

Sample Programs

Dense matrix solution program

```
program test_sparse_structures use
sparsem; use kinds type (densem)::x
integer,parameter ::n=5
integer :: i,j
real (rh):: rs(n),sol(n),val

call init(x)
call zerom(x,n)

! set up a sample matrix do
i=1,n
  rs(i)=n+1-i
  val=10.0*i/i
  call addm(val,i,i,x)
  do j=i+1,n
    val=10.0*i/j
    call addm(val,i,j,x); call addm(val,j,i,x)
  enddo
enddo
```

```

print*,'rs: ',rs print*,'matrix' ; call printm(y) call
solve_iterm(y,rs,sol) !solve iteratively
print*,'sol: ',sol
end

```

Triangular dense matrix iterative-solution program

```

.....
type (dense_symm)::x
.....
(The rest of the program remains identical)

```

Sparse hash matrix iterative-solution program

```

.....
type (sparse_hashm)::x
.....

```

Sparse IJA matrix iterative-solution program

Matrix in ija form cannot be set up directly but can be converted from hash form.

```

.....
type (sparse_hashm)::x type
(sparse_ija)::y
...
y=x          !conversion
call reset(x) ! Optional statement to release storage
print*,'rs: ',rs print*,'matrix' ; call printm(y) call
solve_iterm(y,rs,sol)

end

```

Sparse IJA matrix finite-solution and inversion program with FSPACK90

```

...
use sparsem use sparseop !fspak90 is in module sparseop .....
call fspak90('solve',y,rs,sol) ....
!now invert call
fspak90('invert',y)
call printm(y)
end

```

References

George, A. and Liu, J.W.H. (1981) Computer solution of large sparse positive definite systems. Prentice-Hall, Englewood Cliffs, N.J.

Appendix S1

Definitions of structure (type)

```

type densem      !traditional dense square matrix
  integer :: n
  real(8) ,pointer::x(:, :)
end type densem

type dense_symm  !upper stored symmetric dense matrix
  integer ::n
  real(8) ,pointer::x(:)
end type dense_symm

type sparse_hashm
  integer:: n,&          ! for compatibility mainly
  nel,&                ! number of elements          filled,&
  ! number of filled elements          status      !
  1 if ready to hash, 2 if in sorted
  ! order
  real (rh) , pointer :: x(:, :)
end type sparse_hashm

type sparse_ija
  integer :: n,&        ! number of equations
  nel      ! number of nonzeroes
  integer, pointer::ia(:),ja(:) !will be ia(n+1), ja(m)
  real (8), pointer::a(:)      !will be a(m)
end type

```

Accessing structures

Structures can be accessed within the application program using the “%” symbol. This is useful, e.g., when using Fortran 77 programs. The example below shows how to use a determinant program written in F77.

```

type (densem):: z
integer::i,j
real (rh)::value

call init(z)
call zerom(x,2)

```

```

! initialize z
do i=1,2
  do j=1,2
    value=i**j/10.
    call addm(value, i,j,z)
  enddo
enddo

print*, det(z%n,z%x)
end

function det(n,x)
!calculate determinant for a 2x2 matrix
integer n
real (r8):: x(n,n),det !
det= x(1,1)*x(2,2)/x(1,2)/x(2,1)
end

```

Library

The following files are compiled into the library:

kind.f90	- definitions of precisions
sparse.f90	- type definitions + main subroutines,
sparse2.f	- supporting subroutines (in f77),
fspak.f90	- f90 interface to fspak
fspak.f	- main fspak subroutine (in f77),
fspaksub.f	- supporting fspak subroutines (in f77),
sparssub.f	- low-level subroutines from the book of George and Liu (in f77),
second.f	- timing subroutine specific to each computer (in f77).

Subroutines second() specific to other computers can be found in the FSPAK manual.

Appendix S2

Multiplication and solving using factors

Let A be a matrix. Factorization produced by FSPAK is L:

$$A=P'LL'P$$

where P is a reordering matrix chosen to minimize the size of L:

$$PP'=P'P=I$$

Operation "fact_mult" multiplies the factor by a vector:

$$y=P' L P x$$

Operation "inv_fact_mult" solves the system of equation:

$$P'L' Py=x$$

This is equivalent to:

$$y= P' (L'^{-1}) Px$$

Both operations were programmed by Juan Pablo Sanchez. The operations are useful for generation of large random samples from a multivariate normal distribution. They may be useful in Gibbs sampler algorithms when setting up and factorization of the system of equations in each round are feasible.

Module Prob

Probability routines for use in threshold models and Gibbs sampling

Written by: Ignacy Misztal and Deukhwan Lee, University of Georgia e-mail: ignacy@uga.edu,
04/29/99-04/19/2001

Module Prob is a collection of random number generators / probabilities / truncated distributions useful for Gibbs sampling and for threshold models. The module uses features of Fortran 90 to simplify programming and high-level optimization to reduce running time, with simplicity being as important as efficiency. To understand the module fully, please read the documentation on SPARSEM and on BLUPF90.

Module prob uses high-quality generators from public domain package RANLIB for random number generators. Some low level code is from Luis Varona.

Subroutines/functions

call `set_seed(n)`

Sets seed for random number generator to integer n. If this subroutine is not called, the seed will be selected by the system.

`x=gen_uniform(a,b)`

a,b - both real (r*) or both integers or both missing.

If a,b are missing, generates samples from uniform(0,1) distribution

If a,b are real (r8), generates samples from uniform(a,b) distribution

If a,b are integers, generates random integer between a and b

`x=gen_normal(mean,var)`

mean - (r8) scalar or vector

var - (r8) scalar or square matrix

x - (r8) scalar or square matrix

Generates $x=N(\text{mean},\text{Var})$ when mean and var are scalars, or $x=MVN(\text{mean},\text{Var})$ when mean is a vector and Var is a matrix. Arguments mean and var are optional. If they are missing, sampling is from $N(0,1)$

`x=gen_invwishart(inv_q_form,df)`

inv_q_form - (r8) scalar or square matrix containing inverse of quadratic form

df - an integer containing degrees of freedom

Generates samples from inverted chi square or inverted Wishart distributions.

`y=normal(x)`
 x - real(r8) scalar
 y - real (r8) contains density(X) for N(0,1)

`y=normal_cdf(x)`
 x - real (r8) scalar
 y - real (r8) cumulative distribution function for N(0,1)

`y=normal_invcdf(x)`
 x - real (r8) scalar in the range of <0,1>
 y - real (r8) as in: `x=normal_cdf(y)`

`y=generate_trunc_normal(a,b,mean,var)`
 y - real (r8) scalar or vector
 a,b - real (r8) lower and upper bound of random samples
 mean - real(r8) scalar or vectors of mean, optional if scalar
 var - real(r8) variance or covariance matrix, optional if scalar

If mean and var are missing, generates random samples from N(0,1) distribution truncated to interval <a,b>.

If mean and var are scalars, generates random samples from N(mean,var) distribution truncated to interval <a,b>.

If mean is a vector and var is a matrix, generates random samples from MVN(mean,var) distribution with first dimension truncated to interval <a,b>.

Other functions/subroutines

New functions/subroutines are added to Module prob periodically. Please see program prob.f90 for details.

Acknowledgments

We acknowledge Fernando Bussiman for reviewing the 2024 version of this manual and the many users who have reported “bugs” in the manual and programs.